

**AZzardo**<sup>®</sup>

# TECHNOline



collection 2022

# Azzardo



## BULGARIA

VISTA\_G LTD

tel.: +359 32 655 877  
mobile: +359 885 388 003  
e-mail: sales@iml.bg  
• www.vista-g.com



## CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.  
KOPERNIKOVA 5; 10000 ZAGREB  
tel.: +91 222 02 29  
tel.: +91 520 12 54  
e-mail: info@azzardo.com.hr  
• www.azzardo.com.hr



## CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.  
tel.: +421 41 565 22 56  
e-mail: info@azzardo.sk  
• www.azzardodesign.com



## HUNGARY

ELTER LTD.  
tel.: +36 74 510 348  
e-mail: info@elter.hu  
• www.elter.hu



## ICELAND

PFAFF  
tel.: +354 414 0400  
fax: +354 414 0401  
e-mail: pfaff@pfaff.is  
• www.pfaff.com



## ITALY

LEONARDO ANICETO  
tel.: +39 3931212029  
e-mail: aniceto.staff@gmail.com

---

ANGELO FOLLIERO  
tel.: +39 336 605 301  
e-mail: angelofolliero@libero.it



## POLAND

AZZARDO SP. Z O.O.  
tel.: +48 61 849 40 80  
fax: +48 61 849 40 84  
e-mail: office@azzardolighting.com  
• www.azzardolighting.com



## PORTUGAL

DOMOLED  
NÚCLEO EMPRESARIAL  
DA ABRUNHEIRA ZONA  
POENTE PAV.4, 2710-089 SINTRA  
tel.: +351 219 111 201  
tel.: +351 911 003 235  
e-mail: geral@domoled.pt  
• www.domoled.pt



## ROMANIA

JACEK KREMPIŃSKI  
tel.: +48 518 543 875  
e-mail: jacekkrepinski@gmail.com



## SLOVAKIA

AZZARDO LIGHTING S.R.O.  
TEL.: +421 41 565 22 56  
e-mail: info@azzardo.sk  
• www.azzardodesign.com



## UKRAINE

ELEKOMP  
82107 LVIV REGION,  
M.DROHOBYCZ VUL. GRUSHEWSKOGO 58  
fax: +38 0324 438328  
tel.: +38 067 353 3757  
tel.: +38 097 860 6839  
e-mail: elekomp@ukr.net  
• www.elekomp.com.ua

---

PROFORMA  
KYIV, EKSKAVATORNA 24  
tel.: +38 098 193 22 22  
tel.: +38 097 083 81 53  
e-mail: zakaz@proforma.kiev.ua  
• www.proforma.kiev.ua



## UNITED KINGDOM AND IRELAND

IAN DORMER  
tel.: 07745 763251  
e-mail: ian@eurolamps.uk



**AZzardo**<sup>®</sup>

TRACKLINE

[www.azzardolighting.com](http://www.azzardolighting.com)

# ALPHABETICAL

## PICTORIAL LIST

**TRACKLine** . . . . . **1**  
**TECHNOLine** . . . . . **89**  
**OUTDOORLine** . . . . . **345**



ACCESORIES FOR TRACK 1-LINE **2**



ACCESORIES FOR TRACK 3-LINE **12**



ACCESORIES FOR TRACK MAGNETIC **48**



ADAMO **218**



ADAMO DIAMOND **220**



ADAMO RING **219**



AFI IP54 **394**



AGAPE IP54 **412**



AIDA ROUND **236**




AIDA SQUARE **237**



ALDO TRACK **70**



ALEX **163**



ALF IP65 **396**



ALIX **162**



ALIX 230V **165**



ALIX IP65 **356**



ANCONA **328**



ANCONA WOOD **329**



ANGUS **335**



APULIA IP54 **354**



ARBAX IP54 **376**



ARCHO **332**



ARIDA IP54 **377**



ARO **92**



AVON 320



BIAGIO 223



BILL 123



BLAS 308



BLUETOOTH GATEWAY + REMOTE SMART 55



BOOMBOX IP44 418



BORIS 112



BOSTON 122



BOSTON 10W ROUND 255



BRANT 102



BRANT IP44 103



BRANT SQUARE 104



BRANT SQUARE IP44 105



BROSS 96




BROSS ARM 98



BROSS ARM TRACK 3-LINE 40



CARLO 272



CARO ROUND 278



CARO SQUARE 279



CASOLA IP54 374



CASORIA IP54 392



CASPER ROUND IP54 353



CASPER SQUARE IP54 352



CESAR 268



CIVITA IP54 384



CLETO 217



CLOE 213



CLOVER 321



COLLODI 48 CCT 194



CORTONA 198



COSEL IP54 375



COSTA 100



COSTA ARM 101



COSTA ARM TRACK 3-LINE 30



COSTA SPOT 256



COSTA TRACK 3-LINE 31



CREMONA IP54 380



DARIO 113



DIADO 142



ECO ALEX 230V 167



ECO ALIX 166



ECO ALIX NEW 230V 164



EDITTA 273



EDVARD IP65 414



EDVIN IP65 414



EIGER IP54 93



EIGER TRACK 3-LINE 20



ELEGANT BULB 233



ELIN TRACK 72



ELOY 106



ELSA TRACK 73



EMILIO IP54 264



ENOK IP54 390



EREBUS ANGLE 134



EREBUS BASE 134



EREBUS PENDANT 134



EREBUS TRACK 3-LINE 38



EREBUS TUBE 38



ERIKA 289



ESTER ROUND 226



ESTER SQUARE 228



EVA 214




EXO 136



EXO TRACK 1-LINE 6



EXO TRACK 3-LINE 41



EZIO IP54 265



FALCO 12 190



FANO IP54 350



FANO SMART 349



FARO 339



FELIX 311



FILL ROUND 248



FILL SQUARE 249



FLAVIO 138



FLOKI IP54 415



FONS IP65 386



FRAME IP54 410



FRIDA 252



GAGARIN IP44 388



GALATA IP44 238



GALENA 140



GALILEO 1 PENDANT 204



GALILEO TRACK 3-LINE 27



GAMBINO 314



GAMBINO IP54 378



GELO 287



GINNA IP54 385



GINNO 334



GORAN 369



GULIA TRACK 3-LINE 23



HAVANA IP44 416



HERA GIPS ROUND 299



HERA GIPS SQUARE 298



HUGO 108



HUGO DOWNLIGHT 270



HUGO R 108



HYDE IP54 348



IBIZA 280



IKA IP65 267



IKA IP65 361



ITAKA 285



IVO 274



IVO SQUARE 275



JAKE WALL 2 IP54 367



JANE TRACK 3-LINE 33



JERRY 12V 168



JERRY 230V 169



JERRY TRACK 1-LINE 9



JERRY TRACK 3-LINE 32



JOE IP54 358



JUNONA 192



KASTORIA IP44 239



KERRY SMART CCT 60



KIRA TRACK MANGETIC 66




KIRA TRACK MANGETIC SMART CCT 61



KIRKE TRACK 1-LINE 8



KIRKE TRACK CCT 3-LINE 26



KORI TRACK 75



LAMBDA 309



LAMIR 240



LAMIR DIMM + REMOTE CONTROL 241



LARS IP54 382



LATONA 323



LENS 125



LENS TRACK 3-LINE 42



LEON 141





LEON TRACK 3-LINE 45



LETICIA 316



LETICIA 2 317



LETICIA 2 LED 318



LETICIA 2 LED IP54 379



LINA 257



LINNEA PENDANT 206



LINNEA TRACK CCT 3-LINE 36



LINO 132



LINZ 260



LIVIO 2 IP54 387



LOLO TRACK 1-LINE 7



LOLO TRACK 3-LINE 22



LORENZA 224



LORENZO 225



LUCIANO 222



LUMI 340



LUMI FLEX 341



LUMI FLEX TRACK 28



LUMI TRACK 3-LINE 28



LUNA 15W 258



LUNA 7W 259



MAKALU 128



MAKITA CCT SMART 56



MALTA R 174



MANE 10W 119



MANE 20W / 30W 120



MARIKA 232



MARS 312



MATEO 172



MATERA IP54 413



MAX 12V / MAX 230V 170



MAYA TRACK 74



MEGARA TRACK 3-LINE 21



MIKKA TRACK 3-LINE 34



MIKKEL IP54 400



MILET 284



MINI BROSS 94




MINI ELOY 95



MINI ROUND 114



MINI SQUARE 115



MINORKA 282



MIRA 212



MOMO 173



MONA 12W 146



MONA 18W 147



MONA SPOT 12W 250



MONA SPOT 18W 251



MONA TRACK 3-LINE 35



MONTANA 319



MONZA II R 180



MONZA II S 184



MONZA R 178



MONZA R CCT 186



MONZA R PENDANT 179




MONZA S 182



MONZA S CCT 188



NANO 118



NEMO 288



NEOS 116



NIKEA 154



NIKKI TRACK 68



NIKLAS IP44 398



NIKO TRACK 69



NILS IP44 408



NINO 117



NOGAT 343



NOVA 296



NOVA GIPS 297



OJOS 150



OKA 247



OSCAR IP44 262



OSVALD IP44 403



OVE WALL IP54 395



OZ 303



PABLO IP54 266



PACO 276



PAOLA 230V 156




PAPIKO IP65 355



PAULO 12V 158



PAULO 230V 159



PEDER IP54 368



PIENZA DIMM 191



PIO 277



PIRAMIDE 216



QUADRO 50 CCT LED 196



RAFFAEL 153



RAGGIO 305



RAMONA 336



RASMUS IP65 402



RAUL 324




REMI 281



REMO 110



REMO 1 DOWNLIGHT 269



REMO R 110



REZIA IP54 362



RIMINI IP54 366



RIMINI SQUARE IP54 364



ROLF IP44 404



ROTONDO 124



SAGA TRACK 62



SAGA TRACK CORNER 64



SAGA TRACK SMART 58



SANE 304



SANTOS 130



SANTOS EXPOSED 144



SANTOS SQUARE 131



SANTOS SQUARE TRACK 3-LINE 43



SANTOS TRACK 3-LINE 24



SARONA IP54 389



SAVIO 286




SCATOLA 325



SCORPIO 143



SIENA 145



SIMON 210




SIRO 290



SISTO 291



SKYE 148



SKYE PENDANT 149



SKYE TRACK 3-LINE 44



SKYE TRACK PENDANT 71



SLIM ROUND 244



SLIM SQUARE 242



SONA CCT LED 197



SONYA SMART CCT 59



SORANO IP44 406





SOVANA PENDANT CCT LED 202



SOVANA TOP CCT LED 200



STAN 292



TAZ 302



TITO IP54 263



TIVOLI TRACK 3-LINE 39



TONIO IP54 360



TORCH 330



TORONTO 152




TORONTO 15W SPOT 254




TORRES 293




TRACK MAGNETIC SET 1 M 78



TRACK MAGNETIC SET 1,5 M 80



TRACK MAGNETIC SET 2 M 81



TRACK MAGNETIC SET 3 M 85



ULF IP44 370



UNA 261



VASKO 133



VEGA 331



VEKTOR ROUND 230



VEKTOR SQUARE 231



VELIA ROUND 306



VELIA SQUARE 307



VENETO IP54 373



VENTA IP54 372



VENUS 313



VERA 338



VERDI 294



VERONICA 342



VIALETTO 327



VIDAL 326



VIGO 322



VISION 139



ZITA XL IP54 383

OLD & NEW  
**codes list**

<b>A</b>	Adamo Midst (black) . . . . .	AZ1480 . . . NC1825-M-BK . . . . .	<b>218</b>
	Adamo Midst (chrome) . . . . .	AZ1481 . . . NC1825-M-CH . . . . .	<b>218</b>
	Adamo Midst Diamond (black) . . . . .	AZ2731 . . . . .	<b>220</b>
	Adamo Midst Diamond (chrome) . . . . .	AZ2734 . . . . .	<b>220</b>
	Adamo Midst Diamond (gold) . . . . .	AZ2740 . . . . .	<b>220</b>
	Adamo Midst Diamond (white) . . . . .	AZ2738 . . . . .	<b>220</b>
	Adamo Midst (gold) . . . . .	AZ1482 . . . NC1825-M-GO . . . . .	<b>218</b>
	Adamo Midst (matt black) . . . . .	AZ2562 . . . . .	<b>218</b>
	Adamo Midst (white) . . . . .	AZ1483 . . . NC1825-M-W . . . . .	<b>218</b>
	Adamo Ring (black) . . . . .	AZ1484 . . . NC1827-BK-CH . . . . .	<b>219</b>
	Adamo Ring (chrome) . . . . .	AZ1485 . . . NC1827-CHR . . . . .	<b>219</b>
	Adamo Ring (gold) . . . . .	AZ1486 . . . NC1827-GOR . . . . .	<b>219</b>
	Adamo Ring (matt black) . . . . .	AZ2567 . . . . .	<b>219</b>
	Adamo Ring (white) . . . . .	AZ1487 . . . NC1827-WHR . . . . .	<b>219</b>
	ADAPTER PAR-16 ADAP111 . . . . .	AZ1117 . . . . .	<b>429</b>
	Afi 3000K (black) . . . . .	AZ4512 . . . . .	<b>394</b>
	Afi 3000K (dark grey) . . . . .	AZ4510 . . . . .	<b>394</b>
	Afi 4000K (black) . . . . .	AZ4513 . . . . .	<b>394</b>
	Afi 4000K (dark grey) . . . . .	AZ4511 . . . . .	<b>394</b>
	Aida Round 9W 3000K (black) . . . . .	AZ4220 . . . . .	<b>236</b>
	Aida Round 9W 3000K (white) . . . . .	AZ4218 . . . . .	<b>236</b>
	Aida Round 16W 3000K (black) . . . . .	AZ4224 . . . . .	<b>236</b>
	Aida Round 16W 3000K (white) . . . . .	AZ4222 . . . . .	<b>236</b>
	Aida Square 9W 3000K (black) . . . . .	AZ4227 . . . . .	<b>237</b>
	Aida Square 9W 3000K (white) . . . . .	AZ4226 . . . . .	<b>237</b>
	Aida Square 16W 3000K (black) . . . . .	AZ4229 . . . . .	<b>237</b>
	Aida Square 16W 3000K (white) . . . . .	AZ4228 . . . . .	<b>237</b>
	Aldo Track Magnetic 12W Milky120 3000K (black) . . . . .	AZ4625 . . . . .	<b>70</b>
	Aldo Track Magnetic 12W Milky120 3000K (white) . . . . .	AZ4626 . . . . .	<b>70</b>
	Aldo Track Magnetic 12W Points60 3000K (black) . . . . .	AZ4621 . . . . .	<b>70</b>
	Aldo Track Magnetic 12W Points60 3000K (white) . . . . .	AZ4622 . . . . .	<b>70</b>
	Aldo Track Magnetic 12W Points60 4000K (black) . . . . .	AZ4623 . . . . .	<b>70</b>
	Aldo Track Magnetic 12W Points60 4000K (white) . . . . .	AZ4624 . . . . .	<b>70</b>
	Alex (black) . . . . .	AZ1358 . . . GM4112-BK . . . . .	<b>163</b>
	Alex (white) . . . . .	AZ1359 . . . GM4112-WH . . . . .	<b>163</b>
	Alf Round 3000K (black) . . . . .	AZ4663 . . . . .	<b>396</b>
	Alf Round 3000K (dark grey) . . . . .	AZ4664 . . . . .	<b>396</b>
	Alf Square 3000K (black) . . . . .	AZ4665 . . . . .	<b>396</b>
	Alf Square 3000K (black) . . . . .	AZ4666 . . . . .	<b>396</b>
	Alix 230V (black) . . . . .	AZ3540 . . . . .	<b>165</b>
	Alix 230V (white) . . . . .	AZ3541 . . . . .	<b>165</b>
	Alix (black) . . . . .	AZ1357 . . . GM4110-BK . . . . .	<b>162</b>
	Alix IP65 (black) . . . . .	AZ4056 . . . . .	<b>356</b>
	Alix IP65 (grey) . . . . .	AZ4057 . . . . .	<b>356</b>
	Alix IP65 (white) . . . . .	AZ4055 . . . . .	<b>356</b>
	Alix (white) . . . . .	AZ1356 . . . GM4110-WH . . . . .	<b>162</b>
	Ancona L (black) . . . . .	AZ2852 . . . . .	<b>328</b>
	Ancona L (white) . . . . .	AZ2853 . . . . .	<b>328</b>
	Ancona M (black) . . . . .	AZ2194 . . . GW-8663M-BK . . . . .	<b>328</b>
	Ancona M (white) . . . . .	AZ2193 . . . GW-8664M-WH . . . . .	<b>328</b>
	Ancona S (black) . . . . .	AZ2191 . . . GW-8663S-BK . . . . .	<b>328</b>
	Ancona S (white) . . . . .	AZ2192 . . . GW-8664S-WH . . . . .	<b>328</b>
	Ancona Wood M . . . . .	AZ2715 . . . . .	<b>329</b>
	Ancona Wood S . . . . .	AZ2714 . . . . .	<b>329</b>
	Angus (chrome) . . . . .	AZ2445 . . . SN-6409-CH . . . . .	<b>335</b>
	Angus (white) . . . . .	AZ2446 . . . SN-6408-WH . . . . .	<b>335</b>
	Apulia R (black) . . . . .	AZ4333 . . . . .	<b>354</b>

	Apulia R (dark grey) . . . . .	AZ4335 . . . . .	<b>354</b>
	Apulia R (white) . . . . .	AZ4334 . . . . .	<b>354</b>
	Apulia S (black) . . . . .	AZ4336 . . . . .	<b>354</b>
	Apulia S (dark grey) . . . . .	AZ4338 . . . . .	<b>354</b>
	Apulia S (white) . . . . .	AZ4337 . . . . .	<b>354</b>
	Arbax 1 (dark grey) . . . . .	AZ4341 . . . . .	<b>376</b>
	Arbax 2 (dark grey) . . . . .	AZ4342 . . . . .	<b>376</b>
	Archo 2A (chrome) . . . . .	AZ0326 . . . AX6068-18W-CH . . . . .	<b>332</b>
	Archo 2B (chrome) . . . . .	AZ0327 . . . AX6068-36W-CH . . . . .	<b>332</b>
	Archo 2C (chrome) . . . . .	AZ0328 . . . AX6068-55W-CH . . . . .	<b>333</b>
	Archo A (aluminium) . . . . .	AZ0199 . . . AX6068-18W-ALU . . . . .	<b>332</b>
	Archo C (aluminium) . . . . .	AZ0201 . . . AX6068-55W-ALU . . . . .	<b>333</b>
	Arida (dark grey) . . . . .	AZ4347 . . . . .	<b>377</b>
	Aro (black) . . . . .	AZ2558 . . . GM4111-BK . . . . .	<b>92</b>
	Aro (chrome) . . . . .	AZ1360 . . . GM4111-CH . . . . .	<b>92</b>
	Aro (white) . . . . .	AZ2559 . . . GM4111-WH . . . . .	<b>92</b>
	Avon (black) . . . . .	AZ2196 . . . GW-6100-BK . . . . .	<b>320</b>
	Avon (gold) . . . . .	AZ2197 . . . GW-6100-GO . . . . .	<b>320</b>
	Avon (white) . . . . .	AZ2195 . . . GW-6100-WH . . . . .	<b>320</b>
<b>B</b>	Biagio (chrome) . . . . .	AZ1492 . . . NC571-CH . . . . .	<b>223</b>
	Biagio (gold) . . . . .	AZ1493 . . . NC571-GO . . . . .	<b>223</b>
	Bill 10W (black) . . . . .	AZ3376 . . . . .	<b>123</b>
	Bill 10W (white) . . . . .	AZ3375 . . . . .	<b>123</b>
	Blas (black) . . . . .	AZ3069 . . . . .	<b>308</b>
	Bluetooth Gateway Smart . . . . .	AZ4856 . . . . .	<b>55</b>
	Boombox Bucket RGBW + Remote Control (white) . . . . .	AZ4665 . . . . .	<b>419</b>
	Boombox Medium RGBW + Remote Control (white) . . . . .	AZ4664 . . . . .	<b>419</b>
	Boris (aluminium) . . . . .	AZ1053 . . . GM4108-ALU . . . . .	<b>112</b>
	Boris (black) . . . . .	AZ1110 . . . GM4108-BK . . . . .	<b>112</b>
	Boris (white) . . . . .	AZ1054 . . . GM4108-WH . . . . .	<b>112</b>
	Boston 1 Round (black) . . . . .	AZ3471 . . . . .	<b>255</b>
	Boston 1 Round (white) . . . . .	AZ3470 . . . . .	<b>255</b>
	Boston Double (black) . . . . .	AZ3545 . . . . .	<b>103</b>
	Boston Double (white) . . . . .	AZ3544 . . . . .	<b>103</b>
	Boston Single (black) . . . . .	AZ3543 . . . . .	<b>103</b>
	Boston Single (white) . . . . .	AZ3542 . . . . .	<b>103</b>
	Brant 2 (black) . . . . .	AZ2821 . . . . .	<b>102</b>
	Brant 2 (black/chrome) . . . . .	AZ2930 . . . . .	<b>102</b>
	Brant 2 Square (black) . . . . .	AZ2827 . . . . .	<b>104</b>
	Brant 2 Square IP44 (black) . . . . .	AZ2879 . . . . .	<b>105</b>
	Brant 2 Square IP44 (white) . . . . .	AZ2823 . . . . .	<b>105</b>
	Brant 2 Square (white) . . . . .	AZ2826 . . . . .	<b>104</b>
	Brant 2 (white) . . . . .	AZ2820 . . . . .	<b>102</b>
	Brant (black) . . . . .	AZ2819 . . . . .	<b>102</b>
	Brant (black/chrome) . . . . .	AZ2929 . . . . .	<b>102</b>
	Brant Square (black) . . . . .	AZ2825 . . . . .	<b>104</b>
	Brant Square IP44 (black) . . . . .	AZ2878 . . . . .	<b>105</b>
	Brant Square IP44 (white) . . . . .	AZ2822 . . . . .	<b>105</b>
	Brant Square (white) . . . . .	AZ2824 . . . . .	<b>104</b>
	Brant (white) . . . . .	AZ2818 . . . . .	<b>102</b>
	Bross 1 (aluminium) . . . . .	AZ0780 . . . GM4100-ALU . . . . .	<b>96</b>
	Bross 1 (black/aluminium) . . . . .	AZ0779 . . . GM4100-BK . . . . .	<b>96</b>
	Bross 1 (black/black) . . . . .	AZ2135 . . . GM4100-BK-BK . . . . .	<b>96</b>
	Bross 1 (black/gold) . . . . .	AZ2955 . . . . .	<b>96</b>
	Bross 1 (bright grey) . . . . .	AZ1437 . . . GM4100-BGR . . . . .	<b>96</b>
	Bross 1 (chrome) . . . . .	AZ0857 . . . GM4100-CH . . . . .	<b>96</b>
	Bross 1 (white/aluminium) . . . . .	AZ0781 . . . GM4100-WH-ALU . . . . .	<b>96</b>

# OLD&NEW CODES LIST

## Introduction

Bross 1 (white) . . . . .	AZ0858 . . . GM4100-WH . . . . .	<b>96</b>	Ceiling Plate 3-Line + Wire (black) . . . . .	AZ480 . . . . .	<b>16</b>
Bross 1 (white/black) . . . . .	AZ1436 . . . GM4100-WH-BK . . . . .	<b>96</b>	Ceiling Plate 3-Line + Wire (white) . . . . .	AZ4782 . . . . .	<b>16</b>
Bross 2 (aluminium) . . . . .	AZ0783 . . . GM4200-ALU . . . . .	<b>96</b>	Cesar (chrome) . . . . .	AZ1152 . . . GM2113-CH . . . . .	<b>268</b>
Bross 2 (black/aluminium) . . . . .	AZ0782 . . . GM4200-BK-ALU . . . . .	<b>96</b>	Civita (dark grey) . . . . .	AZ4361 . . . . .	<b>384</b>
Bross 2 (black/black) . . . . .	AZ2136 . . . GM4200-BK-BK . . . . .	<b>96</b>	Civita Sensor (dark grey) . . . . .	AZ4360 . . . . .	<b>384</b>
Bross 2 (black/gold) . . . . .	AZ2956 . . . . .	<b>96</b>	Cleto (chrome) . . . . .	AZ1621 . . . NC2004R-B-CH . . . . .	<b>217</b>
Bross 2 (bright grey) . . . . .	AZ1787 . . . GM4200-BGR . . . . .	<b>96</b>	Cleto (gold) . . . . .	AZ1622 . . . NC2004R-B-GO . . . . .	<b>217</b>
Bross 2 (chrome) . . . . .	AZ0941 . . . GM4200-CH . . . . .	<b>96</b>	Cloe (chrome) . . . . .	AZ1466 . . . NC1738-M-CH . . . . .	<b>213</b>
Bross 2 (white/aluminium) . . . . .	AZ0784 . . . GM4200-WH-ALU . . . . .	<b>96</b>	Clover Oval (black) . . . . .	AZ2997 . . . . .	<b>321</b>
Bross 2 (white) . . . . .	AZ0859 . . . GM4200-WH . . . . .	<b>96</b>	Clover Oval (white) . . . . .	AZ2998 . . . . .	<b>321</b>
Bross 2 (white/black) . . . . .	AZ1753 . . . GM4200-WH-BK . . . . .	<b>96</b>	Clover Square (black) . . . . .	AZ2198 . . . GW-6809-BK . . . . .	<b>321</b>
Bross Arm 2 (black) . . . . .	AZ3503 . . . . .	<b>98</b>	Clover Square (white) . . . . .	AZ2199 . . . GW-6809-WH . . . . .	<b>321</b>
Bross Arm 2 (white) . . . . .	AZ3502 . . . . .	<b>98</b>	Collodi 48 CCT (beige) . . . . .	AZ2716 . . . . .	<b>194</b>
Bross Arm (black) . . . . .	AZ3499 . . . . .	<b>98</b>	Collodi 48 CCT (grey) . . . . .	AZ2717 . . . . .	<b>194</b>
Bross Arm Track (black) . . . . .	AZ3501 . . . . .	<b>40</b>	Cortona 41 3000K (black) . . . . .	AZ2737 . . . . .	<b>198</b>
Bross Arm Track (white) . . . . .	AZ3500 . . . . .	<b>40</b>	Cortona 41 3000K (grey) . . . . .	AZ2735 . . . . .	<b>198</b>
Bross Arm (white) . . . . .	AZ3498 . . . . .	<b>98</b>	Cortona 41 3000K (white) . . . . .	AZ2732 . . . . .	<b>198</b>
<b>C</b> Carlo (aluminium) . . . . .	AZ0804 . . . . .	<b>272</b>	Cortona 41 4000K (black) . . . . .	AZ2736 . . . . .	<b>198</b>
Carlo (black) . . . . .	AZ4141 . . . . .	<b>272</b>	Cortona 41 4000K (grey) . . . . .	AZ2733 . . . . .	<b>198</b>
Carlo (white) . . . . .	AZ0805 . . . . .	<b>272</b>	Cortona 41 4000K (white) . . . . .	AZ2730 . . . . .	<b>198</b>
Caro 2 Square (aluminium) . . . . .	AZ2438 . . . SN-6812S-ALU . . . . .	<b>279</b>	Cortona 55 3000K (black) . . . . .	AZ2745 . . . . .	<b>198</b>
Caro 2 Square (black) . . . . .	AZ2437 . . . SN-6812S-BK . . . . .	<b>279</b>	Cortona 55 3000K (grey) . . . . .	AZ2743 . . . . .	<b>198</b>
Caro 2 Square (white) . . . . .	AZ2436 . . . SN-6812S-WH . . . . .	<b>279</b>	Cortona 55 3000K (white) . . . . .	AZ2741 . . . . .	<b>198</b>
Caro 3 Square (aluminium) . . . . .	AZ2441 . . . SN-6813S-ALU . . . . .	<b>279</b>	Cortona 55 4000K (black) . . . . .	AZ2744 . . . . .	<b>198</b>
Caro 3 Square (black) . . . . .	AZ2440 . . . SN-6813S-BK . . . . .	<b>279</b>	Cortona 55 4000K (grey) . . . . .	AZ2742 . . . . .	<b>198</b>
Caro 3 Square (white) . . . . .	AZ2439 . . . SN-6813S-WH . . . . .	<b>279</b>	Cortona 55 4000K (white) . . . . .	AZ2739 . . . . .	<b>198</b>
Caro 4 Square (aluminium) . . . . .	AZ2444 . . . SN-6814S-ALU . . . . .	<b>279</b>	Cosel (black) . . . . .	AZ4353 . . . . .	<b>375</b>
Caro 4 Square (black) . . . . .	AZ2443 . . . SN-6814S-BK . . . . .	<b>279</b>	Cosel (dark grey) . . . . .	AZ4354 . . . . .	<b>375</b>
Caro 4 Square (white) . . . . .	AZ2442 . . . SN-6814S-WH . . . . .	<b>279</b>	Costa 3000K (black) . . . . .	AZ2857 . . . . .	<b>100</b>
Caro Round (aluminium) . . . . .	AZ2432 . . . SN-6810R-ALU . . . . .	<b>278</b>	Costa 4000K (black) . . . . .	AZ4553 . . . . .	<b>100</b>
Caro Round (black) . . . . .	AZ2431 . . . SN-6810R-BK . . . . .	<b>278</b>	Costa 4000K (white) . . . . .	AZ4554 . . . . .	<b>100</b>
Caro Round (white) . . . . .	AZ2430 . . . SN-6810R-WH . . . . .	<b>278</b>	Costa Arm (black/black) . . . . .	AZ2702 . . . . .	<b>101</b>
Caro Square (aluminium) . . . . .	AZ2435 . . . SN-6811S-ALU . . . . .	<b>279</b>	Costa Arm Track (black/black) . . . . .	AZ3486 . . . . .	<b>30</b>
Caro Square (black) . . . . .	AZ2434 . . . SN-6811S-BK . . . . .	<b>279</b>	Costa Arm Track (white/white) . . . . .	AZ3487 . . . . .	<b>30</b>
Caro Square (white) . . . . .	AZ2433 . . . SN-6811S-WH . . . . .	<b>279</b>	Costa Arm (white/white) . . . . .	AZ2703 . . . . .	<b>101</b>
Casola (black) . . . . .	AZ4355 . . . . .	<b>374</b>	Costa Spot (black/black) . . . . .	AZ2706 . . . . .	<b>100</b>
Casola (dark grey) . . . . .	AZ4356 . . . . .	<b>374</b>	Costa Spot (black/black) . . . . .	AZ2706 . . . . .	<b>256</b>
Casoria Round (black) . . . . .	AZ4366 . . . . .	<b>392</b>	Costa Spot (white/white) . . . . .	AZ2705 . . . . .	<b>100</b>
Casoria Round (dark grey) . . . . .	AZ4365 . . . . .	<b>392</b>	Costa Spot (white/white) . . . . .	AZ2705 . . . . .	<b>256</b>
Casoria Slim (dark grey) . . . . .	AZ4368 . . . . .	<b>392</b>	Costa Track 3 Line 12W 3000K (black) . . . . .	AZ4549 . . . . .	<b>31</b>
Casoria Square (dark grey) . . . . .	AZ4367 . . . . .	<b>392</b>	Costa Track 3 Line 12W 3000K (white) . . . . .	AZ4550 . . . . .	<b>31</b>
Casper Round 3000K (black) . . . . .	AZ4490 . . . . .	<b>353</b>	Costa Track 3 Line 12W 4000K (black) . . . . .	AZ4551 . . . . .	<b>31</b>
Casper Round 3000K (dark grey) . . . . .	AZ4492 . . . . .	<b>353</b>	Costa Track 3 Line 12W 4000K (white) . . . . .	AZ4552 . . . . .	<b>31</b>
Casper Round 3000K (white) . . . . .	AZ4494 . . . . .	<b>353</b>	Costa (white) . . . . .	AZ2856 . . . . .	<b>100</b>
Casper Round 4000K (black) . . . . .	AZ4491 . . . . .	<b>353</b>	Cremona M (black) . . . . .	AZ 4340 . . . . .	<b>381</b>
Casper Round 4000K (dark grey) . . . . .	AZ4493 . . . . .	<b>353</b>	Cremona M (dark grey) . . . . .	AZ2182 . . . . .	<b>381</b>
Casper Round 4000K (white) . . . . .	AZ4495 . . . . .	<b>353</b>	Cremona M (white) . . . . .	AZ2181 . . . . .	<b>381</b>
Casper Square 3000K (black) . . . . .	AZ4496 . . . . .	<b>352</b>	Cremona S (black) . . . . .	AZ 4339 . . . . .	<b>381</b>
Casper Square 3000K (dark grey) . . . . .	AZ4498 . . . . .	<b>352</b>	Cremona S (dark grey) . . . . .	AZ2180 . . . . .	<b>381</b>
Casper Square 3000K (white) . . . . .	AZ4500 . . . . .	<b>352</b>	Cremona S (white) . . . . .	AZ2179 . . . . .	<b>381</b>
Casper Square 4000K (black) . . . . .	AZ4497 . . . . .	<b>352</b>	<b>D</b> Dario (aluminium) . . . . .	AZ1055 . . . GM4109-ALU . . . . .	<b>113</b>
Casper Square 4000K (dark grey) . . . . .	AZ4499 . . . . .	<b>352</b>	Dario (black) . . . . .	AZ1111 . . . GM4109-BK . . . . .	<b>113</b>
Casper Square 4000K (white) . . . . .	AZ4501 . . . . .	<b>352</b>	Dario (white) . . . . .	AZ1056 . . . GM4109-WH . . . . .	<b>113</b>
Ceiling plate + wire (black) . . . . .	AZ4743 . . . . .	<b>5</b>	Diado (chrome) . . . . .	AZ1453 . . . LC1329-CH . . . . .	<b>142</b>
Ceiling Plate + Wire (black) . . . . .	AZ4780 . . . . .	<b>53</b>	Diado (white) . . . . .	AZ1454 . . . LC1329-WH . . . . .	<b>142</b>
Ceiling plate + wire (white) . . . . .	AZ4742 . . . . .	<b>5</b>	<b>E</b> E14 12W . . . . .	AZ3055 . . . . .	<b>427</b>
Ceiling Plate + Wire (white) . . . . .	AZ4782 . . . . .	<b>53</b>	E14 12W . . . . .	AZ3056 . . . . .	<b>428</b>

E14 AZZARDO LAMPA LED E14 5W BALL WH. .... AZ4017. ....	<b>427</b>	End Cap 1-Line (black) . . . . . AZ4745. . . . .	<b>4</b>
E14 AZZARDO LAMPA LED E14 5W BALL WH. .... AZ4018. ....	<b>427</b>	End Cap 1-Line (white) . . . . . AZ4744. . . . .	<b>4</b>
E14 AZZARDO LAMPA LED E14 5W CANDLE WH. .... AZ4016. ....	<b>427</b>	End Cap 3-Line (black) . . . . . AZ4288. . . . .	<b>17</b>
E27 8W LL127081. .... AZ1638. ....	<b>426</b>	End Cap 3-Line (white) . . . . . AZ4287. . . . .	<b>17</b>
E27 10W LL127101. .... AZ1639. ....	<b>426</b>	End Power 1-Line (black) . . . . . AZ4743. . . . .	<b>3</b>
E27 12W LL127121. .... AZ1640. ....	<b>427</b>	End Power 1-Line (white) . . . . . AZ4742. . . . .	<b>3</b>
E27 15W LL127151. .... AZ1081. ....	<b>427</b>	End Power Gips Left 3-Line (black). . . . . AZ4284. . . . .	<b>15</b>
E27 AZZARDO LAMPA LED E27 8,5W BALL WH. .... AZ4020. ....	<b>426</b>	End Power Gips Left 3-Line (white) . . . . . AZ4283. . . . .	<b>15</b>
E27 AZZARDO LAMPA LED E27 8W BALL AM. .... AZ4021. ....	<b>426</b>	End Power Gips Right 3-Line (black). . . . . AZ4116. . . . .	<b>15</b>
E27 AZZARDO LAMPA LED E27 8W BALL WH. .... AZ4019. ....	<b>426</b>	End Power Gips Right 3-Line (white) . . . . . AZ4117. . . . .	<b>15</b>
E27 AZZARDO LAMPA LED E27 8W BALL WH. .... AZ4022. ....	<b>426</b>	End Power Left 3-Line (black). . . . . AZ4284. . . . .	<b>14</b>
Eco Alex v.2 (black) . . . . . AZ4317. ....	<b>167</b>	End Power Left 3-Line (white) . . . . . AZ4283. . . . .	<b>14</b>
Eco Alex v.2 (white). . . . . AZ4318. ....	<b>167</b>	End Power Right 3-Line (black). . . . . AZ4116. . . . .	<b>14</b>
Eco Alix New 230V (antique) . . . . . AZ3496. ....	<b>164</b>	End Power Right 3-Line (white) . . . . . AZ4117. . . . .	<b>14</b>
Eco Alix New 230V (black) . . . . . AZ3493. ....	<b>164</b>	Enok Round Wall 3000K (dark grey) . . . . . AZ4460. . . . .	<b>391</b>
Eco Alix New 230V (black/chrome) . . . . . AZ3494. ....	<b>164</b>	Enok Square Wall 3000K (black) . . . . . AZ4461. . . . .	<b>391</b>
Eco Alix New 230V (chrome) . . . . . AZ3495. ....	<b>164</b>	Enok Square Wall 4000K (black) . . . . . AZ4462. . . . .	<b>391</b>
Eco Alix New 230V (white) . . . . . AZ3492. ....	<b>164</b>	Erebus Angle (black) . . . . . AZ3395. . . . .	<b>134</b>
Eco Alix v.2. (black) . . . . . AZ4319. ....	<b>166</b>	Erebus Angle (white). . . . . AZ3394. . . . .	<b>134</b>
Eco Alix v.2. (white) . . . . . AZ4320. ....	<b>166</b>	Erebus Base (alu) . . . . . AZ3389. . . . .	<b>134</b>
Editta (aluminium). . . . . AZ0806. ....	<b>273</b>	Erebus Pendant (black). . . . . AZ3393. . . . .	<b>134</b>
Editta (black). . . . . AZ4144. ....	<b>273</b>	Erebus Pendant (white) . . . . . AZ3392. . . . .	<b>134</b>
Editta (white) . . . . . AZ0807. ....	<b>273</b>	Erebus Track (black) . . . . . AZ3391. . . . .	<b>38</b>
Edvard (black). . . . . AZ4503. ....	<b>414</b>	Erebus Track (white). . . . . AZ3390. . . . .	<b>38</b>
Edvin (black) . . . . . AZ4502. ....	<b>414</b>	Erebus Tube 14 (black) . . . . . AZ3384. . . . .	<b>38</b>
Eiger IP54 (black) . . . . . AZ4260. ....	<b>93</b>	Erebus Tube 14 (gold). . . . . AZ3385. . . . .	<b>38</b>
Eiger IP54 (black/gold) . . . . . AZ4261. ....	<b>93</b>	Erebus Tube 14 (white). . . . . AZ3383. . . . .	<b>38</b>
Eiger IP54 (white). . . . . AZ4259. ....	<b>93</b>	Erebus Tube 21 (black) . . . . . AZ3387. . . . .	<b>38</b>
Eiger Track 3 Line GU10 (black) . . . . . AZ4205. ....	<b>20</b>	Erebus Tube 21 (gold). . . . . AZ3388. . . . .	<b>38</b>
Eiger Track 3 Line GU10 (black/gold) . . . . . AZ4206. ....	<b>20</b>	Erebus Tube 21 (white). . . . . AZ3386. . . . .	<b>38</b>
Eiger Track 3 Line GU10 (white) . . . . . AZ4204. ....	<b>20</b>	Erika (chrome) . . . . . AZ2777. ....	<b>289</b>
Electric 1-Line (black) . . . . . AZ4749. ....	<b>5</b>	Erika (gold) . . . . . AZ2776. ....	<b>289</b>
Electric 1-Line (white). . . . . AZ4748. ....	<b>5</b>	ES111 15W BLACK LL110151 DIMMABLE - 3000K . AZ1499 . . . . .	<b>429</b>
Elegant bulb 3000K (chrome) . . . . . AZ2227. . . . . LL110076-CH. ....	<b>233</b>	ES111 15W BLACK LL210151 DIMMABLE - 4000K . AZ1876 . . . . .	<b>429</b>
Elegant bulb 4000K (chrome) . . . . . AZ2226. . . . . LL210076-CH. ....	<b>233</b>	ES111 15W White LL110152 DIMMABLE - 3000K . AZ1500. . . . .	<b>429</b>
Elin Track Magnetic 7W 3000K (black) . . . . . AZ4630. ....	<b>72</b>	ES111 15W White LL210152 DIMMABLE - 4000K . AZ1877 . . . . .	<b>429</b>
Elin Track Magnetic 7W 3000K (gold) . . . . . AZ4632. ....	<b>72</b>	ES111 NEWchrome12W230V LL110121noDIMM-3000K.AZ2362.....	<b>431</b>
Elin Track Magnetic 7W 4000K (black) . . . . . AZ4631. ....	<b>72</b>	ES111 NEWchrome12W230V LL110122DIMMABLE-3000K.AZ2364.....	<b>431</b>
Eloy 1 (aluminium) . . . . . AZ0991. . . . . GM4106-ALU . . . . .	<b>106</b>	ES111 NEWchrome12W230V LL210121noDIMM-4000K.AZ2363.....	<b>431</b>
Eloy 1 (black/aluminium). . . . . AZ0930. . . . . GM4106-BK-ALU . . . . .	<b>106</b>	ES111 NEWchrome12W230V LL210122DIMMABLE-4000K.AZ2365. . . . .	<b>431</b>
Eloy 1 (black/black). . . . . AZ2137. . . . . GM4106-BK-BK. . . . .	<b>106</b>	ES111 NEWchrome 15W 230V LL110154 DIMMABLE. . AZ1785 . . . . .	<b>430</b>
Eloy 1 (chrome). . . . . AZ0873. . . . . GM4106-CH. . . . .	<b>106</b>	Ester Round 1 (black) . . . . . AZ4175. . . . .	<b>226</b>
Eloy 1 (white/aluminium) . . . . . AZ0872. . . . . GM4106-WH-ALU . . . . .	<b>106</b>	Ester Round 1 (chrome) . . . . . AZ1449. . . . .	<b>226</b>
Eloy 1 (white) . . . . . AZ0929. . . . . GM4106-WH . . . . .	<b>106</b>	Ester Round 1 (gold). . . . . AZ1450. . . . .	<b>226</b>
Eloy 1 (white/black) . . . . . AZ1439. . . . . GM4106-WH-BK . . . . .	<b>106</b>	Ester Round 2 (black) . . . . . AZ4176 . . . . .	<b>226</b>
Eloy 2 (aluminium) . . . . . AZ1352. . . . . GM4204-ALU . . . . .	<b>106</b>	Ester Round 2 (chrome) . . . . . AZ1451 . . . . .	<b>226</b>
Eloy 2 (black/aluminium). . . . . AZ1355. . . . . GM4204-BK-ALU . . . . .	<b>106</b>	Ester Round 2 (gold). . . . . AZ2467. . . . .	<b>226</b>
Eloy 2 (black/black). . . . . AZ2138. . . . . GM4204-BK-BK. . . . .	<b>106</b>	Ester square 1 (black) . . . . . AZ4411. . . . .	<b>228</b>
Eloy 2 (white/aluminium) . . . . . AZ1354. . . . . GM4204-WH-ALU . . . . .	<b>106</b>	Ester square 1 (black) . . . . . AZ4411. . . . .	<b>228</b>
Eloy 2 (white) . . . . . AZ1353. . . . . GM4204-WH . . . . .	<b>106</b>	Ester square 1 (chrome) . . . . . AZ4410. . . . .	<b>228</b>
Elsa Track Magnetic 7W 3000K (black) . . . . . AZ4633. ....	<b>73</b>	Ester square 1 (chrome) . . . . . AZ4410. . . . .	<b>228</b>
Elsa Track Magnetic 7W 3000K (gold). . . . . AZ4635. ....	<b>73</b>	Ester square 1 (gold). . . . . AZ4412. . . . .	<b>228</b>
Elsa Track Magnetic 7W 4000K (black) . . . . . AZ4634. ....	<b>73</b>	Ester square 1 (gold). . . . . AZ4412. . . . .	<b>228</b>
Emilio (aluminium) . . . . . AZ0810. . . . . GM2104-ALU . . . . .	<b>264</b>	Ester square 2 (black) . . . . . AZ4414. . . . .	<b>228</b>
Emilio (black) . . . . . AZ0809. . . . . GM2104-BK. . . . .	<b>264</b>	Ester square 2 (black) . . . . . AZ4414. . . . .	<b>228</b>
Emilio (chrome). . . . . AZ0808 . . . . . GM2104-CH. . . . .	<b>264</b>	Ester square 2 (chrome) . . . . . AZ4413. . . . .	<b>228</b>
Emilio (white) . . . . . AZ0871. . . . . GM2104-WH . . . . .	<b>264</b>	Ester square 2 (chrome) . . . . . AZ4413. . . . .	<b>228</b>

# OLD&NEW CODES LIST

XIV

## Introduction

Ester square 2 (gold) . . . . .	AZ4415 . . . . .	<b>228</b>	Frame 70 (bright grey) . . . . .	AZ2131 . . . A-700-BGR . . . . .	<b>411</b>
Ester square 2 (gold) . . . . .	AZ4415 . . . . .	<b>228</b>	Frame 70 (dark grey) . . . . .	AZ2130 . . . A-700-DGR . . . . .	<b>411</b>
Eva Round (chrome) . . . . .	AZ1458 . . . NC1519R-CH . . . . .	<b>214</b>	Frame spike (black) . . . . .	AZ4307 . . . . .	<b>411</b>
Eva Round (gold) . . . . .	AZ1459 . . . NC1519R-GO . . . . .	<b>214</b>	Frame spike (bright grey) . . . . .	AZ2129 . . . A-414-BGR . . . . .	<b>411</b>
Eva Square (chrome) . . . . .	AZ1460 . . . NC1519SQ-CH . . . . .	<b>214</b>	Frame spike (dark grey) . . . . .	AZ2128 . . . A-414-DGR . . . . .	<b>411</b>
EXO 1 (black) . . . . .	AZ3193 . . . . .	<b>136</b>	Frame wall (black) . . . . .	AZ4308 . . . . .	<b>411</b>
EXO 1 (white) . . . . .	AZ3194 . . . . .	<b>136</b>	Frame wall (bright grey) . . . . .	AZ2133 . . . A-415-BGR . . . . .	<b>411</b>
EXO 2 (black) . . . . .	AZ3195 . . . . .	<b>136</b>	Frame wall (dark grey) . . . . .	AZ2132 . . . A-415-DGR . . . . .	<b>411</b>
EXO 2 (white) . . . . .	AZ3196 . . . . .	<b>136</b>	Frida 7W 3000K (black) . . . . .	AZ4523 . . . . .	<b>252</b>
EXO 3 (black) . . . . .	AZ3197 . . . . .	<b>137</b>	Frida 7W 3000K (white) . . . . .	AZ4525 . . . . .	<b>252</b>
EXO 3 (white) . . . . .	AZ3198 . . . . .	<b>137</b>	Frida 7W 4000K (black) . . . . .	AZ4524 . . . . .	<b>252</b>
EXO TRACK (black) . . . . .	AZ3199 . . . . .	<b>41</b>	Frida 7W 4000K (white) . . . . .	AZ4526 . . . . .	<b>252</b>
EXO TRACK (black) . . . . .	AZ4660 . . . . .	<b>6</b>	Frida 12W 3000K (black) . . . . .	AZ4527 . . . . .	<b>252</b>
EXO TRACK (white) . . . . .	AZ3200 . . . . .	<b>41</b>	Frida 12W 3000K (white) . . . . .	AZ4529 . . . . .	<b>252</b>
EXO TRACK (white) . . . . .	AZ4661 . . . . .	<b>6</b>	Frida 12W 4000K (black) . . . . .	AZ4528 . . . . .	<b>252</b>
Ezio (aluminium) . . . . .	AZ0811 . . . GM2105-ALU . . . . .	<b>265</b>	Frida 12W 4000K (white) . . . . .	AZ4530 . . . . .	<b>252</b>
Ezio (black) . . . . .	AZ0812 . . . GM2105-BK . . . . .	<b>265</b>	<b>G</b> G4 1,6W LL10416 no DIMM - 3000K . . . . .	AZ2324 . . . . .	<b>433</b>
Ezio (chrome) . . . . .	AZ1051 . . . GM2105-CH . . . . .	<b>265</b>	G9 2,5W LL109251 . . . . .	AZ1377 . . . . .	<b>432</b>
Ezio (white) . . . . .	AZ0813 . . . GM2105-WH . . . . .	<b>265</b>	G9 2W LL109021 . . . . .	AZ1376 . . . . .	<b>431</b>
<b>F</b> Falco 12 3000K (black) . . . . .	AZ2782 . . . . .	<b>190</b>	G9 3,5W . . . . .	AZ3051 . . . . .	<b>432</b>
Falco 12 3000K (white) . . . . .	AZ2780 . . . . .	<b>190</b>	G9 3,5W . . . . .	AZ3052 . . . . .	<b>432</b>
Falco 12 4000K (black) . . . . .	AZ2783 . . . . .	<b>190</b>	G9 4W LL109041 . . . . .	AZ1097 . . . . .	<b>432</b>
Falco 12 4000K (white) . . . . .	AZ2781 . . . . .	<b>190</b>	G9 6W LL109061 . . . . .	AZ1378 . . . . .	<b>432</b>
Fano R 30 Smart LED RGB (black) . . . . .	AZ4783 . . . . .	<b>349</b>	G9 8W LL109081 . . . . .	AZ1891 . . . . .	<b>432</b>
Fano R 30 Smart LED RGB (dark grey) . . . . .	AZ4784 . . . . .	<b>349</b>	Gagarin (dark grey) . . . . .	AZ4352 . . . . .	<b>388</b>
Fano R 30 Smart LED RGB (white) . . . . .	AZ4785 . . . . .	<b>349</b>	Galata R IP44 3000K (black) . . . . .	AZ4379 . . . . .	<b>238</b>
Fano R (black) . . . . .	AZ4371 . . . . .	<b>350</b>	Galata R IP44 3000K (white) . . . . .	AZ4380 . . . . .	<b>238</b>
Fano R (dark grey) . . . . .	AZ2187 . . . MAX-1316R-DGR . . . . .	<b>351</b>	Galata R IP44 4000K (black) . . . . .	AZ4381 . . . . .	<b>238</b>
Fano R (dark grey) . . . . .	AZ4369 . . . . .	<b>350</b>	Galata R IP44 4000K (white) . . . . .	AZ4382 . . . . .	<b>238</b>
Fano R (white) . . . . .	AZ4373 . . . . .	<b>350</b>	Galena (white) . . . . .	AZ1457 . . . LC1486-11W-W-WH . . . . .	<b>140</b>
Fano S 30 SMART LED RGB (black) . . . . .	AZ4786 . . . . .	<b>349</b>	Galileo 1 pendant 3000K (black) . . . . .	AZ4069 . . . . .	<b>204</b>
Fano S 30 SMART LED RGB (dark grey) . . . . .	AZ4787 . . . . .	<b>349</b>	Galileo 1 pendant 3000K (white) . . . . .	AZ4068 . . . . .	<b>204</b>
Fano S 30 SMART LED RGB (white) . . . . .	AZ4788 . . . . .	<b>349</b>	Galileo Track 3 Line 15W (black) . . . . .	AZ4067 . . . . .	<b>27</b>
Fano Square (black) . . . . .	AZ4372 . . . . .	<b>350</b>	Galileo Track 3 Line 15W (white) . . . . .	AZ4066 . . . . .	<b>27</b>
Fano Square (dark grey) . . . . .	AZ2186 . . . MAX-1316S-DGR . . . . .	<b>351</b>	Gambino 1 3000K (black) . . . . .	AZ4148 . . . . .	<b>378</b>
Fano Square (dark grey) . . . . .	AZ4370 . . . . .	<b>350</b>	Gambino 1 3000K (bright grey) . . . . .	AZ0958 . . . . .	<b>378</b>
Fano Square (white) . . . . .	AZ4374 . . . . .	<b>350</b>	Gambino 1 3000K (dark grey) . . . . .	AZ0957 . . . . .	<b>378</b>
Faro (black) . . . . .	AZ3204 . . . . .	<b>339</b>	Gambino 1 3000K (white) . . . . .	AZ0950 . . . . .	<b>378</b>
Faro (chrome) . . . . .	AZ2424 . . . SN-6326-CH . . . . .	<b>339</b>	Gambino 1 4000K (black) . . . . .	AZ4470 . . . . .	<b>378</b>
Faro (satin nickel) . . . . .	AZ2552 . . . SN-6409-SN . . . . .	<b>339</b>	Gambino 1 4000K (dark grey) . . . . .	AZ4471 . . . . .	<b>378</b>
Felix L (white) . . . . .	AZ2427 . . . SN-1036L-WH . . . . .	<b>311</b>	Gambino 1 4000K (white) . . . . .	AZ4472 . . . . .	<b>378</b>
Felix M (white) . . . . .	AZ2426 . . . SN-1036M-WH . . . . .	<b>311</b>	Gambino 1 (bright grey) . . . . .	AZ0958 . . . LC8005-BGR . . . . .	<b>314</b>
Felix S (gold) . . . . .	AZ2425 . . . SN-1036S-GO . . . . .	<b>311</b>	Gambino 1 (dark grey) . . . . .	AZ0957 . . . LC8005-DGR . . . . .	<b>314</b>
Felix S (white) . . . . .	AZ2456 . . . SN-1036S-WH . . . . .	<b>311</b>	Gambino 1 (white) . . . . .	AZ0950 . . . LC8005-WH . . . . .	<b>314</b>
Fill R 5W 3000K (black) . . . . .	AZ3381 . . . . .	<b>248</b>	Gambino 2 4000K (white) . . . . .	AZ1882 . . . . .	<b>378</b>
Fill R 5W 4000K (black) . . . . .	AZ3382 . . . . .	<b>248</b>	Gambino 2 (white) . . . . .	AZ1882 . . . LC8005-2-WH . . . . .	<b>315</b>
Fill Square 5W 3000K (black) . . . . .	AZ3379 . . . . .	<b>249</b>	Gelo (white frost) . . . . .	AZ3539 . . . . .	<b>287</b>
Fill Square 5W 3000K (white) . . . . .	AZ3377 . . . . .	<b>249</b>	Ginna 3 (black) . . . . .	AZ3484 . . . . .	<b>385</b>
Fill Square 5W 4000K (black) . . . . .	AZ3380 . . . . .	<b>249</b>	Ginna 3 (dark grey) . . . . .	AZ4194 . . . . .	<b>385</b>
Fill Square 5W 4000K (white) . . . . .	AZ3378 . . . . .	<b>249</b>	Ginna 3 (gold) . . . . .	AZ3485 . . . . .	<b>385</b>
Flavio 2 (white/black) . . . . .	AZ0792 . . . GM4202-WH-BK . . . . .	<b>138</b>	Ginna 3 (white) . . . . .	AZ4195 . . . . .	<b>385</b>
Flavio (white/black) . . . . .	AZ0791 . . . GM4102-WH-BK . . . . .	<b>138</b>	Ginno 1 (aluminium) . . . . .	AZ0764 . . . GM1100-ALU . . . . .	<b>334</b>
Flexible Connector 3-Line (black) . . . . .	AZ4282 . . . . .	<b>17</b>	Ginno 1 (white/aluminium) . . . . .	AZ0761 . . . GM1100-WH-ALU . . . . .	<b>334</b>
Flexible Connector 3-Line (white) . . . . .	AZ4281 . . . . .	<b>17</b>	Ginno 2 (aluminium) . . . . .	AZ0765 . . . GM1200-ALU . . . . .	<b>334</b>
Floki 3000K (black) . . . . .	AZ4468 . . . . .	<b>415</b>	Ginno 2 (white/aluminium) . . . . .	AZ0762 . . . GM1200-WH-ALU . . . . .	<b>334</b>
Floki 4000K (black) . . . . .	AZ4467 . . . . .	<b>415</b>	Ginno 3 (aluminium) . . . . .	AZ0766 . . . GM1300-ALU . . . . .	<b>334</b>
Frame 70 (black) . . . . .	AZ4305 . . . . .	<b>411</b>	Ginno 3 (white/aluminium) . . . . .	AZ0763 . . . GM1300-WH-ALU . . . . .	<b>334</b>



Goran Sensor (black) . . . . .	AZ4695 . . . . .	<b>369</b>	Ivo (chrome) . . . . .	AZ1717 . . . GM2100-CH . . . . .	<b>274</b>
Goran Sensor (dark grey) . . . . .	AZ4696 . . . . .	<b>369</b>	Ivo Square (chrome) . . . . .	AZ1788 . . . GM21001S-CH . . . . .	<b>275</b>
Goran Sensor (white) . . . . .	AZ4697 . . . . .	<b>369</b>	Ivo Square (white) . . . . .	AZ1825 . . . GM21001S-WH . . . . .	<b>275</b>
GU10 4W LL110042 . . . . .	AZ2502 . . . . .	<b>428</b>	Ivo (white) . . . . .	AZ0759 . . . GM2100-WH . . . . .	<b>274</b>
GU10 7W CHROME ELEGANT LED LL110076 3000K . . . . .	AZ2227 . . . . .	<b>428</b>	<b>J</b> Jake Wall 2 (black) . . . . .	AZ4269 . . . . .	<b>367</b>
GU10 7W CHROME ELEGANT LED LL210076 . . . . .	AZ2226 . . . . .	<b>429</b>	Jake Wall 2 (dark grey) . . . . .	AZ3321 . . . . .	<b>367</b>
GU10 7W LL210071 RA>90 DIMMABLE 4000K . . . . .	AZ2165 . . . . .	<b>428</b>	Jake Wall 2 (white) . . . . .	AZ3322 . . . . .	<b>367</b>
GU10 AZZARDO LAMPA LED GU10 7W . . . . .	AZ4023 . . . . .	<b>428</b>	Jane track (black) . . . . .	AZ2457 . . . GM3116-BK . . . . .	<b>33</b>
GU10 AZZARDO LAMPA LED GU10 7W . . . . .	AZ4024 . . . . .	<b>428</b>	Jane track (white) . . . . .	AZ2460 . . . GM3116-WH . . . . .	<b>33</b>
Gulia Track (black) . . . . .	AZ4710 . . . . .	<b>23</b>	Jerry 1 12V (black) . . . . .	AZ1365 . . . GM4113-12V-BK . . . . .	<b>168</b>
Gulia Track (gold) . . . . .	AZ4711 . . . . .	<b>23</b>	Jerry 1 12V (chrome) . . . . .	AZ1752 . . . GM4113-12V-CH . . . . .	<b>168</b>
Gulia Track (white) . . . . .	AZ4709 . . . . .	<b>23</b>	Jerry 1 12V (white) . . . . .	AZ1364 . . . GM4113-12V-WH . . . . .	<b>168</b>
<b>H</b> Havana (black) . . . . .	AZ4662 . . . . .	<b>416</b>	Jerry 1 230V (black) . . . . .	AZ1367 . . . GM4113-BK . . . . .	<b>169</b>
Havana (white) . . . . .	AZ4663 . . . . .	<b>416</b>	Jerry 1 230v (white) . . . . .	AZ1366 . . . GM4113-WH . . . . .	<b>169</b>
Hera Gips Round M (white) . . . . .	AZ3465 . . . . .	<b>299</b>	Jerry 2 12V (black) . . . . .	AZ1368 . . . GM4205-12V-BK . . . . .	<b>168</b>
Hera Gips Round S (white) . . . . .	AZ3464 . . . . .	<b>299</b>	Jerry 2 12V (chrome) . . . . .	AZ1751 . . . GM4205-12V-CH . . . . .	<b>168</b>
Hera Gips Square M (white) . . . . .	AZ3467 . . . . .	<b>298</b>	Jerry 2 12V (white) . . . . .	AZ1369 . . . GM4205-12V-WH . . . . .	<b>168</b>
Hera Gips Square S (white) . . . . .	AZ3466 . . . . .	<b>298</b>	Jerry 2 230V (black) . . . . .	AZ1370 . . . GM4205-BK . . . . .	<b>169</b>
Hugo 1 downlight (aluminium) . . . . .	AZ1733 . . . GM2118S-ALU . . . . .	<b>270</b>	Jerry 2 230V (white) . . . . .	AZ1371 . . . GM4205-WH . . . . .	<b>169</b>
Hugo 1 downlight (black) . . . . .	AZ1736 . . . GM2118S-BK . . . . .	<b>270</b>	Jerry 3 12V (black) . . . . .	AZ1724 . . . GM4302-12V-BK . . . . .	<b>168</b>
Hugo 1 downlight (chrome) . . . . .	AZ1734 . . . GM2118S-CH . . . . .	<b>270</b>	Jerry 3 12V (chrome) . . . . .	AZ1750 . . . GM4302-12V-CH . . . . .	<b>168</b>
Hugo 1 downlight (white) . . . . .	AZ1735 . . . GM2118S-WH . . . . .	<b>270</b>	Jerry 3 12V (white) . . . . .	AZ1723 . . . GM4302-12V-WH . . . . .	<b>168</b>
Hugo 2 downlight (aluminium) . . . . .	AZ1737 . . . GM2203-ALU . . . . .	<b>271</b>	Jerry 3 230V (black) . . . . .	AZ1886 . . . GM4302-BK . . . . .	<b>169</b>
Hugo 2 downlight (black) . . . . .	AZ1740 . . . GM2203-BK . . . . .	<b>271</b>	Jerry 3 230V (white) . . . . .	AZ1885 . . . GM4302-WH . . . . .	<b>169</b>
Hugo 2 downlight (chrome) . . . . .	AZ1738 . . . GM2203-CH . . . . .	<b>271</b>	Jerry Track 1 Line (black) . . . . .	AZ4666 . . . . .	<b>9</b>
Hugo 2 downlight (white) . . . . .	AZ1739 . . . GM2203-WH . . . . .	<b>271</b>	Jerry Track 1 Line (white) . . . . .	AZ4667 . . . . .	<b>9</b>
Hugo (aluminium) . . . . .	AZ0828 . . . GM4104-ALU . . . . .	<b>108</b>	Jerry track (black) . . . . .	AZ2458 . . . GM4114-BK . . . . .	<b>32</b>
Hugo (black) . . . . .	AZ0826 . . . GM4104-BK . . . . .	<b>108</b>	Jerry track (white) . . . . .	AZ2459 . . . GM4114-WH . . . . .	<b>32</b>
Hugo R (aluminium) . . . . .	AZ0829 . . . GM4104-ALU . . . . .	<b>108</b>	Joe Square (black) . . . . .	AZ4270 . . . . .	<b>359</b>
Hugo R (black) . . . . .	AZ0832 . . . GM4104-BK . . . . .	<b>108</b>	Joe Square (dark grey) . . . . .	AZ3323 . . . . .	<b>359</b>
Hugo R (champagne) . . . . .	AZ0833 . . . GM4104-CM . . . . .	<b>108</b>	Joe Square (white) . . . . .	AZ3324 . . . . .	<b>359</b>
Hugo R (chrome) . . . . .	AZ0856 . . . GM4104-CH . . . . .	<b>108</b>	Joe Tube (black) . . . . .	AZ3314 . . . . .	<b>358</b>
Hugo R (gold) . . . . .	AZ0831 . . . GM4104-GO . . . . .	<b>108</b>	Joe Tube (bright grey) . . . . .	AZ3316 . . . . .	<b>358</b>
Hugo R (white) . . . . .	AZ0830 . . . GM4104-WH . . . . .	<b>108</b>	Joe Tube (dark grey) . . . . .	AZ3313 . . . . .	<b>358</b>
Hugo (white) . . . . .	AZ0827 . . . GM4104-WH . . . . .	<b>108</b>	Joe Tube (white) . . . . .	AZ3315 . . . . .	<b>358</b>
<b>I</b> Ibiza (black/black) . . . . .	AZ3532 . . . . .	<b>280</b>	Joe Wall 1 (black) . . . . .	AZ3318 . . . . .	<b>358</b>
Ibiza (black/gold) . . . . .	AZ2804 . . . . .	<b>280</b>	Joe Wall 1 (dark grey) . . . . .	AZ3317 . . . . .	<b>358</b>
Ibiza (white/black) . . . . .	AZ1361 . . . GM2114-WH-BK . . . . .	<b>280</b>	Joe Wall 1 (white) . . . . .	AZ4315 . . . . .	<b>358</b>
Ibiza (white/white) . . . . .	AZ2803 . . . . .	<b>280</b>	Joe Wall 2 (black) . . . . .	AZ3320 . . . . .	<b>359</b>
Ika round IP65 (black) . . . . .	AZ3017 . . . . .	<b>267</b>	Joe Wall 2 (dark grey) . . . . .	AZ3319 . . . . .	<b>359</b>
Ika round IP65 (black) . . . . .	AZ3017 . . . . .	<b>361</b>	Joe Wall 2 (white) . . . . .	AZ4316 . . . . .	<b>359</b>
Ika round IP65 (dark grey) . . . . .	AZ4232 . . . . .	<b>267</b>	Junona 28 3000K (chrome) . . . . .	AZ2747 . . . . .	<b>192</b>
Ika round IP65 (dark grey) . . . . .	AZ4232 . . . . .	<b>361</b>	Junona 28 4000K (chrome) . . . . .	AZ2746 . . . . .	<b>192</b>
Ika round IP65 (white) . . . . .	AZ2865 . . . . .	<b>267</b>	Junona 33 3000K (chrome) . . . . .	AZ2749 . . . . .	<b>192</b>
Ika round IP65 (white) . . . . .	AZ2865 . . . . .	<b>361</b>	Junona 33 4000K (chrome) . . . . .	AZ2748 . . . . .	<b>192</b>
Ika square IP65 (black) . . . . .	AZ4230 . . . . .	<b>267</b>	Junona 38 3000K (chrome) . . . . .	AZ2751 . . . . .	<b>192</b>
Ika square IP65 (black) . . . . .	AZ4230 . . . . .	<b>361</b>	Junona 38 4000K (chrome) . . . . .	AZ2750 . . . . .	<b>192</b>
Ika square IP65 (dark grey) . . . . .	AZ4231 . . . . .	<b>267</b>	<b>J</b> Kastoria IP44 (black) . . . . .	AZ4389 . . . . .	<b>239</b>
Ika square IP65 (dark grey) . . . . .	AZ4231 . . . . .	<b>361</b>	Kastoria IP44 (chrome) . . . . .	AZ4391 . . . . .	<b>239</b>
Ika square IP65 (white) . . . . .	AZ2864 . . . . .	<b>267</b>	Kastoria IP44 (gold) . . . . .	AZ4390 . . . . .	<b>239</b>
Ika square IP65 (white) . . . . .	AZ2864 . . . . .	<b>361</b>	Kerry Track Magnetic 5W CCT Smart (sand black) . . . . .	AZ4852 . . . . .	<b>60</b>
Itaka (black) . . . . .	AZ4074 . . . . .	<b>285</b>	Kerry Track Magnetic 15W CCT Smart (sand black) . . . . .	AZ4854 . . . . .	<b>60</b>
Itaka (white) . . . . .	AZ4073 . . . . .	<b>285</b>	Kira Track Magnetic 12W Points50 (black) . . . . .	AZ4901 . . . . .	<b>61</b>
Ivo 2 Square (chrome) . . . . .	AZ1789 . . . GM22002S-CH . . . . .	<b>275</b>	Kira Track Magnetic 12W Points60 3000K (black) . . . . .	AZ4596 . . . . .	<b>67</b>
Ivo 2 Square (white) . . . . .	AZ1826 . . . GM22025S-WH . . . . .	<b>275</b>	Kira Track Magnetic 12W Points60 3000K (white) . . . . .	AZ4596 . . . . .	<b>67</b>
Ivo (aluminium) . . . . .	AZ0758 . . . GM2100-ALU . . . . .	<b>274</b>	Kira Track Magnetic 12W Points60 4000K (black) . . . . .	AZ4596 . . . . .	<b>67</b>
Ivo (black) . . . . .	AZ1716 . . . GM2100-BK . . . . .	<b>274</b>	Kira Track Magnetic 12W Points60 4000K (white) . . . . .	AZ4596 . . . . .	<b>67</b>

# OLD&NEW CODES LIST

XVI

## Introduction

Kira Track Magnetic 20W Points50 (black)	AZ4902	61	Leon 5 Track (black)	AZ3491	45
Kira Track Magnetic 24W Points60 3000K (black)	AZ4599	67	Leon 5 Track (white)	AZ3490	45
Kira Track Magnetic 24W Points60 3000K (white)	AZ4600	67	Leon 5 (white)	AZ3488	141
Kira Track Magnetic 24W Points60 4000K (black)	AZ4601	67	Leticia 2 (aluminium)	AZ1059.. GM1112-ALU	317
Kira Track Magnetic 24W Points60 4000K (white)	AZ4602	67	Leticia 2 (black)	AZ2933	317
Kira Track Magnetic 30W Points50 (black)	AZ4903	61	Leticia 2 (black/gold)	AZ2815	317
Kirke Track 1 Line 10W CCT (black)	AZ4656	26	Leticia 2 LED (black)	AZ4469	379
Kirke Track 1 Line 10W CCT (white)	AZ4657	26	Leticia 2 LED (dark grey)	AZ2189	379
Kirke Track 3 Line 10W CCT (black)	AZ4658	26	Leticia 2 LED (dark grey)	AZ2189.. GW-A310-DGR	318
Kirke Track 3 Line 10W CCT (white)	AZ4659	26	Leticia 2 LED (white)	AZ2190	379
<b>L</b> Lambda (black)	AZ3346	309	Leticia 2 LED (white)	AZ2190.. GW-A310-WH	318
Lambda (white)	AZ3345	309	Leticia 2 (white)	AZ1058.. GM1112-WH	317
Lamir R 9 IP44 3000K (white)	AZ4384	240	Leticia (anodised gold)	AZ0952.. GM1111-AGO	316
Lamir R 9 IP44 4000K (white)	AZ4383	240	Leticia (black)	AZ2932	316
Lamir R 12 IP44 3000K (white)	AZ4385	240	Leticia (black/gold)	AZ2814	316
Lamir R 12 IP44 4000K (white)	AZ4386	240	Leticia (white)	AZ0951.. GM1111-WH	316
Lamir R 17 IP44 3000K (white)	AZ4387	241	Lina (black)	AZ2708	257
Lamir R 17 IP44 4000K (white)	AZ4392	241	Linda 23 3000K (chrome)	AZ2246.. SH723000-18-CH	246
Lamir S17IP443000KDIMM+Rem.Contr.(white)	AZ4388	241	Linda 23 3000K (white)	AZ2244.. SH713000-18-WH	246
Lamir S17IP444000KDIMM+Rem.Contr.(white)	AZ4393	241	Linda 30 3000K (chrome)	AZ2250.. SH743000-24-CH	246
Lars Round 3000K (black)	AZ4504	382	Linda 30 4000K (chrome)	AZ2251.. SH744000-24-CH	246
Lars Round 4000K (black)	AZ4505	382	Linnea 29 Track 3 Line 12W CCT (black)	AZ4563	36
Lars Square 3000K (black)	AZ4504	382	Linnea 29 Track 3 Line 12W CCT (white)	AZ4564	36
Lars Square 4000K (black)	AZ4505	382	Linnea 57 Track 3 Line 12W CCT (black)	AZ4565	36
Latona (black)	AZ2204 .. GW-681-BK	323	Linnea 57 Track 3 Line 12W CCT (white)	AZ4566	36
Latona (white)	AZ2205.. GW-681-WH	323	Linnea 86 Track 3 Line 12W CCT (black)	AZ4567	36
L Connector 1-Line (black)	AZ4739	4	Linnea 86 Track 3 Line 12W CCT (white)	AZ4568	36
L Connector 1-Line (white)	AZ4738	4	Linnea 112 Pendant (black)	AZ4569	206
L Connector Gips only Right (black)	AZ4298	15	Linnea 112 Pendant (white)	AZ4570	206
L Connector Gips only Right (white)	AZ4297	15	Linnea 140 Pendant (black)	AZ4571	206
L Connector Left (black)	AZ2985	14	Linnea 140 Pendant (white)	AZ4572	206
L Connector Left (white)	AZ2986	14	Lino (black)	AZ1477.. NC1802-YLD-BK	132
L Connector Right (black)	AZ2983	14	Lino (chrome)	AZ1478.. NC1802-YLD-CH	132
L Connector Right (white)	AZ2984	14	Lino (white)	AZ1479.. NC1802-YLD-WH	132
LED Grill Lamp Concealed 600mm	AZ1189	423	Linz 3000K (acryl)	AZ2774	260
LED Grill Lamp Concealed 1200mm	AZ1191	423	Linz 4000K (acryl)	AZ2775	260
LED Grill Lamp Surface 1200mm	AZ1190	423	Livio 2 (black)	AZ0776.. GM1101-2-BK	387
LED HERMETIC LAMP Surface 1200mm	AZ1192	423	Livio 2 (bright grey)	AZ0888.. GM1101-2-BGR	387
LED TUBE 600mm 4300K	AZ1153	422	Livio 2 (dark grey)	AZ1312.. GM1101-2-DGR	387
LED TUBE 600mm 6400K	AZ1154	422	Lolo Track 1 Line GU10 (black)	AZ4654	7
LED TUBE 1200mm 4300K	AZ1155	422	Lolo Track 1 Line GU10 (white)	AZ4655	7
LED TUBE 1200mm 6400K	AZ1156	422	Lolo Track 3 Line GU10 (black)	AZ4577	22
LED TUBE 1500mm 4300K	AZ1157	422	Lolo Track 3 Line GU10 (white)	AZ4578	22
LED TUBE 1500mm 6400K	AZ1158	422	Lorenza (black)	AZ4174	224
Lens 2 Square (black/black)	AZ3520	127	Lorenza (chrome)	AZ1475	224
Lens 2 Square (black/gold)	AZ3521	127	Lorenza (white)	AZ1476	224
Lens 2 Square (white/white)	AZ3519	127	Lorenzo (black)	AZ4173	225
Lens Round (black/black)	AZ3517	125	Lorenzo (chrome)	AZ1617	225
Lens Round (black/gold)	AZ3518	125	Lorenzo (white)	AZ1496	225
Lens Round (white/white)	AZ3516	125	Luciano Round (chrome)	AZ1470.. NC1760R-CH	222
Lens Square (black/black)	AZ3514	126	Luciano Round (white)	AZ1549.. NC1760R-WH	222
Lens Square (black/gold)	AZ3515	126	Luciano Square (chrome)	AZ1471.. NC1760SQ-CH	222
Lens Square (white/white)	AZ3513	126	Luciano Square (white)	AZ1472.. NC1760SQ-WH	222
Lens Track (black/black)	AZ3511	42	Lumi (black)	AZ4555	340
Lens Track (black/gold)	AZ3512	42	Lumi Flex (black)	AZ4561	341
Lens Track (white/white)	AZ3510	42	Lumi Flex Track 3 Line (black)	AZ4559	28
Leon 5 (black)	AZ3489	141	Lumi Flex Track 3 Line (white)	AZ4560	28



Lumi Flex (white) . . . . .	AZ4562 . . . . .	<b>341</b>	Mane 4000K (black) . . . . .	AZ4322 . . . . .	<b>119</b>
Lumi Track (black) . . . . .	AZ4557 . . . . .	<b>28</b>	Mane 4000K (gold) . . . . .	AZ4323 . . . . .	<b>119</b>
Lumi Track (white) . . . . .	AZ4558 . . . . .	<b>28</b>	Mane 4000K (white) . . . . .	AZ4324 . . . . .	<b>119</b>
Lumi (white) . . . . .	AZ4556 . . . . .	<b>340</b>	Marika (antique brown) . . . . .	AZ2209 . . SH-009-ABR . . . . .	<b>232</b>
Luna 7W Dim (black/black) . . . . .	AZ3397 . . . . .	<b>259</b>	Marika (rose gold) . . . . .	AZ2208 . . SH-008-RGO . . . . .	<b>232</b>
Luna 7W Dim (white/black) . . . . .	AZ3396 . . . . .	<b>259</b>	Mars (aluminium) . . . . .	AZ0895 . . GM1109-ALU . . . . .	<b>312</b>
Luna 15W Dim (black) . . . . .	AZ2829 . . . . .	<b>258</b>	Mars (black) . . . . .	AZ2931 . . . . .	<b>312</b>
Luna 15W Dim (white/black) . . . . .	AZ2828 . . . . .	<b>258</b>	Mars (black / gold) . . . . .	AZ1052 . . GM1109-BK-GO . . . . .	<b>312</b>
<b>M</b> Makalu 1 (black) . . . . .	AZ4210 . . . . .	<b>128</b>	Mars (white) . . . . .	AZ0896 . . GM1109-WH . . . . .	<b>312</b>
Makalu 1 (white) . . . . .	AZ4211 . . . . .	<b>128</b>	Mars (white / gold) . . . . .	AZ1090 . . GM1109-WH-GO . . . . .	<b>312</b>
Makalu 2 (black) . . . . .	AZ4212 . . . . .	<b>128</b>	Mateo M (white) . . . . .	AZ1456 . . LC1465-FW-WH . . . . .	<b>172</b>
Makalu 2 (white) . . . . .	AZ4213 . . . . .	<b>128</b>	Mateo S (white) . . . . .	AZ1455 . . LC1464-FW-WH . . . . .	<b>172</b>
Makalu 3 (black) . . . . .	AZ4214 . . . . .	<b>128</b>	Max 1 12V (white/black) . . . . .	AZ1372 . . GM4114-12V-WH-BK . . . . .	<b>170</b>
Makalu 3 (white) . . . . .	AZ4215 . . . . .	<b>128</b>	Max 1 230V (white/black) . . . . .	AZ1373 . . GM4114-WH-BK . . . . .	<b>170</b>
Makita Tr. Magn. 2x7WCCT Smart (sand black) . . . . .	AZ4838 . . . . .	<b>56</b>	Max 2 12V (white/black) . . . . .	AZ1375 . . GM4206-12V-WH-BK . . . . .	<b>170</b>
Makita Tr. Magn. 7WCCT Smart (sand black) . . . . .	AZ4836 . . . . .	<b>56</b>	Maya Track Magnetic 3W (black) . . . . .	AZ4629 . . . . .	<b>74</b>
Makita Tr. Magn. 20WCCT Smart (sand black) . . . . .	AZ4840 . . . . .	<b>57</b>	Megara Track 3 Line GU10 (black) . . . . .	AZ4443 . . . . .	<b>21</b>
Makita Tr. Magn. 30WCCT Smart (sand black) . . . . .	AZ4842 . . . . .	<b>57</b>	Megara Track 3 Line GU10 (white) . . . . .	AZ4442 . . . . .	<b>21</b>
Malta R 18 3000K (black) . . . . .	AZ4235 . . . . .	<b>174</b>	Mikkel BK (black) . . . . .	AZ4485 . . . . .	<b>400</b>
Malta R 18 3000K (white) . . . . .	AZ4233 . . . . .	<b>174</b>	Mikkel Wall (black) . . . . .	AZ4484 . . . . .	<b>400</b>
Malta R 18 4000K (black) . . . . .	AZ4236 . . . . .	<b>174</b>	Milet (black) . . . . .	AZ4076 . . . . .	<b>284</b>
Malta R 18 4000K (white) . . . . .	AZ4234 . . . . .	<b>174</b>	Milet (white) . . . . .	AZ4075 . . . . .	<b>284</b>
Malta R 23 3000K (black) . . . . .	AZ4239 . . . . .	<b>174</b>	Mini Bross (aluminium) . . . . .	AZ1756 . . GM4000-ALU . . . . .	<b>94</b>
Malta R 23 3000K (white) . . . . .	AZ4237 . . . . .	<b>174</b>	Mini Bross (black) . . . . .	AZ1710 . . GM4000-BK . . . . .	<b>94</b>
Malta R 23 4000K (black) . . . . .	AZ4240 . . . . .	<b>174</b>	Mini Bross (chrome) . . . . .	AZ1757 . . GM4000-CH . . . . .	<b>94</b>
Malta R 23 4000K (white) . . . . .	AZ4238 . . . . .	<b>174</b>	Mini Bross (white) . . . . .	AZ1711 . . GM4000-WH . . . . .	<b>94</b>
Malta R 30 3000K (black) . . . . .	AZ4243 . . . . .	<b>174</b>	Mini Eloy (aluminium) . . . . .	AZ1754 . . GM4006-ALU . . . . .	<b>95</b>
Malta R 30 3000K (white) . . . . .	AZ4241 . . . . .	<b>174</b>	Mini Eloy (black) . . . . .	AZ1712 . . GM4006-BK . . . . .	<b>95</b>
Malta R 30 4000K (black) . . . . .	AZ4244 . . . . .	<b>174</b>	Mini Eloy (chrome) . . . . .	AZ1755 . . GM4006-CH . . . . .	<b>95</b>
Malta R 30 4000K (white) . . . . .	AZ4242 . . . . .	<b>174</b>	Mini Eloy (white) . . . . .	AZ1713 . . GM4006-WH . . . . .	<b>95</b>
Malta R 40 3000K (black) . . . . .	AZ4247 . . . . .	<b>176</b>	Mini Round (black) . . . . .	AZ1781 . . GM4115-BK . . . . .	<b>114</b>
Malta R 40 3000K (white) . . . . .	AZ4245 . . . . .	<b>176</b>	Mini Round (chrome) . . . . .	AZ1707 . . GM4115-CH . . . . .	<b>114</b>
Malta R 40 4000K (black) . . . . .	AZ4248 . . . . .	<b>176</b>	Mini Round (white) . . . . .	AZ1706 . . GM4115-WH . . . . .	<b>114</b>
Malta R 40 4000K (white) . . . . .	AZ4246 . . . . .	<b>176</b>	Mini Simple Connection 3-Line (black) . . . . .	AZ2981 . . . . .	<b>13</b>
Malta R 50 3000K (black) . . . . .	AZ4251 . . . . .	<b>176</b>	Mini Simple Connection 3-Line (white) . . . . .	AZ2982 . . . . .	<b>13</b>
Malta R 50 3000K (white) . . . . .	AZ4249 . . . . .	<b>176</b>	Mini Square (black) . . . . .	AZ1382 . . GM4209-BK . . . . .	<b>115</b>
Malta R 50 4000K (black) . . . . .	AZ4252 . . . . .	<b>176</b>	Mini Square (white) . . . . .	AZ1381 . . GM4209-WH . . . . .	<b>115</b>
Malta R 50 4000K (white) . . . . .	AZ4250 . . . . .	<b>176</b>	Minoroka (black/black) . . . . .	AZ4142 . . . . .	<b>282</b>
Malta R 60 3000K (black) . . . . .	AZ4255 . . . . .	<b>176</b>	Minoroka (black/gold) . . . . .	AZ2802 . . . . .	<b>282</b>
Malta R 60 3000K (white) . . . . .	AZ4253 . . . . .	<b>176</b>	Minoroka (white/black) . . . . .	AZ1362 . . GM2115-WH-BK . . . . .	<b>282</b>
Malta R 60 4000K (black) . . . . .	AZ4256 . . . . .	<b>176</b>	Minoroka (white/white) . . . . .	AZ2801 . . . . .	<b>282</b>
Malta R 60 4000K (white) . . . . .	AZ4254 . . . . .	<b>176</b>	Mira (chrome) . . . . .	AZ1619 . . NC1695-CH . . . . .	<b>212</b>
Mane 20W (black) . . . . .	AZ4153 . . . . .	<b>120</b>	Mira (gold) . . . . .	AZ1464 . . NC1695-GO . . . . .	<b>212</b>
Mane 20W DIMM (black) . . . . .	AZ4325 . . . . .	<b>120</b>	Momo 8 (black) . . . . .	AZ2279 . . SH2606-BK . . . . .	<b>173</b>
Mane 20W DIMM (gold) . . . . .	AZ4326 . . . . .	<b>120</b>	Momo 8 (white) . . . . .	AZ2278 . . SH2606-WH . . . . .	<b>173</b>
Mane 20W DIMM (white) . . . . .	AZ4327 . . . . .	<b>120</b>	Momo 12 (black) . . . . .	AZ2281 . . SH2612-BK . . . . .	<b>173</b>
Mane 20W (gold) . . . . .	AZ4154 . . . . .	<b>120</b>	Momo 12 (white) . . . . .	AZ2280 . . SH2612-WH . . . . .	<b>173</b>
Mane 20W (white) . . . . .	AZ4152 . . . . .	<b>120</b>	Momo 14 (black) . . . . .	AZ2283 . . SH2618-BK . . . . .	<b>173</b>
Mane 30W (black) . . . . .	AZ4156 . . . . .	<b>121</b>	Momo 14 (white) . . . . .	AZ2282 . . SH2618-WH . . . . .	<b>173</b>
Mane 30W DIMM (black) . . . . .	AZ4328 . . . . .	<b>121</b>	Mona 18W 3000K (black) . . . . .	AZ4545 . . . . .	<b>147</b>
Mane 30W DIMM (gold) . . . . .	AZ4329 . . . . .	<b>121</b>	Mona 18W 3000K (white) . . . . .	AZ4546 . . . . .	<b>147</b>
Mane 30W DIMM (white) . . . . .	AZ4330 . . . . .	<b>121</b>	Mona Spot 12W 3000K (black) . . . . .	AZ4531 . . . . .	<b>250</b>
Mane 30W (gold) . . . . .	AZ4157 . . . . .	<b>121</b>	Mona Spot 12W 3000K (black) . . . . .	AZ4537 . . . . .	<b>146</b>
Mane 30W (white) . . . . .	AZ4155 . . . . .	<b>121</b>	Mona Spot 12W 3000K (white) . . . . .	AZ4532 . . . . .	<b>250</b>
Mane 3000K (black) . . . . .	AZ2844 . . . . .	<b>119</b>	Mona Spot 12W 3000K (white) . . . . .	AZ4538 . . . . .	<b>146</b>
Mane 3000K (gold) . . . . .	AZ2846 . . . . .	<b>119</b>	Mona Spot 12W 4000K (black) . . . . .	AZ4533 . . . . .	<b>250</b>
Mane 3000K (white) . . . . .	AZ2845 . . . . .	<b>119</b>	Mona Spot 12W 4000K (black) . . . . .	AZ4539 . . . . .	<b>146</b>

# OLD&NEW CODES LIST

XVIII

## Introduction

Mona Spot 12W 4000K (white) . . . . .	AZ4534 . . . . .	<b>250</b>	Mona R 22 3000K (black) . . . . .	AZ2263 . . . . .	SHR653000-20-BK <b>178</b>
Mona Spot 12W 4000K (white) . . . . .	AZ4540 . . . . .	<b>146</b>	Mona R 22 3000K (white) . . . . .	AZ2261 . . . . .	SHR643000-20-WH <b>178</b>
Mona Spot 18W 3000K (black) . . . . .	AZ4535 . . . . .	<b>251</b>	Mona R 22 4000K (black) . . . . .	AZ2262 . . . . .	SHR654000-20-BK <b>178</b>
Mona Spot 18W 3000K (white) . . . . .	AZ4536 . . . . .	<b>251</b>	Mona R 22 4000K (white) . . . . .	AZ2260 . . . . .	SHR644000-20-WH <b>178</b>
Mona Track 12W 3000K (black) . . . . .	AZ4541 . . . . .	<b>35</b>	Mona R 22 CCT + Remote Control (black) AZ4758 . . . . .		<b>186</b>
Mona Track 12W 3000K (white) . . . . .	AZ4542 . . . . .	<b>35</b>	Mona R 22 CCT + Remote Control (champaigne) . . . . .	AZ4756 . . . . .	<b>186</b>
Mona Track 12W 4000K (black) . . . . .	AZ4543 . . . . .	<b>35</b>	Mona R 22 CCT + Remote Control (white) AZ4757 . . . . .		<b>186</b>
Mona Track 12W 4000K (white) . . . . .	AZ4544 . . . . .	<b>35</b>	Mona R 30 CCT + Remote Control (black) AZ4761 . . . . .		<b>186</b>
Montana (white) . . . . .	AZ2859 . . . . .	<b>319</b>	Mona R 30 CCT + Remote Control (champaigne) . . . . .	AZ4759 . . . . .	<b>186</b>
Monza II R 17 3000K (black) . . . . .	AZ3790 . . . . .	<b>180</b>	Mona R 30 CCT + Remote Control (white) AZ4760 . . . . .		<b>186</b>
Monza II R 17 3000K (white) . . . . .	AZ3791 . . . . .	<b>180</b>	Monza R 40 3000K (black) . . . . .	AZ2267 . . . . .	SHR673000-50-BK <b>178</b>
Monza II R 17 4000K (black) . . . . .	AZ3792 . . . . .	<b>180</b>	Monza R 40 3000K (white) . . . . .	AZ2265 . . . . .	SHR663000-50-WH <b>178</b>
Monza II R 17 4000K (white) . . . . .	AZ3793 . . . . .	<b>180</b>	Monza R 40 4000K (black) . . . . .	AZ2266 . . . . .	SHR674000-50-BK <b>178</b>
Monza II R 30 3000K (black) . . . . .	AZ3794 . . . . .	<b>180</b>	Monza R 40 4000K (white) . . . . .	AZ2264 . . . . .	SHR664000-50-WH <b>178</b>
Monza II R 30 3000K (white) . . . . .	AZ3795 . . . . .	<b>180</b>	Monza R 40 CCT + Remote Control (black) AZ4764 . . . . .		<b>186</b>
Monza II R 30 4000K (black) . . . . .	AZ3796 . . . . .	<b>180</b>	Monza R 40 CCT + Remote Control (champaigne) . . . . .	AZ4762 . . . . .	<b>186</b>
Monza II R 40 3000K DIMM (black) . . . . .	AZ3798 . . . . .	<b>180</b>	Monza R 40 CCT + Remote Control (white) AZ4763 . . . . .		<b>186</b>
Monza II R 40 3000K DIMM (white) . . . . .	AZ3799 . . . . .	<b>180</b>	Monza R 50 CCT + Remote Control (black) AZ4767 . . . . .		<b>186</b>
Monza II R 40 4000K DIMM (black) . . . . .	AZ3800 . . . . .	<b>180</b>	Monza R 50 CCT + Remote Control (champaigne) . . . . .	AZ4765 . . . . .	<b>186</b>
Monza II R 40 4000K DIMM (white) . . . . .	AZ3801 . . . . .	<b>180</b>	Monza R 50 CCT + Remote Control (white) AZ4766 . . . . .		<b>186</b>
Monza II R 50 3000K DIMM (black) . . . . .	AZ3674 . . . . .	<b>180</b>	Monza R pendant 40 3000K (black) . . . . .	AZ2277 . . . . .	SHPEN3000-50-BK <b>179</b>
Monza II R 50 3000K DIMM (white) . . . . .	AZ3675 . . . . .	<b>180</b>	Monza R pendant 40 3000K (white) . . . . .	AZ2276 . . . . .	SHPEN3000-50-WH <b>179</b>
Monza II R 50 4000K DIMM (black) . . . . .	AZ3676 . . . . .	<b>180</b>	Monza R pendant 40 4000K (black) . . . . .	AZ2496 . . . . .	SHPEN4000-50-BK <b>179</b>
Monza II R 50 4000K DIMM (white) . . . . .	AZ3677 . . . . .	<b>180</b>	Monza R pendant 40 4000K (white) . . . . .	AZ2570 . . . . .	SHPEN4000-50-WH <b>179</b>
Monza II R 60 3000K DIMM (black) . . . . .	AZ3678 . . . . .	<b>181</b>	Monza S 22 CCT + Remote Control (black) AZ4770 . . . . .		<b>188</b>
Monza II R 60 3000K DIMM (white) . . . . .	AZ3679 . . . . .	<b>181</b>	Monza S 22 CCT + Remote Control (champaigne) . . . . .	AZ4768 . . . . .	<b>188</b>
Monza II R 60 4000K DIMM (black) . . . . .	AZ3680 . . . . .	<b>181</b>	Monza S 22 CCT + Remote Control (white) AZ4769 . . . . .		<b>188</b>
Monza II R 60 4000K DIMM (white) . . . . .	AZ3681 . . . . .	<b>181</b>	Monza S 30 CCT + Remote Control (black) AZ4773 . . . . .		<b>188</b>
Monza II S 17 3000K (black) . . . . .	AZ3682 . . . . .	<b>184</b>	Monza S 30 CCT + Remote Control (champaigne) . . . . .	AZ4771 . . . . .	<b>188</b>
Monza II S 17 3000K (white) . . . . .	AZ3683 . . . . .	<b>184</b>	Monza S 30 CCT + Remote Control (white) AZ4772 . . . . .		<b>188</b>
Monza II S 17 4000K (black) . . . . .	AZ3684 . . . . .	<b>184</b>	Monza S 40 CCT + Remote Control (black) AZ4776 . . . . .		<b>188</b>
Monza II S 17 4000K (white) . . . . .	AZ3685 . . . . .	<b>184</b>	Monza S 40 CCT + Remote Control (champaigne) . . . . .	AZ4774 . . . . .	<b>188</b>
Monza II S 30 3000K (black) . . . . .	AZ3686 . . . . .	<b>184</b>	Monza S 40 CCT + Remote Control (white) AZ4775 . . . . .		<b>188</b>
Monza II S 30 3000K (white) . . . . .	AZ3687 . . . . .	<b>184</b>	Monza Square 22 3000K (black) . . . . .	AZ2271 . . . . .	SHS553000-20-BK <b>182</b>
Monza II S 30 4000K (black) . . . . .	AZ3688 . . . . .	<b>184</b>	Monza Square 22 3000K (white) . . . . .	AZ2269 . . . . .	SHS543000-20-WH <b>182</b>
Monza II S 30 4000K (white) . . . . .	AZ3689 . . . . .	<b>184</b>	Monza Square 22 4000K (black) . . . . .	AZ2270 . . . . .	SHS554000-20-BK <b>182</b>
Monza II S 40 3000K DIMM (black) . . . . .	AZ3690 . . . . .	<b>184</b>	Monza Square 22 4000K (white) . . . . .	AZ2268 . . . . .	SHS544000-20-WH <b>182</b>
Monza II S 40 3000K DIMM (white) . . . . .	AZ3691 . . . . .	<b>184</b>	Monza Square 40 3000K (black) . . . . .	AZ2275 . . . . .	SHS573000-50-BK <b>182</b>
Monza II S 40 4000K DIMM (black) . . . . .	AZ3692 . . . . .	<b>184</b>	Monza Square 40 3000K (white) . . . . .	AZ2273 . . . . .	SHS563000-50-WH <b>182</b>
Monza II S 40 4000K DIMM (white) . . . . .	AZ3693 . . . . .	<b>184</b>	Monza Square 40 4000K (black) . . . . .	AZ2274 . . . . .	SHS574000-50-BK <b>182</b>
Monza II S 50 3000K DIMM (black) . . . . .	AZ3694 . . . . .	<b>185</b>	Monza Square 40 4000K (white) . . . . .	AZ2272 . . . . .	SHS564000-50-WH <b>182</b>
Monza II S 50 3000K DIMM (white) . . . . .	AZ3695 . . . . .	<b>185</b>	<b>N</b> Nano Round (black) . . . . .	AZ2785 . . . . .	<b>118</b>
Monza II S 50 4000K DIMM (black) . . . . .	AZ3697 . . . . .	<b>185</b>	Nano Round (white) . . . . .	AZ2784 . . . . .	<b>118</b>
Monza II S 50 4000K DIMM (white) . . . . .	AZ3698 . . . . .	<b>185</b>	Nano Square (black) . . . . .	AZ2787 . . . . .	<b>118</b>
Monza Pendant accessory (black) . . . . .	AZ3454 . . . . .	<b>181</b>	Nano Square (white) . . . . .	AZ2786 . . . . .	<b>118</b>
Monza Pendant accessory (black) . . . . .	AZ3454 . . . . .	<b>187</b>	Nemo (black) . . . . .	AZ3399 . . . . .	<b>288</b>
Monza Pendant accessory (champaigne) . . . . .	AZ4830 . . . . .	<b>187</b>	Nemo (chrome) . . . . .	AZ3400 . . . . .	<b>288</b>
Monza Pendant accessory (white) . . . . .	AZ3453 . . . . .	<b>181</b>	Nemo (gold) . . . . .	AZ3401 . . . . .	<b>288</b>
Monza Pendant accessory (white) . . . . .	AZ3453 . . . . .	<b>187</b>	Nemo (white) . . . . .	AZ3398 . . . . .	<b>288</b>
Monza R 8 3000K (black) . . . . .	AZ2255 . . . . .	SHR613000-5-BK <b>178</b>	Neos 1 (black/aluminium) . . . . .	AZ0607 . . . . .	FH31431B-BK-ALU <b>116</b>
Monza R 8 3000K (white) . . . . .	AZ2253 . . . . .	SHR603000-5-WH <b>178</b>	Neos 1 (black/chrome) . . . . .	AZ0708 . . . . .	FH31431B-BK-CH <b>116</b>
Monza R 8 4000K (black) . . . . .	AZ2254 . . . . .	SHR614000-5-BK <b>178</b>	Neos 1 (white/aluminium) . . . . .	AZ0606 . . . . .	FH31431B-WH-ALU <b>116</b>
Monza R 8 4000K (white) . . . . .	AZ2252 . . . . .	SHR604000-5-WH <b>178</b>	Neos 1 (white/chrome) . . . . .	AZ0707 . . . . .	FH31431B-WH-CH <b>116</b>
Monza R 12 3000K (black) . . . . .	AZ2259 . . . . .	SHR633000-10-BK <b>178</b>	Neos 3 (black/chrome) . . . . .	AZ0742 . . . . .	FH31433B-BK-CH <b>116</b>
Monza R 12 3000K (white) . . . . .	AZ2257 . . . . .	SHR623000-10-WH <b>178</b>	Nikea 1 ES111 (black) . . . . .	AZ4438 . . . . .	<b>155</b>
Monza R 12 4000K (black) . . . . .	AZ2258 . . . . .	SHR634000-10-BK <b>178</b>	Nikea 1 ES111 (white) . . . . .	AZ4437 . . . . .	<b>155</b>
Monza R 12 4000K (white) . . . . .	AZ2256 . . . . .	SHR624000-10-WH <b>178</b>	Nikea 1 ES111 (white/black) . . . . .	AZ4436 . . . . .	<b>155</b>

Nikea 1 GU10 (black) . . . . .	AZ4432. . . . .	<b>154</b>
Nikea 1 GU10 (white) . . . . .	AZ4431. . . . .	<b>154</b>
Nikea 1 GU10 (white/black) . . . . .	AZ4430. . . . .	<b>154</b>
Nikea 2 ES111 (black) . . . . .	AZ4441. . . . .	<b>155</b>
Nikea 2 ES111 (white) . . . . .	AZ4440 . . . . .	<b>155</b>
Nikea 2 ES111 (white/black) . . . . .	AZ4439. . . . .	<b>155</b>
Nikea 2 GU10 (black) . . . . .	AZ4435. . . . .	<b>154</b>
Nikea 2 GU10 (white) . . . . .	AZ4434. . . . .	<b>154</b>
Nikea 2 GU10 (white/black) . . . . .	AZ4433. . . . .	<b>154</b>
Nikki Track Magnetic 2 (black/black) . . . . .	AZ4592. . . . .	<b>68</b>
Nikki Track Magnetic 2 (black/gold) . . . . .	AZ4594. . . . .	<b>68</b>
Nikki Track Magnetic 2 (white/black) . . . . .	AZ4593. . . . .	<b>68</b>
Nikki Track Magnetic (black/black) . . . . .	AZ4589. . . . .	<b>68</b>
Nikki Track Magnetic (black/gold) . . . . .	AZ4591. . . . .	<b>68</b>
Nikki Track Magnetic (white/black) . . . . .	AZ4590. . . . .	<b>68</b>
Niklas 2 Wall BK (black) . . . . .	AZ4488. . . . .	<b>399</b>
Niklas Wall (black) . . . . .	AZ4486. . . . .	<b>399</b>
Niklas Wall Sensor (black) . . . . .	AZ4487. . . . .	<b>398</b>
Niko Track 2 Magnetic 3000K (black/black) . . . . .	AZ4584. . . . .	<b>69</b>
Niko Track 2 Magnetic 3000K (black/gold) . . . . .	AZ4588. . . . .	<b>69</b>
Niko Track 2 Magnetic 3000K (white/black) . . . . .	AZ4585. . . . .	<b>69</b>
Niko Track 2 Magnetic 4000K (black/black) . . . . .	AZ4586. . . . .	<b>69</b>
Niko Track 2 Magnetic 4000K (black/gold) . . . . .	AZ4587. . . . .	<b>69</b>
Niko Track Magnetic 3000K (black/black) . . . . .	AZ4579. . . . .	<b>69</b>
Niko Track Magnetic 3000K (black/gold) . . . . .	AZ4583. . . . .	<b>69</b>
Niko Track Magnetic 3000K (white/black) . . . . .	AZ4580. . . . .	<b>69</b>
Niko Track Magnetic 4000K (black/black) . . . . .	AZ4581. . . . .	<b>69</b>
Niko Track Magnetic 4000K (black/gold) . . . . .	AZ4582. . . . .	<b>69</b>
Nils 500 (black) . . . . .	AZ4480. . . . .	<b>409</b>
Nils 800 (black) . . . . .	AZ4481. . . . .	<b>409</b>
Nino 1 (black/aluminium) . . . . .	AZ1383. . . . . FH31431S-BK-ALU	<b>117</b>
Nino 1 (black/chrome) . . . . .	AZ0736. . . . . FH31431S-BK-CH	<b>117</b>
Nino 1 (white/aluminium) . . . . .	AZ0598. . . . . FH31431S-WH-ALU	<b>117</b>
Nino 1 (white/chrome) . . . . .	AZ0735. . . . . FH31431S-WH-CH	<b>117</b>
Nino 2 (black/aluminium) . . . . .	AZ1385. . . . . FH31432S-BK-ALU	<b>117</b>
Nino 2 (white/aluminium) . . . . .	AZ1386. . . . . FH31432S-WH-ALU	<b>117</b>
Nino 2 (white/chrome) . . . . .	AZ0737. . . . . FH31432S-WH-CH	<b>117</b>
Nino 4 (black/aluminium) . . . . .	AZ1388. . . . . FH31434S-BK-ALU	<b>117</b>
Nino 4 (black/chrome) . . . . .	AZ0852. . . . . FH31434S-BK-CH	<b>117</b>
Nino 4 (white/aluminium) . . . . .	AZ1387. . . . . FH31434S-WH-ALU	<b>117</b>
Nino 4 (white/chrome) . . . . .	AZ0851. . . . . FH31434S-WH-CH	<b>117</b>
Nogat (black) . . . . .	AZ2943. . . . .	<b>343</b>
Nogat (white) . . . . .	AZ2944. . . . .	<b>343</b>
Nova 2 (black/black) . . . . .	AZ2875. . . . .	<b>296</b>
Nova 2 GIPS (black/black) . . . . .	AZ2935. . . . .	<b>297</b>
Nova 2 GIPS (white/white) . . . . .	AZ2934. . . . .	<b>297</b>
Nova 2 (white/black) . . . . .	AZ2877. . . . .	<b>296</b>
Nova 2 (white/white) . . . . .	AZ2876. . . . .	<b>296</b>
Nova (black/black) . . . . .	AZ2869. . . . .	<b>296</b>
Nova GIPS (black/black) . . . . .	AZ2872. . . . .	<b>297</b>
Nova GIPS (white/white) . . . . .	AZ2873. . . . .	<b>297</b>
Nova (white/black) . . . . .	AZ2871. . . . .	<b>296</b>
Nova (white/white) . . . . .	AZ2870. . . . .	<b>296</b>
<b>O</b> Ojos 1 (black) . . . . .	AZ4197. . . . .	<b>150</b>
Ojos 1 (white) . . . . .	AZ4196. . . . .	<b>150</b>
Ojos 2 (black) . . . . .	AZ4199. . . . .	<b>150</b>
Ojos 2 (white) . . . . .	AZ4198. . . . .	<b>150</b>

Oka AC 3000K (acrylic) . . . . .	AZ2234. . . . . SHAC-3W3000-WH	<b>247</b>
Oka AC 4000K (acrylic) . . . . .	AZ2235. . . . . SHAC-3W4000-WH	<b>247</b>
Oka AL 3000K (black) . . . . .	AZ4171. . . . .	<b>247</b>
Oka AL 3000K (white) . . . . .	AZ2232. . . . . SHAL-3W3000-WH	<b>247</b>
Oka AL 4000K (black) . . . . .	AZ4172. . . . .	<b>247</b>
Oka AL 4000K (white) . . . . .	AZ2233. . . . . SHAL-3W4000-WH	<b>247</b>
Oscar IP44 (black) . . . . .	AZ2692. . . . .	<b>262</b>
Oscar IP44 (chrome) . . . . .	AZ1715. . . . . GM2117-CH	<b>262</b>
Oscar IP44 (gold) . . . . .	AZ2800 . . . . .	<b>262</b>
Oscar IP44 (white) . . . . .	AZ1714. . . . . GM2117-WH	<b>262</b>
Osvald Wall (black) . . . . .	AZ4489. . . . .	<b>403</b>
Ove Wall 3000K (dark grey) . . . . .	AZ4508. . . . .	<b>395</b>
Ove Wall 4000K (dark grey) . . . . .	AZ4509. . . . .	<b>395</b>
Oz (black) . . . . .	AZ3372. . . . .	<b>303</b>
Oz (satin nikiel) . . . . .	AZ3374. . . . .	<b>303</b>
Oz (white) . . . . .	AZ3373. . . . .	<b>303</b>
<b>P</b> Pablo (aluminium) . . . . .	AZ1015. . . . . GM2107-ALU	<b>266</b>
Pablo (black) . . . . .	AZ4140. . . . .	<b>266</b>
Pablo (white) . . . . .	AZ0817. . . . . GM2107-WH	<b>266</b>
Paco 1 (aluminium) . . . . .	AZ0795. . . . . GM2103-ALU	<b>276</b>
Paco 1 (black) . . . . .	AZ0797. . . . . GM2103-BK	<b>276</b>
Paco 1 (white) . . . . .	AZ0796. . . . . GM2103-WH	<b>276</b>
Paco 2 (aluminium) . . . . .	AZ0798. . . . . GM2201-ALU	<b>276</b>
Paco 2 (black) . . . . .	AZ0800 . . . . . GM2201-BK	<b>276</b>
Paco 2 (white) . . . . .	AZ0799. . . . . GM2201-WH	<b>276</b>
Paco 3 (aluminium) . . . . .	AZ0801. . . . . GM2301-ALU	<b>276</b>
Paco 3 (black) . . . . .	AZ0803. . . . . GM2301-BK	<b>276</b>
Paco 3 (white) . . . . .	AZ0802. . . . . GM2301-WH	<b>276</b>
Paola 1 230V (black) . . . . .	AZ4130. . . . .	<b>156</b>
Paola 1 230V (white) . . . . .	AZ4128 . . . . .	<b>156</b>
Paola 2 230V (white) . . . . .	AZ4132. . . . .	<b>156</b>
Paola 2 230V (white) . . . . .	AZ4134. . . . .	<b>156</b>
Papiko IP65 (black) . . . . .	AZ4216. . . . .	<b>355</b>
Papiko IP65 (white) . . . . .	AZ4217. . . . .	<b>355</b>
Paulo 1 230V (black/aluminium) . . . . .	AZ0959. . . . . GM4107-BK-ALU	<b>159</b>
Paulo 1 230V (white/aluminium) . . . . .	AZ0960. . . . . GM4107-WH-ALU	<b>159</b>
Paulo 3 230V (black/aluminium) . . . . .	AZ0965. . . . . GM4301-BK-ALU	<b>159</b>
Paulo 3 230V (white/aluminium) . . . . .	AZ0964. . . . . GM4301-WH-ALU	<b>159</b>
Paulo 4 pendant 12V (black/aluminium) . . . . .	AZ1265. . . . . GM5400-BK-ALU	<b>158</b>
Paulo 4 pendant 12V (black/black) . . . . .	AZ2890. . . . .	<b>158</b>
Paulo 4 pendant 12V (white/aluminium) . . . . .	AZ1267. . . . . GM5400-WH-ALU	<b>158</b>
Paulo 4 pendant 12V (white/white) . . . . .	AZ1800. . . . . GM5400-WH-WH	<b>158</b>
Peder (black) . . . . .	AZ4514. . . . .	<b>368</b>
Peder (dark grey) . . . . .	AZ4515. . . . .	<b>368</b>
Pienza 3000K (black) . . . . .	AZ2723. . . . .	<b>191</b>
Pienza 3000K (grey) . . . . .	AZ2721. . . . .	<b>191</b>
Pienza 3000K (white) . . . . .	AZ2719. . . . .	<b>191</b>
Pienza 4000K (black) . . . . .	AZ2722. . . . .	<b>191</b>
Pienza 4000K (grey) . . . . .	AZ2720. . . . .	<b>191</b>
Pienza 4000K (white) . . . . .	AZ2718. . . . .	<b>191</b>
Pio 2 (black) . . . . .	AZ1720. . . . . GM2208-BK	<b>277</b>
Pio 2 (chrome) . . . . .	AZ1749. . . . . GM2208-CH	<b>277</b>
Pio 2 (white) . . . . .	AZ1719. . . . . GM2208-WH	<b>277</b>
Pio (black) . . . . .	AZ1278. . . . . GM2108-BK	<b>277</b>
Pio (chrome) . . . . .	AZ1718. . . . . GM2108-CH	<b>277</b>
Pio (white) . . . . .	AZ0760. . . . . GM2108-WH	<b>277</b>
Piramide L (chrome) . . . . .	AZ1463. . . . . NC1674SQ-CH	<b>216</b>

# OLD&NEW CODES LIST

## Introduction

Piramide L (gold) . . . . .	AZ1611 . . . NC1674SQ-GO . . .	<b>216</b>	Remo R (gold) . . . . .	AZ0824 . . . . .	<b>269</b>
Piramide XL (chrome) . . . . .	AZ1612 . . . NC1673SQ-CH . . .	<b>216</b>	Remo R (gold) . . . . .	AZ0824 . . . GM4103-GO . . .	<b>110</b>
Piramide XL (gold) . . . . .	AZ1462 . . . NC1673SQ-GO . . .	<b>216</b>	Remo R (white) . . . . .	AZ0822 . . . . .	<b>269</b>
Power 3-Line (black) . . . . .	AZ4294 . . . . .	<b>14</b>	Remo R (white) . . . . .	AZ0822 . . . . .	<b>270</b>
Power 3-Line (white) . . . . .	AZ4293 . . . . .	<b>14</b>	Remo R (white) . . . . .	AZ0822 . . . GM4103-WH . . .	<b>110</b>
Power Adjustable Connector 3-Line (black) AZ4286 . . . . .		<b>16</b>	Remo (white) . . . . .	AZ0819 . . . GM4103-WH . . .	<b>110</b>
Power Adjustable Connector 3-Line (black) AZ4286 . . . . .		<b>16</b>	Rezia 1 (black) . . . . .	AZ4343 . . . . .	<b>362</b>
Power Adjustable Connector 3-Line (white) AZ4285 . . . . .		<b>16</b>	Rezia 1 (dark grey) . . . . .	AZ4344 . . . . .	<b>362</b>
Power Adjustable Connector 3-Line (white) AZ4285 . . . . .		<b>16</b>	Rezia 2 (black) . . . . .	AZ4345 . . . . .	<b>362</b>
Power Gips 3-Line (black) . . . . .	AZ4296 . . . . .	<b>15</b>	Rezia 2 (dark grey) . . . . .	AZ4346 . . . . .	<b>362</b>
Power Gips 3-Line (white) . . . . .	AZ4295 . . . . .	<b>15</b>	Rimini 1 (black) . . . . .	AZ4265 . . . . .	<b>366</b>
<b>Q</b> QR111 17WBLACKLL153172 noDIMM - 3000K . . . . .	AZ1108 . . . . .	<b>430</b>	Rimini 1 (dark grey) . . . . .	AZ2176 . . . . .	<b>366</b>
QR111 17WWHITELL153171 noDIMM - 3000K . . . . .	AZ1109 . . . . .	<b>430</b>	Rimini 1 Square (black) . . . . .	AZ4311 . . . . .	<b>364</b>
QR111 NEWchrome 12W 12VLL110123 noDIMM - 3000K . . . . .	AZ1182 . . . . .	<b>430</b>	Rimini 1 Square (dark grey) . . . . .	AZ4267 . . . . .	<b>364</b>
QR111 NEWCHROME 12W 12V LL210123 noDIMM - 4000K . . . . .	AZ2507 . . . . .	<b>431</b>	Rimini 1 Square (white) . . . . .	AZ4313 . . . . .	<b>364</b>
QR111 NEWCHROME 15W 12VLL153151 no DIMM . . . . .	AZ1783 . . . . .	<b>430</b>	Rimini 1 (white) . . . . .	AZ2175 . . . . .	<b>366</b>
QR111 NEWCHROME 15W 12VLL153152 no DIMM . . . . .	AZ1784 . . . . .	<b>430</b>	Rimini 2 (black) . . . . .	AZ4266 . . . . .	<b>366</b>
Quadro 50 LED CCT (black) . . . . .	AZ2759 . . . . .	<b>196</b>	Rimini 2 (dark grey) . . . . .	AZ2178 . . . . .	<b>366</b>
Quadro 50 LED CCT (silver) . . . . .	AZ2758 . . . . .	<b>196</b>	Rimini 2 Square (black) . . . . .	AZ4268 . . . . .	<b>364</b>
Quadro 50 LED CCT (gold) . . . . .	AZ2760 . . . . .	<b>196</b>	Rimini 2 Square (dark grey) . . . . .	AZ4312 . . . . .	<b>364</b>
<b>R</b> Raffael (black) . . . . .	AZ3497 . . . . .	<b>153</b>	Rimini 2 Square (white) . . . . .	AZ4314 . . . . .	<b>364</b>
Raffael (brushed copper) . . . . .	AZ1626 . . . NC2055-BCO . . .	<b>153</b>	Rimini 2 (white) . . . . .	AZ2177 . . . . .	<b>366</b>
Raffael (chrome) . . . . .	AZ1624 . . . NC2055-CH . . .	<b>153</b>	Rolf 1 Wall (black) . . . . .	AZ4475 . . . . .	<b>404</b>
Raffael (gold) . . . . .	AZ1625 . . . NC2055-GO . . .	<b>153</b>	Rolf 1 Wall (dark grey) . . . . .	AZ4476 . . . . .	<b>404</b>
Raffael (white) . . . . .	AZ1623 . . . NC2055-WH . . .	<b>153</b>	Rolf 1 Wall (white) . . . . .	AZ4477 . . . . .	<b>404</b>
Raggio (black) . . . . .	AZ2964 . . . . .	<b>305</b>	Rolf 2 500 (black) . . . . .	AZ4456 . . . . .	<b>404</b>
Raggio (satin nickel) . . . . .	AZ2965 . . . . .	<b>305</b>	Rolf 2 500 (dark grey) . . . . .	AZ4457 . . . . .	<b>404</b>
Raggio (white) . . . . .	AZ2963 . . . . .	<b>305</b>	Rolf 2 900 (black) . . . . .	AZ4458 . . . . .	<b>404</b>
Ramona 1 Switch (black) . . . . .	AZ2565 . . . . .	<b>336</b>	Rolf 2 900 (dark grey) . . . . .	AZ4459 . . . . .	<b>404</b>
Ramona 1 Switch (white) . . . . .	AZ2566 . . . . .	<b>336</b>	Rotondo (black) . . . . .	AZ4208 . . . . .	<b>124</b>
Ramona 2 Switch (black) . . . . .	AZ2563 . . . . .	<b>336</b>	Rotondo (bronze) . . . . .	AZ4209 . . . . .	<b>124</b>
Ramona 2 Switch (white) . . . . .	AZ2564 . . . . .	<b>336</b>	Rotondo (white) . . . . .	AZ4207 . . . . .	<b>124</b>
Rasmus BK (black) . . . . .	AZ4483 . . . . .	<b>402</b>	<b>S</b> Saga Tr. Magn. 12W Milky120 CCT SMART 3000K (black) AZ4603 . . . . .		<b>62</b>
Rasmus Wall (black) . . . . .	AZ4482 . . . . .	<b>402</b>	Saga Tr. Magn. 12W Milky120 CCT SMART 3000K (white) AZ4604 . . . . .		<b>62</b>
Raul (aluminium) . . . . .	AZ0892 . . . GM1107-ALU . . .	<b>324</b>	Saga Tr. Magn. 12W Milky120 CCT SMART 4000K (black) AZ4605 . . . . .		<b>62</b>
Raul (chrome) . . . . .	AZ0868 . . . GM1107-CH . . .	<b>324</b>	Saga Tr. Magn. 12W Milky120 CCT SMART 4000K (white) AZ4606 . . . . .		<b>62</b>
Raul (white) . . . . .	AZ0891 . . . GM1107-WH . . .	<b>324</b>	Saga Tr. Magn. 12W Milky 120 Smart (sand black) . . . . .	AZ4846 . . . . .	<b>58</b>
Remi (black) . . . . .	AZ4143 . . . . .	<b>281</b>	Saga Tr. Magn. 20W Milky 120 Smart (sand black) . . . . .	AZ4848 . . . . .	<b>58</b>
Remi (white) . . . . .	AZ1363 . . . . .	<b>281</b>	Saga Tr. Magn. 24W Milky120 CCT SMART 3000K (black) AZ4607 . . . . .		<b>62</b>
Remo 1 downlight (aluminium) . . . . .	AZ1729 . . . GM2118R-ALU . . .	<b>269</b>	Saga Tr. Magn. 24W Milky120 CCT SMART 3000K (white) AZ4608 . . . . .		<b>62</b>
Remo 1 downlight (black) . . . . .	AZ1732 . . . GM2118R-BK . . .	<b>269</b>	Saga Tr. Magn. 24W Milky120 CCT SMART 4000K (black) AZ4609 . . . . .		<b>62</b>
Remo 1 downlight (chrome) . . . . .	AZ1730 . . . GM2118R-CH . . .	<b>269</b>	Saga Tr. Magn. 24W Milky120 CCT SMART 4000K (white) AZ4610 . . . . .		<b>62</b>
Remo 1 downlight (white) . . . . .	AZ1731 . . . GM2118R-WH . . .	<b>269</b>	Saga Tr. Magn. 36W Milky120 CCT SMART 3000K (black) AZ4611 . . . . .		<b>62</b>
Remo (aluminium) . . . . .	AZ0820 . . . GM4103-ALU . . .	<b>110</b>	Saga Tr. Magn. 36W Milky120 CCT SMART 3000K (white) AZ4612 . . . . .		<b>62</b>
Remo (black) . . . . .	AZ0818 . . . GM4103-BK . . .	<b>110</b>	Saga Tr. Magn. 36W Milky 120 Smart (sand black) . . . . .	AZ4850 . . . . .	<b>58</b>
Remo R (aluminium) . . . . .	AZ0821 . . . . .	<b>269</b>	Saga Tr. Magn. Corner A 24W Milky120 3000K (black) AZ4613 . . . . .		<b>64</b>
Remo R (aluminium) . . . . .	AZ0821 . . . AZ0821 . . .	<b>270</b>	Saga Tr. Magn. Corner A 24W Milky120 3000K (white) AZ4614 . . . . .		<b>64</b>
Remo R (aluminium) . . . . .	AZ0821 . . . GM4103-ALU . . .	<b>110</b>	Saga Tr. Magn. Corner A 24W Milky120 4000K (black) AZ4615 . . . . .		<b>64</b>
Remo R (black) . . . . .	AZ0823 . . . . .	<b>269</b>	Saga Tr. Magn. Corner A 24W Milky120 4000K (white) AZ4616 . . . . .		<b>64</b>
Remo R (black) . . . . .	AZ0823 . . . . .	<b>270</b>	Saga Tr. Magn. Corner B 24W Milky120 3000K (black) AZ4617 . . . . .		<b>64</b>
Remo R (black) . . . . .	AZ0823 . . . GM4103-BK . . .	<b>110</b>	Saga Tr. Magn. Corner B 24W Milky120 3000K (white) AZ4618 . . . . .		<b>64</b>
Remo R (champagne) . . . . .	AZ0825 . . . . .	<b>269</b>	Saga Tr. Magn. Corner B 24W Milky120 4000K (black) AZ4619 . . . . .		<b>64</b>
Remo R (champagne) . . . . .	AZ0825 . . . . .	<b>270</b>	Saga Tr. Magn. Corner B 24W Milky120 4000K (white) AZ4620 . . . . .		<b>64</b>
Remo R (champagne) . . . . .	AZ0825 . . . GM4103-CM . . .	<b>110</b>	Sane FI 40 (black) . . . . .	AZ2765 . . . . .	<b>304</b>
Remo R (chrome) . . . . .	AZ0855 . . . . .	<b>269</b>	Sane FI 40 (nickel) . . . . .	AZ2767 . . . . .	<b>304</b>
Remo R (chrome) . . . . .	AZ0855 . . . . .	<b>270</b>	Sane FI 40 (white) . . . . .	AZ2766 . . . . .	<b>304</b>
Remo R (chrome) . . . . .	AZ0855 . . . GM4103-CH . . .	<b>110</b>			

Sane FI 60 (antique) . . . . .	AZ2770. . . . .	<b>304</b>	Skye 3000K (white) . . . . .	AZ4517 . . . . .	<b>148</b>
Sane FI 60 (black) . . . . .	AZ2768. . . . .	<b>304</b>	Skye pendant 3000K (black) . . . . .	AZ4522. . . . .	<b>149</b>
Sane FI 60 (nickel) . . . . .	AZ2771. . . . .	<b>304</b>	Skye pendant 3000K (white) . . . . .	AZ4517 . . . . .	<b>149</b>
Sane FI 60 (white) . . . . .	AZ2769. . . . .	<b>304</b>	Skye Track 3 Line (black). . . . .	AZ4519 . . . . .	<b>44</b>
Santos 3000K (black) . . . . .	AZ2416. . . . . LM-9013-BK . . . . .	<b>130</b>	Skye Track 3 Line (white) . . . . .	AZ4520. . . . .	<b>44</b>
Santos 3000K (black/black) . . . . .	AZ4181. . . . . LM-9013-BK . . . . .	<b>130</b>	Skye Track Magnetic Pendant 12W (black). AZ4636. . . . .		<b>71</b>
Santos 3000K (white) . . . . .	AZ2417. . . . . LM-9013-WH . . . . .	<b>130</b>	Skye Track Magnetic Pendant 12W (white) AZ4637. . . . .		<b>71</b>
Santos 3000K (white/white) . . . . .	AZ4182. . . . . LM-9013-WH . . . . .	<b>130</b>	Slim 9 Round 3000K IP44 (black). . . . .	AZ2834. . . . .	<b>245</b>
Santos Exposed Round (black) . . . . .	AZ3509. . . . .	<b>144</b>	Slim 9 Round 3000K IP44 (chrome). . . . .	AZ2861. . . . .	<b>245</b>
Santos Exposed Round (white) . . . . .	AZ3508. . . . .	<b>144</b>	Slim 9 Round 3000K IP44 (white) . . . . .	AZ2831. . . . .	<b>245</b>
Santos GU10 (black/black) . . . . .	AZ4201. . . . .	<b>130</b>	Slim 9 Round 4000K IP44 (black). . . . .	AZ2835. . . . .	<b>245</b>
Santos GU10 (white/white) . . . . .	AZ4200. . . . .	<b>130</b>	Slim 9 Round 4000K IP44 (chrome). . . . .	AZ2862. . . . .	<b>245</b>
Santos Square (black) . . . . .	AZ3523. . . . .	<b>131</b>	Slim 9 Round 4000K IP44 (white) . . . . .	AZ2832. . . . .	<b>245</b>
Santos Square Track (black) . . . . .	AZ3525. . . . .	<b>43</b>	Slim 9 Square 3000K IP44 (black) . . . . .	AZ2833. . . . .	<b>242</b>
Santos Square Track (white) . . . . .	AZ3524. . . . .	<b>43</b>	Slim 9 Square 3000K IP44 (white) . . . . .	AZ2830. . . . .	<b>242</b>
Santos Square (white). . . . .	AZ3522. . . . .	<b>131</b>	Slim 15 Round 3000K IP44 (black) . . . . .	AZ2840 . . . . .	<b>245</b>
Santos Track 3 Line 12W 3000K (black/black). . . . .	AZ4183 . . . . .	<b>25</b>	Slim 15 Round 3000K IP44 (chrome). . . . .	AZ2838. . . . .	<b>245</b>
Santos Track 3 Line 12W 3000K (white/white) . . . . .	AZ4184 . . . . .	<b>25</b>	Slim 15 Round 3000K IP44 (white) . . . . .	AZ2839. . . . .	<b>245</b>
Santos Track 3 Line GU10 (black) . . . . .	AZ4203. . . . .	<b>24</b>	Slim 15 Round 4000K IP44 (black) . . . . .	AZ2843. . . . .	<b>245</b>
Santos Track 3 Line GU10 (white). . . . .	AZ4202. . . . .	<b>24</b>	Slim 15 Round 4000K IP44 (chrome). . . . .	AZ2841. . . . .	<b>245</b>
Santos track (black/gold) . . . . .	AZ2924. . . . .	<b>25</b>	Slim 15 Round 4000K IP44 (white) . . . . .	AZ2842. . . . .	<b>245</b>
Santos track (white/gold) . . . . .	AZ2925. . . . .	<b>25</b>	Slim 15 Square 3000K IP44 (black) . . . . .	AZ2836. . . . .	<b>242</b>
Savio Round . . . . .	AZ2779. . . . .	<b>286</b>	Slim 15 Square 3000K IP44 (white). . . . .	AZ2837. . . . .	<b>242</b>
Savio Square. . . . .	AZ2778. . . . .	<b>286</b>	Sona 47 CCT (white). . . . .	AZ2761. . . . .	<b>197</b>
Scatola (white) . . . . .	AZ0578. . . . . MB5798S-WH . . . . .	<b>325</b>	Sona 55 CCT (white). . . . .	AZ2763. . . . .	<b>197</b>
Scorpio (black chrome) . . . . .	AZ2952. . . . .	<b>143</b>	Sonya Tr. Magn. 20W Points60 Smart (sand black) . . . . .	AZ4844. . . . .	<b>59</b>
Scorpio (chrome) . . . . .	AZ1452. . . . . LC1295-M-CH . . . . .	<b>143</b>	Sorano 500 (black) . . . . .	AZ4444 . . . . .	<b>406</b>
Scorpio (white) . . . . .	AZ1618. . . . . LC1295-M-WH. . . . .	<b>143</b>	Sorano 500 (dark grey). . . . .	AZ4358. . . . .	<b>406</b>
Siena 10 3000K (chrome) . . . . .	AZ2214. . . . . SH623000-10-CH . . . . .	<b>145</b>	Sorano 700 (black) . . . . .	AZ4445. . . . .	<b>406</b>
Siena 10 4000K (chrome) . . . . .	AZ2215. . . . . SH624000-10-CH . . . . .	<b>145</b>	Sorano 700 (dark grey). . . . .	AZ4359. . . . .	<b>406</b>
Siena 10 4000K (white) . . . . .	AZ2211. . . . . SH604000-10-WH . . . . .	<b>145</b>	Sorano Wall (black). . . . .	AZ4446 . . . . .	<b>407</b>
Siena 20 3000K (black) . . . . .	AZ2218. . . . . SH613000-20-BK . . . . .	<b>145</b>	Sorano Wall (dark grey) . . . . .	AZ4357. . . . .	<b>407</b>
Siena 20 3000K (chrome) . . . . .	AZ2220. . . . . SH623000-20-CH . . . . .	<b>145</b>	Sovana Pendant 45 CCT (black) . . . . .	AZ3437. . . . .	<b>202</b>
Siena 20 4000K (black) . . . . .	AZ2219. . . . . SH614000-20-BK. . . . .	<b>145</b>	Sovana Pendant 45 CCT (grey). . . . .	AZ3438. . . . .	<b>202</b>
Siena 20 4000K (chrome) . . . . .	AZ2221. . . . . SH624000-20-CH . . . . .	<b>145</b>	Sovana Pendant 45 CCT (white). . . . .	AZ3436. . . . .	<b>202</b>
Simon Round (black) . . . . .	AZ1613. . . . . NC1767R-BK . . . . .	<b>210</b>	Sovana Pendant 55 CCT (black) . . . . .	AZ2728. . . . .	<b>202</b>
Simon Round (chrome) . . . . .	AZ1614 . . . . . NC1767R-CH . . . . .	<b>210</b>	Sovana Pendant 55 CCT (grey). . . . .	AZ2729. . . . .	<b>202</b>
Simon Round (white matt) . . . . .	AZ1473. . . . . NC1767R-WH. . . . .	<b>210</b>	Sovana Pendant 55 CCT (white). . . . .	AZ2727. . . . .	<b>202</b>
Simon Square (black) . . . . .	AZ1615. . . . . NC1767SQ-BK . . . . .	<b>210</b>	Sovana Pendant 80 CCT (black) . . . . .	AZ3449. . . . .	<b>202</b>
Simon Square (chrome). . . . .	AZ1616 . . . . . NC1767SQ-CH . . . . .	<b>210</b>	Sovana Pendant 80 CCT (grey) . . . . .	AZ3450. . . . .	<b>202</b>
Simon Square (white matt) . . . . .	AZ1474 . . . . . NC1767SQ-WH . . . . .	<b>210</b>	Sovana Pendant 80 CCT (white). . . . .	AZ3448 . . . . .	<b>202</b>
Siro 1 (aluminium) . . . . .	AZ0767 . . . . . GM2101-ALU . . . . .	<b>290</b>	Sovana Top 45 CCT (black) . . . . .	AZ3434. . . . .	<b>200</b>
Siro 1 (black/aluminium) . . . . .	AZ0769 . . . . . GM2101-BK-ALU . . . . .	<b>290</b>	Sovana Top 45 CCT (grey) . . . . .	AZ3435. . . . .	<b>200</b>
Siro 1 (black/ black) . . . . .	AZ2805. . . . .	<b>290</b>	Sovana Top 45 CCT (white) . . . . .	AZ3433. . . . .	<b>200</b>
Siro 1 (white). . . . .	AZ0768. . . . . GM2101-WH . . . . .	<b>290</b>	Sovana Top 55 CCT (black). . . . .	AZ2726. . . . .	<b>200</b>
Siro 2 (aluminium) . . . . .	AZ0770. . . . . GM2200-ALU. . . . .	<b>290</b>	Sovana Top 55 CCT (grey) . . . . .	AZ2725. . . . .	<b>200</b>
Siro 2 (black/aluminium) . . . . .	AZ0772. . . . . GM2200-BK-ALU. . . . .	<b>290</b>	Sovana Top 55 CCT (white) . . . . .	AZ2724. . . . .	<b>200</b>
Siro 2 (black/ black) . . . . .	AZ2806 . . . . .	<b>290</b>	Sovana Top 80 CCT (black). . . . .	AZ3446 . . . . .	<b>200</b>
Siro 2 (white). . . . .	AZ0771. . . . . GM22000-WH. . . . .	<b>290</b>	Sovana Top 80 CCT (grey) . . . . .	AZ3447. . . . .	<b>200</b>
Siro 3 (aluminium) . . . . .	AZ0773. . . . . GM2300-ALU. . . . .	<b>290</b>	Sovana Top 80 CCT (white) . . . . .	AZ3445. . . . .	<b>200</b>
Sisto 1 (aluminium) . . . . .	AZ0793. . . . . GM2109-ALU . . . . .	<b>291</b>	Stan (aluminium) . . . . .	AZ0860. . . . . GM2111-ALU . . . . .	<b>292</b>
Sisto 1 (black/black) . . . . .	AZ2810. . . . .	<b>291</b>	Stan (black/black). . . . .	AZ2811. . . . .	<b>292</b>
Sisto 1 (white). . . . .	AZ1446. . . . . GM2109-WH . . . . .	<b>291</b>	Stan (chrome) . . . . .	AZ2957. . . . .	<b>292</b>
Sisto 2 (aluminium) . . . . .	AZ0794. . . . . GM2202-ALU . . . . .	<b>291</b>	Stan (white) . . . . .	AZ0861. . . . . GM2111-WH . . . . .	<b>292</b>
Sisto 2 (black/black) . . . . .	AZ2809. . . . .	<b>291</b>	Straight Connector 1-Line (black). . . . .	AZ4737. . . . .	<b>2</b>
Sisto 2 (white). . . . .	AZ1447. . . . . GM2202-WH . . . . .	<b>291</b>	Straight Connector 1-Line (white) . . . . .	AZ4736. . . . .	<b>2</b>
Skye 3000K (black) . . . . .	AZ4518 . . . . .	<b>148</b>	Taz (black). . . . .	AZ3369. . . . .	<b>302</b>

**T**



# OLD&NEW CODES LIST


## Introduction

Taz (satin nikiel) . . . . .	AZ3371 . . . . .	<b>302</b>	Track Magnetic 27 1m (black) . . . . .	AZ4713 . . . . .	<b>48</b>
Taz (white) . . . . .	AZ3370 . . . . .	<b>302</b>	Track Magnetic 27 1m (white) . . . . .	AZ4712 . . . . .	<b>48</b>
T Connector 1-Line (black) . . . . .	AZ4741 . . . . .	<b>4</b>	Track Magnetic 27 2m (black) . . . . .	AZ4717 . . . . .	<b>48</b>
T Connector 1-Line (white) . . . . .	AZ4740 . . . . .	<b>4</b>	Track Magnetic 27 2m (white) . . . . .	AZ4716 . . . . .	<b>48</b>
T Connector Gips only Right (black) . . . . .	AZ4300 . . . . .	<b>15</b>	Track Magnetic 27 3m (black) . . . . .	AZ4719 . . . . .	<b>48</b>
T Connector Gips only Right (white) . . . . .	AZ4299 . . . . .	<b>15</b>	Track Magnetic 27 3m (white) . . . . .	AZ4718 . . . . .	<b>48</b>
T Connector Left (black) . . . . .	AZ4278 . . . . .	<b>14</b>	Track Magnetic 27 Corner90 (black) . . . . .	AZ5001 . . . . .	<b>50</b>
T Connector Left (white) . . . . .	AZ4277 . . . . .	<b>14</b>	Track Magnetic 27 Corner90 (white) . . . . .	AZ5002 . . . . .	<b>50</b>
T Connector Right (black) . . . . .	AZ4276 . . . . .	<b>14</b>	Track Magnetic 27 Cover (black) . . . . .	AZ4860 . . . . .	<b>54</b>
T Connector Right (white) . . . . .	AZ4275 . . . . .	<b>14</b>	Track Magnetic 27 Cover (white) . . . . .	AZ4861 . . . . .	<b>54</b>
Tito (aluminium) . . . . .	AZ0814 . . . . .	<b>263</b>	Track Magnetic 27 Inner Corner90 (black) . . . . .	AZ5001 . . . . .	<b>50</b>
Tito (black) . . . . .	AZ4139 . . . . .	<b>263</b>	Track Magnetic 27 Inner Corner90 (white) . . . . .	AZ5002 . . . . .	<b>50</b>
Tito (white) . . . . .	AZ0815 . . . . .	<b>263</b>	Track Magnetic 52 1,5m (black) . . . . .	AZ4640 . . . . .	<b>48</b>
Tivoli 3000K (black) . . . . .	AZ2224 . . . . . SH643000-10-BK . . . . .	<b>39</b>	Track Magnetic 52 1,5m (white) . . . . .	AZ4641 . . . . .	<b>48</b>
Tivoli 3000K (white) . . . . .	AZ2222 . . . . . SH633000-10-WH . . . . .	<b>39</b>	Track Magnetic 52 1m (black) . . . . .	AZ4638 . . . . .	<b>48</b>
Tivoli 4000K (black) . . . . .	AZ2225 . . . . . SH644000-10-BK . . . . .	<b>39</b>	Track Magnetic 52 1m (white) . . . . .	AZ4639 . . . . .	<b>48</b>
Tivoli 4000K (white) . . . . .	AZ2223 . . . . . SH634000-10-WH . . . . .	<b>39</b>	Track Magnetic 52 2m (black) . . . . .	AZ4642 . . . . .	<b>48</b>
Torch (black) . . . . .	AZ2206 . . . . . GW-609-BK . . . . .	<b>330</b>	Track Magnetic 52 2m (white) . . . . .	AZ4643 . . . . .	<b>48</b>
Torch (white) . . . . .	AZ2207 . . . . . GW-609-WH . . . . .	<b>330</b>	Track Magnetic 52 3m (black) . . . . .	AZ4644 . . . . .	<b>48</b>
Toronto 13000K (black) . . . . .	AZ4065 . . . . .	<b>152</b>	Track Magnetic 52 3m (white) . . . . .	AZ4645 . . . . .	<b>48</b>
Toronto 13000K (white) . . . . .	AZ4070 . . . . .	<b>152</b>	Track Magnetic 52 Gips1 1,5m (black) . . . . .	AZ4864 . . . . .	<b>49</b>
Toronto 1 Spot 3000K (black) . . . . .	AZ4063 . . . . .	<b>254</b>	Track Magnetic 52 Gips1 1m (black) . . . . .	AZ4863 . . . . .	<b>49</b>
Toronto 1 Spot 3000K (white) . . . . .	AZ4071 . . . . .	<b>254</b>	Track Magnetic 52 Gips1 2m (black) . . . . .	AZ4865 . . . . .	<b>49</b>
Toronto 23000K (black) . . . . .	AZ4066 . . . . .	<b>152</b>	Track Magnetic 52 Gips1 Corner90 (black) . . . . .	AZ4862 . . . . .	<b>51</b>
Toronto 23000K (white) . . . . .	AZ4072 . . . . .	<b>152</b>	Track Magnetic 52 Gips2 1,5m (black) . . . . .	AZ4648 . . . . .	<b>49</b>
Torres ES111 (black) . . . . .	AZ2685 . . . . .	<b>293</b>	Track Magnetic 52 Gips2 1,5m (white) . . . . .	AZ4649 . . . . .	<b>49</b>
Torres ES111 (white) . . . . .	AZ2684 . . . . .	<b>293</b>	Track Magnetic 52 Gips2 1m (black) . . . . .	AZ4646 . . . . .	<b>49</b>
Torres GU10 (black) . . . . .	AZ2683 . . . . .	<b>293</b>	Track Magnetic 52 Gips2 1m (white) . . . . .	AZ4647 . . . . .	<b>49</b>
Torres GU10 (white) . . . . .	AZ2682 . . . . .	<b>293</b>	Track Magnetic 52 Gips2 2m (black) . . . . .	AZ4650 . . . . .	<b>49</b>
Track 1-Line 1,5m (black) . . . . .	AZ4730 . . . . .	<b>2</b>	Track Magnetic 52 Gips2 2m (white) . . . . .	AZ4651 . . . . .	<b>49</b>
Track 1-Line 1,5m (white) . . . . .	AZ4731 . . . . .	<b>2</b>	Track Magnetic 52 Gips2 Corner90 (black) . . . . .	AZ4681 . . . . .	<b>51</b>
Track 1-Line 1m (black) . . . . .	AZ4729 . . . . .	<b>2</b>	Track Magnetic 52 Gips2 Corner90 (white) . . . . .	AZ4682 . . . . .	<b>51</b>
Track 1-Line 1m (white) . . . . .	AZ4728 . . . . .	<b>2</b>	Track Magnetic 52 Gips2 Inner Corner90 (black) . . . . .	AZ4685 . . . . .	<b>51</b>
Track 1-Line 2m (black) . . . . .	AZ4733 . . . . .	<b>2</b>	Track Magnetic 52 Gips2 Inner Corner90 (white) . . . . .	AZ4686 . . . . .	<b>51</b>
Track 1-Line 2m (white) . . . . .	AZ4732 . . . . .	<b>2</b>	Track Magnetic 52 Inner Corner90 (black) . . . . .	AZ4683 . . . . .	<b>50</b>
Track 1-Line 3m (black) . . . . .	AZ4735 . . . . .	<b>2</b>	Track Magnetic 52 Inner Corner90 (white) . . . . .	AZ4684 . . . . .	<b>50</b>
Track 1-Line 3m (white) . . . . .	AZ4734 . . . . .	<b>2</b>	Track Magnetic Bluetooth Remote Smart . . . . .	AZ4857 . . . . .	<b>55</b>
Track 1-Line Pendant Accessory 1.5m (black) . . . . .	AZ4747 . . . . .	<b>4</b>	Track Magnetic Corner90 (black) . . . . .	AZ4679 . . . . .	<b>50</b>
Track 1-Line Pendant Accessory 1.5m (white) . . . . .	AZ4746 . . . . .	<b>4</b>	Track Magnetic Corner90 (white) . . . . .	AZ4680 . . . . .	<b>50</b>
Track 3-Line 1,5m (black) . . . . .	AZ3000 . . . . .	<b>12</b>	Track Magnetic Cover 1m (black) . . . . .	AZ4652 . . . . .	<b>53</b>
Track 3-Line 1,5m (white) . . . . .	AZ2999 . . . . .	<b>12</b>	Track Magnetic Cover 1m (white) . . . . .	AZ4653 . . . . .	<b>53</b>
Track 3-Line 1m (black) . . . . .	AZ2973 . . . . .	<b>12</b>	Track Magnetic Driver Insight 60W (black) . . . . .	AZ4649 . . . . .	<b>52</b>
Track 3-Line 1m (white) . . . . .	AZ2974 . . . . .	<b>12</b>	Track Magnetic Driver Insight 60W (white) . . . . .	AZ4670 . . . . .	<b>52</b>
Track 3-Line 2m (black) . . . . .	AZ2975 . . . . .	<b>12</b>	Track Magnetic Driver Insight 100W (black) . . . . .	AZ4671 . . . . .	<b>52</b>
Track 3-Line 2m (white) . . . . .	AZ2976 . . . . .	<b>12</b>	Track Magnetic Driver Insight 100W (white) . . . . .	AZ4672 . . . . .	<b>52</b>
Track 3-Line 3m (black) . . . . .	AZ4272 . . . . .	<b>12</b>	Track Magnetic Driver Insight 200W (black) . . . . .	AZ4673 . . . . .	<b>52</b>
Track 3-Line 3m (white) . . . . .	AZ4271 . . . . .	<b>12</b>	Track Magnetic Driver Insight 200W (white) . . . . .	AZ4674 . . . . .	<b>52</b>
Track 3-Line Pendant Accessory 1.5m (black) . . . . .	AZ4797 . . . . .	<b>16</b>	Track Magnetic Driver Meanwell 48V 100W . . . . .	AZ4691 . . . . .	<b>53</b>
Track 3-Line Pendant Accessory 1.5m (white) . . . . .	AZ4796 . . . . .	<b>16</b>	Track Magnetic Driver Meanwell 48V 200W . . . . .	AZ4692 . . . . .	<b>53</b>
Track Gips 3-Line 1m (black) . . . . .	AZ4290 . . . . .	<b>13</b>	Track Magnetic Driver Meanwell 48V 350W . . . . .	AZ4866 . . . . .	<b>53</b>
Track Gips 3-Line 1m (white) . . . . .	AZ4289 . . . . .	<b>13</b>	Track Magnetic Flex Connector Electric (black) . . . . .	AZ4687 . . . . .	<b>51</b>
Track Gips 3-Line 2m (black) . . . . .	AZ4292 . . . . .	<b>13</b>	Track Magnetic Flex Connector Electric (white) . . . . .	AZ4688 . . . . .	<b>51</b>
Track Gips 3-Line 2m (white) . . . . .	AZ4291 . . . . .	<b>13</b>	Track Magnetic Mechanical Connector (black) . . . . .	AZ4689 . . . . .	<b>52</b>
Track Gips 3-Line 3m (black) . . . . .	AZ4294 . . . . .	<b>13</b>	Track Magnetic Mechanical Connector (white) . . . . .	AZ4690 . . . . .	<b>52</b>
Track Gips 3-Line 3m (white) . . . . .	AZ4293 . . . . .	<b>13</b>	Track Magnetic Set 1,5 M 3000K (black) 52M1531BK . . . . .	AZ4806 . . . . .	<b>80</b>
Track Magnetic 27 1,5m (black) . . . . .	AZ4715 . . . . .	<b>48</b>	Track Magnetic Set 1,5 M 3000K (black/gold) 52M1531WH . . . . .	AZ4807 . . . . .	<b>80</b>
Track Magnetic 27 1,5m (white) . . . . .	AZ4714 . . . . .	<b>48</b>	Track Magnetic Set 1,5 M 3000K (white/gold) 52M1531BKAZ4808 . . . . .		<b>80</b>

Track Magnetic Set 1,5 M 4000K (white) 52M1541WH AZ4809 . . . . .	<b>80</b>	Vega (white) . . . . .	AZ1708 . . . GM1121-WH . . . . .	<b>331</b>
Track Magnetic Set 1 M 3000K (black) 52M1031BK . . . AZ4798 . . . . .	<b>78</b>	Vektor Round (clear glass) . . . . .	AZ1494 . . . SC760R-A-CL . . . . .	<b>230</b>
Track Magnetic Set 1 M 3000K (black) 52M1032BK . . . AZ4802 . . . . .	<b>79</b>	Vektor Square (clear glass) . . . . .	AZ1495 . . . SC760SQ-A-CL . . . . .	<b>231</b>
Track Magnetic Set 1 M 3000K (black) 52M1041BK . . . AZ4800 . . . . .	<b>78</b>	Velia Round 2 (black) . . . . .	AZ4399 . . . . .	<b>306</b>
Track Magnetic Set 1 M 3000K (black) 52M1042BK . . . AZ4804 . . . . .	<b>79</b>	Velia Round 2 (brass) . . . . .	AZ4397 . . . . .	<b>306</b>
Track Magnetic Set 1 M 3000K (white) 52M1031WH . . . AZ4799 . . . . .	<b>78</b>	Velia Round 2 (white) . . . . .	AZ4398 . . . . .	<b>306</b>
Track Magnetic Set 1 M 3000K (white) 52M1032WH . . . AZ4803 . . . . .	<b>79</b>	Velia Square 2 (black) . . . . .	AZ4401 . . . . .	<b>307</b>
Track Magnetic Set 1 M 3000K (white) 52M1041WH . . . AZ4801 . . . . .	<b>78</b>	Velia Square 2 (brass) . . . . .	AZ4402 . . . . .	<b>307</b>
Track Magnetic Set 1 M 3000K (white) 52M1042WH . . . AZ4805 . . . . .	<b>79</b>	Velia Square 2 (white) . . . . .	AZ4403 . . . . .	<b>307</b>
Track Magnetic Set 2 M 3000K (black) 52M2031BK . . . AZ4810 . . . . .	<b>81</b>	Veneto (black) . . . . .	AZ4348 . . . . .	<b>373</b>
Track Magnetic Set 2 M 3000K (black) 52M2032BK . . . AZ4814 . . . . .	<b>82</b>	Veneto (dark grey) . . . . .	AZ4349 . . . . .	<b>373</b>
Track Magnetic Set 2 M 3000K (black) 52M2034BK . . . AZ4820 . . . . .	<b>83</b>	Venta (black) . . . . .	AZ4350 . . . . .	<b>372</b>
Track Magnetic Set 2 M 3000K (black/gold) 52M2033BK . AZ4818 . . . . .	<b>84</b>	Venta (dark grey) . . . . .	AZ4351 . . . . .	<b>372</b>
Track Magnetic Set 2 M 3000K (white) 52M2031WH . . . AZ4811 . . . . .	<b>81</b>	Venus (aluminium) . . . . .	AZ0893 . . . GM1110-ALU . . . . .	<b>313</b>
Track Magnetic Set 2 M 3000K (white) 52M2032WH . . . AZ4815 . . . . .	<b>82</b>	Venus (white) . . . . .	AZ0894 . . . GM1110-WH . . . . .	<b>313</b>
Track Magnetic Set 2 M 3000K (white) 52M2034WH . . . AZ4821 . . . . .	<b>83</b>	Vera (black) . . . . .	AZ3201 . . . . .	<b>338</b>
Track Magnetic Set 2 M 3000K (white/gold) 52M2033WH . AZ4819 . . . . .	<b>84</b>	Vera (white) . . . . .	AZ4417 . . . . .	<b>338</b>
Track Magnetic Set 2 M 4000K (black) 52M2041BK . . . AZ4812 . . . . .	<b>81</b>	Verdi 2 (black) . . . . .	AZ3529 . . . . .	<b>294</b>
Track Magnetic Set 2 M 4000K (black) 52M2042BK . . . AZ4816 . . . . .	<b>82</b>	Verdi 2 (white) . . . . .	AZ3528 . . . . .	<b>294</b>
Track Magnetic Set 2 M 4000K (white) 52M2041WH . . . AZ4813 . . . . .	<b>81</b>	Verdi 3 (black) . . . . .	AZ3531 . . . . .	<b>294</b>
Track Magnetic Set 2 M 4000K (white) 52M2042WH . . . AZ4817 . . . . .	<b>82</b>	Verdi 3 (white) . . . . .	AZ3530 . . . . .	<b>294</b>
Track Magnetic Set 3 M 3000K (black) 52M3031BK . . . AZ4822 . . . . .	<b>85</b>	Verdi (black) . . . . .	AZ3527 . . . . .	<b>294</b>
Track Magnetic Set 3 M 3000K (black) 52M3032BK . . . AZ4824 . . . . .	<b>86</b>	Verdi (white) . . . . .	AZ3526 . . . . .	<b>294</b>
Track Magnetic Set 3 M 3000K (white) 52M3031WH . . . AZ4823 . . . . .	<b>85</b>	Veronica (black) . . . . .	AZ1548 . . . MB459-Z-BK . . . . .	<b>342</b>
Track Magnetic Set 3 M 3000K (white) 52M3032WH . . . AZ4825 . . . . .	<b>86</b>	Veronica (chrome) . . . . .	AZ1546 . . . MB459-Z-CH . . . . .	<b>342</b>
Track Magnetic Set 3 M 4000K (black) 52M3042BK . . . AZ4826 . . . . .	<b>86</b>	Veronica (white) . . . . .	AZ1547 . . . MB459-Z-WH . . . . .	<b>342</b>
Track Magnetic Set 3 M 4000K (white) 52M3042WH . . . AZ4827 . . . . .	<b>86</b>	Violetto L (black) . . . . .	AZ0573 . . . MB5796S-A-BK . . . . .	<b>327</b>
Track Magnetic Straight Connector (black) AZ4677 . . . . .	<b>52</b>	Vidal (aluminium) . . . . .	AZ0862 . . . GM1104-ALU . . . . .	<b>326</b>
Track Magnetic Straight Connector (black) AZ4677 . . . . .	<b>53</b>	Vidal (white) . . . . .	AZ0863 . . . GW-608-WH . . . . .	<b>326</b>
Track Magnetic Straight Connector (white) AZ4678 . . . . .	<b>52</b>	Vigo (black) . . . . .	AZ2203 . . . GW-608-BK . . . . .	<b>322</b>
Track Magnetic Straight Connector (white) AZ4678 . . . . .	<b>53</b>	Vigo (white) . . . . .	AZ2202 . . . GM1104-WH . . . . .	<b>322</b>
Track Magnetic Suspension Kit 2m (black) . . . AZ4693 . . . . .	<b>52</b>	Vision (black) . . . . .	AZ1745 . . . GM4214-BK . . . . .	<b>139</b>
Track Magnetic Suspension Kit 2m (white) . . . AZ4694 . . . . .	<b>52</b>	Vision (white) . . . . .	AZ1744 . . . GM4214-WH . . . . .	<b>139</b>
Track Set 1-Line 1,5m (black) . . . . .	<b>3</b>	<b>X</b> X Connector 3-Line (black) . . . . .	AZ4280 . . . . .	<b>16</b>
Track Set 1-Line 1,5m (white) . . . . .	<b>3</b>	X Connector 3-Line (white) . . . . .	AZ4279 . . . . .	<b>16</b>
Track Set 1-Line 1m (black) . . . . .	<b>3</b>	X Connector Gips 3-Line (black) . . . . .	AZ4302 . . . . .	<b>17</b>
Track Set 1-Line 1m (white) . . . . .	<b>3</b>	X Connector Gips 3-Line (white) . . . . .	AZ4301 . . . . .	<b>17</b>
Track Set 1-Line 2m (black) . . . . .	<b>3</b>	<b>Z</b> Zita XL (black) . . . . .	AZ4150 . . . . .	<b>383</b>
Track Set 1-Line 2m (white) . . . . .	<b>3</b>	Zita XL (bright grey) . . . . .	AZ2201 . . . . .	<b>383</b>
Track Set 3-Line 1,5m (black) . . . . .	<b>12</b>	Zita XL (dark grey) . . . . .	AZ2200 . . . . .	<b>383</b>
Track Set 3-Line 1,5m (white) . . . . .	<b>12</b>	Zita XL (white) . . . . .	AZ4151 . . . . .	<b>383</b>
Track Set 3-Line 1m (black) . . . . .	<b>12</b>			
Track Set 3-Line 1m (white) . . . . .	<b>12</b>			
Track Set 3-Line 2m (black) . . . . .	<b>12</b>			
Track Set 3-Line 2m (white) . . . . .	<b>12</b>			
<b>U</b> Ulf 1 Wall Sensor (black) . . . . .	<b>371</b>			
Ulf 1 Wall Sensor (dark grey) . . . . .	<b>371</b>			
Ulf 2 Wall (black) . . . . .	<b>371</b>			
Ulf 2 Wall (dark grey) . . . . .	<b>371</b>			
Una 3000K (chrome) . . . . .	<b>261</b>			
Una 4000K (chrome) . . . . .	<b>261</b>			
<b>V</b> Vasko (black) . . . . .	<b>133</b>			
Vasko (chrome) . . . . .	<b>133</b>			
Vasko (white) . . . . .	<b>133</b>			
Vega (anodised gold) . . . . .	<b>331</b>			
Vega (black / gold) . . . . .	<b>331</b>			
Vega (chrome) . . . . .	<b>331</b>			



**1**  
track  
1-Line




**11**  
track  
3-Line



**47**  
track  
Magnetic



**77**  
sets for  
track Magnetic



**91**  
exposed  
downlights

**A**

**B**

**C**

**D**

**E**

## READING INTRODUCTION

**A**

**B**

**C**

**D**

**E**

product name

voltage

The electrical voltage between two points in the electrical circuit.  
The unit of voltage is the volt [V]  
The most common voltage levels for our lamps are: 230V; 48V; 24V or 12V

protection class

**degree of protection for electrical devices against dust, moisture and water**

**IP66** protection against ingress of dust, protection against powerful water jets or splashing of water from any direction


**IP54** protection against the ingress of dust in quantities that would interfere with operation, protection against drops of rain falling at any angle

**IP44** protection against solid objects (fine tools and wires to 1 mm), protection against drops falling at any angle, from all sides (rain)

**IP20** protection against accidental touch, lack of security moisture

technical specification

see detailed information on technical specification



colour

- BK** - BLACK
- BCH** - BLACK CHROME
- BGR** - BRIGHT GREY
- DGR** - DARK GREY
- WH** - WHITE
- CH** - CHROME
- AL** - ALUMINIUM
- GO** - GOLD
- AG** - ANTIQUE GOLD
- BR** - BROWN
- CO** - CONCRETE
- COO** - COPPER
- ST** - STEEL
- AM** - AMBER
- OL** - OLIVE
- CHA** - CHAMPAGNE
- AST** - ANODISED STEEL
- ABR** - ANODISED BROWN
- AGO** - ANODISED GOLD
- ACO** - ANODISED COPPER





**209**  
exclusive  
downlights



**235**  
downlights



**301**  
indoor  
wall lamps



**347**  
outdoor  
wall lamps



**421**  
LED Tubes,  
LED Grill &  
Hermetic



**425**  
LED bulbs

**NAME**

LED integrated

voltage: 230V LED 18W 1300lm 3000K

IP20

technical specification

COLOUR / NEW INDEX NO.

3000K WHITE (WH) . . . . . **AZ4444**

3000K BLACK (BK) . . . . . **AZ5555**

installation place inlet opening 9,5cm

beam angle: 120°

LED: 2x: 18W; 1300lm; 3000K

4,5-MAX 13

3,8

10-11

TILT 90°

ROTATION 350°

**F**

**Where to find**

Product code are written after each color

**G**

see detailed information on page 433

Energy efficiency exist from A to G see detailed information on page 433

**H** 1 2 3 4 5

**1 bulb type**

- 2D bulb
- PLL
- T5
- E14
- E27
- G24
- G9
- AR111
- ES111 230V
- MR16
- GU10
- LED

**2 number of bulbs**

**3 maximum lamp watt (W)**

not included in the price of the purchased lamp

**4 luminosity in lumen**

**5 light temperature in Kelvin**

**I** 5 6

**6 installation place**

- ceiling surface mounted
- wall surface mounted
- pendant
- floor

**7 the shape and size of the inlet opening (dimensions are in centimeters)**

- round hole (cm)
- square hole (cm)
- rectangular hole (cm)

**8 beam angle**

beam angle is given in degrees (from 1° to 360°)

**J** 7 8 9

**technical drawing view (dimensions are in centimeters)**

**9 side view**

**10 top view**

**11 range of adjustment of the reflector**

- reflector tilt
- reflector rotation

**product code**


**group energy label**

**bulb type**

**Installation**

**dimensional drawing**

SYSTEM COMPONENTS NAMES FOR 1-LINE TRACK SYSTEM



**1-LINE**  
TRACK

# 1 - LINE

track 1-Line




- 2 ACCESORIES FOR TRACK 1 LINE
- 6 EXO TRACK
- 7 LOLO TRACK
- 8 KIRKE TRACK
- 9 JERRY TRACK



# TRACK 1-LINE

2

## Components for Track 1 Line




# 1-Li



### Tracks (1m, 1,5m, 2m, 3m)

- TRACK 1m (BLACK) ..... **AZ4729**
- TRACK 1m (WHITE) ..... **AZ4728**
- TRACK 1,5m (BLACK) ..... **AZ4731**
- TRACK 1,5m (WHITE) ..... **AZ4730**
- TRACK 2m (BLACK) ..... **AZ4733**
- TRACK 2m (WHITE) ..... **AZ4732**
- TRACK 3m (BLACK) ..... **AZ4735**
- TRACK 3m (WHITE) ..... **AZ4734**




### Straight Connector

- STRAIGHT CONNECTOR (BLACK) ..... **AZ4737**
- STRAIGHT CONNECTOR (WHITE) ..... **AZ4736**




\* - SHORT EXPLANATION PAGE 2 (E)

Available options for installation place (surface and pendant mounted)



### Track Set (1m, 1,5m, 2m) with THE END POWER + END CAP

- SET 1m (BLACK) ..... **AZ4723**
- SET 1m (WHITE) ..... **AZ4722**
- SET 1,5m (BLACK) ..... **AZ4725**
- SET 1,5m (WHITE) ..... **AZ4724**
- SET 2m (BLACK) ..... **AZ4727**
- SET 2M (WHITE) ..... **AZ4726**



### End Power

- END POWER (BLACK) ..... **AZ4743**
- END POWER (WHITE) ..... **AZ4742**




# TRACK 1-LINE

## Accessories for Track 1 Line



### L Connector

- L CONNECTOR (BLACK) .....AZ4739
- L CONNECTOR (WHITE).....AZ4738



### T Connector

- T CONNECTOR (BLACK) .....AZ4741
- T CONNECTOR (WHITE).....AZ4740



### End Cap

- END CAP (BLACK) .....AZ4745
- END CAP (WHITE) .....AZ4744




### Track 1-Line Pendant Accessory 1.5m

- TRACK 1-LINE PENDANT ACCESSORY 1.5M (BLACK) .....AZ4747
- TRACK 1-LINE PENDANT ACCESSORY 1.5M (WHITE) .....AZ4746




\* - EXPLANATION SHORTCUT PAGE 2 (E)



### Ceiling plate + wire

- CEILING PLATE + WIRE (BLACK) .....AZ4780
- CEILING PLATE + WIRE (WHITE) .....AZ4782



### TRACK 1 LINE ELECTRIC ADAPTER

- TRACK 1 LINE ELECTRIC ADAPTER (BLACK) .....AZ4749
- TRACK 1 LINE ELECTRIC ADAPTER (WHITE) .....AZ4748





# EXO TRACK

6

Track 1 Line




## EXO TRACK 1 LINE GU10

bulb not included 

voltage: 230V	GU10 1x Max 35W 
IP20	
	installation: Track 1 Line 

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4660**
- WHITE (WH) . . . . . **AZ4661**



\* - EXPLANATION SHORTCUT PAGE 2 (E)






## LOLO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	<input type="checkbox"/>
IP20	installation: Track 1 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4654**
- WHITE (WH) . . . . . **AZ4655**



# KIRKE TRACK 10W CCT SWITCH

Track 1 Line



WH \*



WH

BK

## KIRKE TRACK 1 LINE 10W CCT SWITCH

LED integrated

voltage: 230V

LED 10W 800lm

IP20

3000K | 4000K | 6000K CCT

**LED**

technical

installation: Track 1 Line


specification

beam angle: 40°



COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4656**
- WHITE (WH) . . . . . **AZ4657**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





WH \*



WH

BK


JERRY TRACK 1 LINE

bulb not included


voltage: 230V	ES111 1x Max 16W	
IP20		
technical specification	installation place: Track 1 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4666**
- WHITE (WH) . . . . . **AZ4667**




SYSTEM COMPONENTS NAMES FOR TRACK 3-LINE SYSTEM



# 3 - LINE

## track 3-Line




- 12 ACCESORIES FOR TRACK 3 LINE
- 20 EIGER TRACK
- 21 MEGARA TRACK
- 22 LOLO TRACK
- 23 GULIA TRACK
- 24 SANTOS TRACK
- 26 KIRKE TRACK CCT
- 27 GALILEO TRACK
- 28 LUMI TRACK
- 28 LUMI FLEX TRACK
- 30 COSTA ARM TRACK
- 31 COSTA TRACK
- 32 JERRY TRACK
- 33 JANE TRACK
- 34 MIKKA TRACK
- 35 MONA TRACK
- 36 LINNEA TRACK CCT
- 38 EREBUS TRACK
- 38 EREBUS TUBE
- 39 TIVOLI TRACK
- 40 BROSS ARM TRACK
- 41 EXO TRACK
- 42 LENS TRACK
- 43 SANTOS SQUARE TRACK
- 44 SKYE TRACK
- 45 LEON TRACK


# TRACK 3-LINE

Accessories for Track 3 Line

# 3-Li



Example of the connection between track



## TRACKS (1m, 1,5m, 2m, 3m)

- TRACK 1m (BLACK) . . . . . **AZ2973**
- TRACK 1m (WHITE) . . . . . **AZ2974**
- TRACK 1,5m (BLACK) . . . . . **AZ3000**
- TRACK 1,5m (WHITE) . . . . . **AZ2999**
- TRACK 2m (BLACK) . . . . . **AZ2975**
- TRACK 2m (WHITE) . . . . . **AZ2976**
- TRACK 3m (BLACK) . . . . . **AZ4272**
- TRACK 3m (WHITE) . . . . . **AZ4271**



## Track Set (1m, 1,5m, 2m) with THE END POWER + END CAP



- TRACK SET 1m (BLACK) . . . . . **AZ2987**
- TRACK SET 1m (WHITE) . . . . . **AZ2991**
- TRACK SET 1,5m (BLACK) . . . . . **AZ3001**
- TRACK SET 1,5m (WHITE) . . . . . **AZ3002**
- TRACK SET 2m (BLACK) . . . . . **AZ2992**
- TRACK SET 2m (WHITE) . . . . . **AZ2988**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



Available options for installation place – surface-mounted, flush-mounted and suspended



## TRACKS GIPS (1m, 2m, 3m)

- TRACK GIPS 1m (BLACK) . . . . . **AZ4290**
- TRACK GIPS 1m (WHITE) . . . . . **AZ4289**
- TRACK GIPS 2m (BLACK) . . . . . **AZ4292**
- TRACK GIPS 2m (WHITE) . . . . . **AZ4291**
- TRACK GIPS 3m (BLACK) . . . . . **AZ4294**
- TRACK GIPS 3m (WHITE) . . . . . **AZ4293**




## MINI SIMPLE CONNECTION

- MINI SIMPLE CONNECTION (BLACK) . . . . . **AZ2981**
- MINI SIMPLE CONNECTION (WHITE) . . . . . **AZ2982**




# TRACK 3-LINE

## Accessories for Track 3 Line




### End Power (Left, Right)

- END POWER RIGHT (BLACK) ..... **AZ4116**
- END POWER RIGHT (WHITE) ..... **AZ4117**
- END POWER LEFT (BLACK) ..... **AZ4284**
- END POWER LEFT (WHITE) ..... **AZ4283**




### Power

- POWER (BLACK) ..... **AZ4274**
- POWER (WHITE) ..... **AZ4273**




### L Connector (Left, Right)

- L CONNECTOR RIGHT (BLACK) ..... **AZ2983**
- L CONNECTOR RIGHT (WHITE) ..... **AZ2984**
- L CONNECTOR LEFT (BLACK) ..... **AZ2985**
- L CONNECTOR LEFT (WHITE) ..... **AZ2986**



### T Connector (Left, Right)

- T CONNECTOR LEFT (BLACK) ..... **AZ4276**
- T CONNECTOR LEFT (WHITE) ..... **AZ4275**
- T CONNECTOR RIGHT (BLACK) ..... **AZ4278**
- T CONNECTOR RIGHT (WHITE) ..... **AZ4277**




\* - EXPLANATION SHORTCUT PAGE 2 (E)





## End Power Gips (Left, Right)

- END POWER GIPS RIGHT (BLACK) ..... **AZ4304**
- END POWER GIPS RIGHT (WHITE) ..... **AZ4303**
- END POWER GIPS LEFT (BLACK) ..... **AZ4310**
- END POWER GIPS LEFT (WHITE) ..... **AZ4309**




## Power Gips

- POWER GIPS (BLACK) ..... **AZ4296**
- POWER GIPS (WHITE) ..... **AZ4295**




## L Connector Gips (only Right)

- L CONNECTOR GIPS RIGHT (BLACK) ..... **AZ4298**
- L CONNECTOR GIPS RIGHT (WHITE) ..... **AZ4297**




## T Connector Gips (only Right)

- T CONNECTOR GIPS RIGHT (BLACK) ..... **AZ4300**
- T CONNECTOR GIPS RIGHT (WHITE) ..... **AZ4299**



# TRACK 3-LINE

## Accessories for Track 3 Line




### X Connector

- X CONNECTOR (BLACK) ..... **AZ4280**
- X CONNECTOR (WHITE) ..... **AZ4279**



### Power Adjustable Connector

- POWER ADJUSTABLE CONNECTOR (BLACK) ..... **AZ4286**
- POWER ADJUSTABLE CONNECTOR (WHITE) ..... **AZ4285**



### Track 3-Line Pendant Accessory 1.5m

- TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK) ..... **AZ4797**
- TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE) ..... **AZ4796**




### Ceiling Plate + Wire

- CEILING PLATE + WIRE (BLACK) ..... **AZ4780**
- CEILING PLATE + WIRE (WHITE) ..... **AZ4782**





\* - EXPLANATION SHORTCUT PAGE 2 (E)





## X Connector Gips

- X CONNECTOR GIPS (BLACK) ..... **AZ4302**
- X CONNECTOR GIPS (WHITE) ..... **AZ4301**



## Flexible Connector

- FLEXIBLE CONNECTOR (BLACK) ..... **AZ4282**
- FLEXIBLE CONNECTOR (WHITE) ..... **AZ4281**



## End Cap

- END CAP (BLACK) ..... **AZ4288**
- END CAP (WHITE) ..... **AZ4287**




## TRACK 3 LINE ELECTRIC ADAPTER

- ELECTRIC (BLACK) ..... **AZ3003**
- ELECTRIC (WHITE) ..... **AZ3012**




### Diagram showing the correct way to connect accessories to busbars (trackline)

The orange line indicates polarity of the system (observe earth contact)







# EIGER TRACK

## Track 3 Line




### EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	<input type="checkbox"/>
IP20	installation: Track 3 Line	<input checked="" type="checkbox"/>

#### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4205**
- BLACK / GOLD (BK/GO) . . . . . **AZ4206**
- WHITE (WH) . . . . . **AZ4204**





WH \*



WH

BK


## MEGARA TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 2x Max. 50W	<input type="checkbox"/>
IP20	installation: Track 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4443**
- WHITE (WH) . . . . . **AZ4442**





# LOLO TRACK

Track 3 Line



BK \*


## LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4577**
- WHITE (WH) . . . . . **AZ4578**




WH

BK



\* - EXPLANATION SHORTCUT PAGE 2 (E)




## GOLIA TRACK TRACK 3-LINE GU10

bulb not included

voltage: 230V	LED GU10 1x Max. 50W	<input checked="" type="checkbox"/>
IP20	installation place: Track 3 Line	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4710**
- WHITE (WH) . . . . . **AZ4709**
- GOLD (GO) . . . . . **AZ4711**





# SANTOS TRACK

Track 3 Line



BK \*


## SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4203**
- WHITE (WH) . . . . . **AZ4202**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK / BK \*

**SANTOS TRACK 3 LINE 12W 3000K**

LED integrated

voltage: 230V

IP20

technical specification



LED 12W 950lm 3000K



installation place: Track 3 Line

beam angle: 60°



BK / BK


WH / WH

BK / GO

WH / GO

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK / BK) . . . . . **AZ4183**
- WHITE / WHITE (WH / WH) . . . . . **AZ4184**
- BLACK / GOLD (BK / GO) . . . . . **AZ2924**
- WHITE / GOLD (WH / GO) . . . . . **AZ2925**





# KIRKE TRACK CCT SWITCH

Track 3 Line



BK



WH

BK

## KIRKE TRACK 3 LINE 10W CCT SWITCH

LED integrated

voltage: 230V

LED 10W 800lm

IP20

3000K | 4000K | 5500K CCT

LED

technical

installation: Track 3 Line


specification

beam angle: 40°



COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4658**
- WHITE (WH) . . . . . **AZ4659**



TILT 90°

ROTATION 350°



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*

## GALILEO TRACK 3 LINE 15W 3000K

LED integrated

voltage: 230V

LED 15W 1200lm 3000K

IP20



**LED**


technical specification

installation place: Track 3 Line


beam angle: 12°÷ 35°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4066**
- BLACK (BK) . . . . . **AZ4067**



12° 35°



# LUMI TRACK

## Track 3 Line




LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 5W 500lm 3000K	
IP20	installation: Track 3 Line	
technical specification	adjustable beam angle: 19°÷ 70°	

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) . . . . . **AZ4558**
- BLACK FINISH SHINING (BK) . . . . . **AZ4557**





LUMI FLEX TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 5W 500lm 3000K	
IP20	installation: Track 3 Line	
technical specification	adjustable beam angle: 19°÷ 70°	


COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) . . . . . **AZ4560**
- BLACK FINISH SHINING (BK) . . . . . **AZ4559**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# COSTA ARM TRACK

Track 3 Line



## COSTA ARM TRACK 3 LINE 12W

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20



LED

technical


installation place: Track Electric 3 Line

specification

beam angle: 25°

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH / WH) . . . . . **AZ3487**
- BLACK / BLACK (BK / BK) . . . . . **AZ3486**







**COSTA TRACK 3 LINE 12W 3000K / 4000K**

LED integrated

voltage: 230V

IP20

technical specification



LED 12W 1100lm 3000K

LED 12W 1100lm 4000K


installation place: Track 3 Line

beam angle: 25°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4550**
- 3000K BLACK (BK) . . . . . **AZ4549**
- 4000K WHITE (WH) . . . . . **AZ4552**
- 4000K BLACK (BK) . . . . . **AZ4551**



# JERRY TRACK

Track 3 Line



BK \*


## JERRY TRACK 3 LINE ES111

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W	<input type="checkbox"/>
IP20		
	installation place – track 3 x line	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2459**
- BLACK (BK) . . . . . **AZ2458**



WH

BK

\* - EXPLANATION SHORTCUT PAGE 2 (E)





BK \*



WH

BK


## JANE TRACK 3 LINE GU10

bulb not included

voltage: 230V	connect 1x GU10 MAX 50W	<input type="checkbox"/>
IP20	installation place – track 3 x line	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2460**
- BLACK (BK) . . . . . **AZ2457**





# MIKKA TRACK

Track 3 Line



BK \*

## MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 24W 1700lm 3000K

IP20



**LED**

technical


installation: Track 3 Line

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

■ BLACK (BK) . . . . . **AZ4516**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*

**MONA TRACK 3 LINE 12W 3000K / 4000K**

LED integrated

voltage: 230V

IP20

technical specification



LED 12W 1000lm 3000K

LED 12W 1050lm 4000K



installation: Track 3 Line

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4541**
- 3000K BLACK (BK) . . . . . **AZ4542**
- 4000K WHITE (WH) . . . . . **AZ4544**
- 4000K BLACK (BK) . . . . . **AZ4543**



WH \*

**MONA TRACK 3 LINE 18W 3000K**

LED integrated

voltage: 230V

IP20

technical specification



LED 18W 1500lm 3000K



installation: Track 3 Line

beam angle: 120°



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4548**
- BLACK (BK) . . . . . **AZ4547**



WH

WH



BK

BK



# LINNEA TRACK CCT SWITCH

Track 3 Line





**LINNEA 29 TRACK 12W CCT SWITCH**

LED integrated

voltage: 230V	LED 12W 700lm		<b>LED</b>
IP20	3000K   4000K   5000K CCT		
technical specification	installation: Track 3 Line		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4564**
- BLACK (BK) . . . . . **AZ4563**





**LINNEA 86 TRACK 3 LINE 36W CCT SWITCH**

LED integrated

voltage: 230V	LED 36W 2000lm		<b>LED</b>
IP20	3000K   4000K   5000K CCT		
technical specification	installation: Track 3 Line		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4568**
- BLACK (BK) . . . . . **AZ4567**




**LINNEA 57 TRACK 3 LINE 24W CCT SWITCH**

LED integrated

voltage: 230V	LED 24W 1400lm		<b>LED</b>
IP20	3000K   4000K   5000K CCT		
technical specification	installation: Track 3 Line		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4566**
- BLACK (BK) . . . . . **AZ4565**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# EREBUS TRACK

Track 3 Line




## EREBUS TRACK

		bulb not included <input checked="" type="checkbox"/>
voltage: 230V	LED GU10 1xMax 35W	<input checked="" type="checkbox"/>
IP20		
installation place: Track Electric 3 Line		<input checked="" type="checkbox"/>

### COLOUR / NEW INDEX NO.


- WHITE (WH) . . . . . **AZ3390**
- BLACK (BK) . . . . . **AZ3391**



## EREBUS TUBE


### TUBE 14

- WHITE (WH) . . . . . **AZ3383**
- BLACK (BK) . . . . . **AZ3384**
- GOLD (GO) . . . . . **AZ3385**



### TUBE 21

- WHITE (WH) . . . . . **AZ3386**
- BLACK (BK) . . . . . **AZ3387**
- GOLD (GO) . . . . . **AZ3388**



\* - EXPLANATION SHORTCUTS PAGE 16





WH \*

**TIVOLI TRACK 10W 3000K/4000K**

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 3000K RA $\geq$ 90 840lm

LED 10W 4000K RA $\geq$ 90 880lm


installation: Track 3 Line

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2222**
- 3000K BLACK (BK) . . . . . **AZ2224**
- 4000K WHITE (WH) . . . . . **AZ2223**
- 4000K BLACK (BK) . . . . . **AZ2225**



# BROSS ARM TRACK

Track 3 Line




## BROSS ARM TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3500**
- BLACK (BK) . . . . . **AZ3501**



## AZZARDO PATENT EU

TILT 90° ROTATION 360°



\* - EXPLANATION SHORTCUT PAGE 2 (E)





BK \*

## EXO TRACK

voltage: 230V	LED GU10 1xMax 35W	bulb not included <input checked="" type="checkbox"/>
IP20		<input type="checkbox"/>
	installation place: Track Electric 3 Line	<input checked="" type="checkbox"/>

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ3199**
- WHITE (WH) . . . . . **AZ3200**





# LENS TRACK

Track 3 Line



BK/BK \*



## LENS TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
installation place: Track Electric 3 Line <input checked="" type="checkbox"/>	

### COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) . . . . . **AZ3510**
- BLACK / BLACK (BK/BK) . . . . . **AZ3511**
- BLACK / GOLD (BK/GO) . . . . . **AZ3512**



WH/WH

BK/BK

BK/GO



BK \*



WH

BK

## SANTOS SQUARE TRACK

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20

**LED**

technical

installation: Track 3 Line


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3524**
- BLACK (BK) . . . . . **AZ3525**





# SKYE TRACK

Track 3 Line



WH \*

## SKYE TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 12W 1300lm 3000K

IP20



technical


installation place: Track 3 Line

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4519**
- BLACK (BK) . . . . . **AZ4520**




WH

BK



\* - EXPLANATION SHORTCUT PAGE 2 (E)



LEON 5 TRACK

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20



LED


technical specification

installation place: Track Electric 3 Line


beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . AZ3490
- BLACK (BK) . . . . . AZ3491




# NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM



# MAGNETIC

## track Magnetic




- 48 ACCESORIES FOR TRACK MAGNETIC
- 55 BLUETOOTH GATEWAY/REMOTE SMART
- 56 MAKITA CCT SMART
- 58 SAGA TRACK SMART
- 59 SONYA SMART CCT
- 60 KERRY SMART CCT
- 61 KIRA SMART CCT
- 62 SAGA TRACK
- 64 SAGA TRACK CORNER
- 66 KIRA TRACK
- 68 NIKKI TRACK
- 69 NIKO TRACK
- 70 ALDO TRACK
- 71 SKYE TRACK PENDANT
- 72 ELIN TRACK
- 73 ELSA TRACK
- 74 MAYA TRACK
- 75 KORI TRACK



# TRACK MAGNETIC

## Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.


03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

04 Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).



### Track Magnetic 27 (1m, 1,5m, 2m, 3m) WITH END CAP 2x

- TRACK 27 1m (BLACK) ..... **AZ4713**
- TRACK 27 1m (WHITE) ..... **AZ4712**
- TRACK 27 1,5m (BLACK) ..... **AZ4715**
- TRACK 27 1,5m (WHITE) ..... **AZ4714**
- TRACK 27 2m (BLACK) ..... **AZ4717**
- TRACK 27 2m (WHITE) ..... **AZ4716**
- TRACK 27 3m (BLACK) ..... **AZ4719**
- TRACK 27 3m (WHITE) ..... **AZ4718**





### Track Magnetic 52 (1m, 1,5m, 2m, 3m) WITH END CAP 2x

- TRACK 52 1m (BLACK) ..... **AZ4638**
- TRACK 52 1m (WHITE) ..... **AZ4639**
- TRACK 52 1,5m (BLACK) ..... **AZ4640**
- TRACK 52 1,5m (WHITE) ..... **AZ4641**
- TRACK 52 2m (BLACK) ..... **AZ4642**
- TRACK 52 2m (WHITE) ..... **AZ4643**
- TRACK 52 3m (BLACK) ..... **AZ4644**
- TRACK 52 3m (WHITE) ..... **AZ4645**

\* - EXPLANATION SHORTCUT PAGE 2 (E)




Available options for installation place – surface-mounted, flush-mounted and suspended



## Track Magnetic 52 Gips1 (1m, 1,5m, 2m) WITH END CAP 2x

- TRACK 52 GIPS1 1m (BLACK) . . . . . **AZ4863**
- TRACK 52 GIPS1 1,5m (BLACK) . . . . . **AZ4864**
- TRACK 52 GIPS1 2m (BLACK) . . . . . **AZ4865**



## Track Magnetic 52 Gips2 (1m, 1,5m, 2m) WITH END CAP 2x

- TRACK 52 GIPS2 1m (BLACK) . . . . . **AZ4646**
- TRACK 52 GIPS2 1m (WHITE) . . . . . **AZ4647**
- TRACK 52 GIPS2 1,5m (BLACK) . . . . . **AZ4648**
- TRACK 52 GIPS2 1,5m (WHITE) . . . . . **AZ4649**
- TRACK 52 GIPS2 2m (BLACK) . . . . . **AZ4650**
- TRACK 52 GIPS2 2m (WHITE) . . . . . **AZ4651**



# TRACK MAGNETIC

Accessories for Track Magnetic




## Track Magnetic 52 Inner Corner90 SURFACE INNER CORNER 90°

- INNER CORNER 90 (BLACK) .....AZ4683
- INNER CORNER 90 (WHITE) .....AZ4684



## Track Magnetic 52 Corner90

- CORNER90 (BLACK) .....AZ4679
- CORNER90 (WHITE) .....AZ4680




## Track Magnetic 27 Inner Corner90

- 27 INNER CORNER 90 (BLACK) .....AZ5001
- 27 INNER CORNER 90 (WHITE) .....AZ5002



## Track Magnetic 27 Corner90


- 27 CORNER 90 (BLACK) .....AZ5003
- 27 CORNER 90 (WHITE) .....AZ5004






## Track Magnetic 52 Gips2 Inner Corner90 SURFACE INNER CORNER 90°

- 152 GIPS2 INNER CORNER90 (BLACK) .....AZ4685
- 52 GIPS2 INNER CORNER90 (WHITE) .....AZ4686




## Track Magnetic 52 Gips2 Corner90

- 52 GIPS2 CORNER90 (BLACK) .....AZ4681
- 52 GIPS2 CORNER90(WHITE) .....AZ4682




## Track Magnetic 52 Gips1 Corner90

- 52 GIPS1 CORNER90 (BLACK) .....AZ4862



## Track Magnetic Flex Connector Electric

- FLEX CONNECTOR ELECTRIC (BLACK) .....AZ4687
- FLEX CONNECTOR ELECTRIC (WHITE) .....AZ4688





# TRACK MAGNETIC

Accessories for Track Magnetic




## Track Magnetic Driver Inside (60W; 100W; 200W)

- |                                     |                                      |               |
|-------------------------------------|--------------------------------------|---------------|
| <input checked="" type="checkbox"/> | DRIVER INSIDE 60W (BLACK) . . . . .  | <b>AZ4669</b> |
| <input type="checkbox"/>            | DRIVER INSIDE 60W (WHITE) . . . . .  | <b>AZ4670</b> |
| <input checked="" type="checkbox"/> | DRIVER INSIDE 100W (BLACK) . . . . . | <b>AZ4671</b> |
| <input type="checkbox"/>            | DRIVER INSIDE 100W (WHITE) . . . . . | <b>AZ4672</b> |
| <input checked="" type="checkbox"/> | DRIVER INSIDE 200W (BLACK) . . . . . | <b>AZ4673</b> |
| <input type="checkbox"/>            | DRIVER INSIDE 200W (WHITE) . . . . . | <b>AZ4674</b> |




## Track Magnetic Straight Connector

- |                                     |                                     |               |
|-------------------------------------|-------------------------------------|---------------|
| <input checked="" type="checkbox"/> | STRAGHT CONNECTOR (BLACK) . . . . . | <b>AZ4677</b> |
| <input type="checkbox"/>            | STRAGHT CONNECTOR (WHITE) . . . . . | <b>AZ4678</b> |



## Track Magnetic Mechanical Connector

- |                                     |  |               |
|-------------------------------------|--|---------------|
| <input checked="" type="checkbox"/> | MECHANICAL CONNECTOR (BLACK) . . . . . | <b>AZ4689</b> |
| <input type="checkbox"/>            | MECHANICAL CONNECTOR (WHITE) . . . . . | <b>AZ4690</b> |



## Track Magnetic Suspension Kit 2m

- |                                     |  |               |
|-------------------------------------|--|---------------|
| <input checked="" type="checkbox"/> | TRACK MAGNETIC SUSPENSION KIT 2m (BLACK) . . . . . | <b>AZ4693</b> |
| <input type="checkbox"/>            | TRACK MAGNETIC SUSPENSION KIT 2m (WHITE) . . . . . | <b>AZ4694</b> |









## Track Magnetic Driver Meanwell 48V 100W / 200W / 350W

- DRIVER MEANWELL (100W) . . . . . **AZ4691**
- DRIVER MEANWELL (200W) . . . . . **AZ4692**
- DRIVER MEANWELL (350W) . . . . . **AZ4866**





## Track Magnetic Driver Electric Connector

- DRIVER ELECTRIC CONNECTOR (BLACK) . . . . . **AZ4675**
- DRIVER ELECTRIC CONNECTOR (WHITE) . . . . . **AZ4676**




## Track Magnetic Cover 1m

- COVER 1m (BLACK) . . . . . **AZ4652**
- COVER 1m (WHITE) . . . . . **AZ4653**



## Ceiling Plate + Wire

- CEILING PLATE + WIRE (BLACK) . . . . . **AZ4780**
- CEILING PLATE + WIRE (WHITE) . . . . . **AZ4782**




# TRACK MAGNETIC

## Track Magnetic




### Track Magnetic 27 Cover Power Driver Inside

- MAGNETIC 27 COVER (BLACK) . . . . . **AZ4860**
- MAGNETIC 27 COVER (WHITE) . . . . . **AZ4661**



## OPTION 1 Track Magnetic Bluetooth Remote Smart Operating Schematic

**AZ4857**




DOWNLOAD THE APP **AZzardo** SMART



\* - EXPLANATION SHORTCUT PAGE 2 (E)

The Bluetooth gateway connects to the Internet via the WiFi signal from the router, thanks to which you can remotely control the lamps or devices settings via the AzzardoSMART application. Being at home, you can control the devices using a special AzzardoSMART remote control or from any device (phone, tablet, computer) that has access to the Wifi network.



## Bluetooth Gateway Smart

AZ4856


OPTION 2

←

OR

OPTION 1

←



Track Magnetic  Bluetooth Remote Smart

AZ4857

# MAKITA TRACK MAGNETIC CCT SMART




## MAKITA TRACK MAGNETIC 7W CCT SMART

LED integrated

voltage: 48V	LED 7W 550lm CCT		<b>LED</b>
IP20	installation: Track Magnetic – 52 or 27		
technical specification	beam angle: 40°		

COLOUR / NEW INDEX NO.

■ SAND BLACK (BK) . . . . . **AZ4836**




## MAKITA 2 TRACK MAGNETIC 2X 7W CCT SMART

LED integrated

voltage: 48V	LED 2x 7W 550lm CCT		<b>LED</b>
IP20	installation: Track Magnetic – 52 or 27		
technical specification	beam angle: 40°		

COLOUR / NEW INDEX NO.

■ SAND BLACK (BK) . . . . . **AZ4838**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





BK \*

## MAKITA TRACK MAGNETIC 20W CCT SMART

LED integrated

voltage: 48V

LED 20W 1560lm CCT

**LED**

IP20




technical specification

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) . . . . . **AZ4840**



BK \*

## MAKITA TRACK MAGNETIC 30W CCT SMART

LED integrated

voltage: 48V

LED 30W 2340lm CCT

**LED**

IP20




technical specification

installation: Track Magnetic – 52 or 27

beam angle: 40°


COLOUR / NEW INDEX NO.

SAND BLACK (BK) . . . . . **AZ4842**



# SAGA TRACK MAGNETIC MILKY120 CCT SMART

Track Magnetic



## SAGA TRACK MAGNETIC 12W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 12W 600lm CCT

IP20




**LED**

technical specification

installation: Track Magnetic – 52 or 27   
beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) . . . . . **AZ4846**



## SAGA TRACK MAGNETIC 20W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 20W 1100lm CCT

IP20



**LED**

technical specification

installation: Track Magnetic – 52 or 27   
beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) . . . . . **AZ4848**



## SAGA TRACK MAGNETIC 36W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 36W 1900lm CCT

IP20




**LED**

technical specification

installation: Track Magnetic – 52 or 27   
beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) . . . . . **AZ4850**



\* EXPLANATION SHORTCUT PAGE 2 (E)



## SONYA TRACK MAGNETIC CCT SMART

LED integrated

voltage: 48V

IP20

technical specification



LED 20W 2100lm CCT




installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) . . . . . **AZ4844**



# KERRY TRACK MAGNETIC CCT SMART

Track Magnetic




## KERRY TRACK MAGNETIC 5W CCT SMART

LED integrated

voltage: 48V	LED 5W 550lm CCT		<b>LED</b>
IP20	installation: Track Magnetic – 52 or 27		
technical specification	beam angle: 40°		

COLOUR / NEW INDEX NO.

■ SAND BLACK (BK) . . . . . **AZ4852**




## KERRY TRACK MAGNETIC 15W CCT SMART

LED integrated

voltage: 48V	LED 15W 1220lm CCT		<b>LED</b>
IP20	installation: Track Magnetic – 52 or 27		
technical specification	beam angle: 60°		


COLOUR / NEW INDEX NO.

■ SAND BLACK (BK) . . . . . **AZ4854**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





## KIRA TRACK MAGNETIC 12W POINTS50 CCT SMART

LED integrated

voltage: 48V  
IP20

LED 12W 1150lm





technical specification

installation: Track Magnetic – 52 or 27   
beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4901**



## KIRA TRACK MAGNETIC 20W POINTS50 CCT SMART

LED integrated

voltage: 48V  
IP20

LED 24W 1450lm





technical specification

installation: Track Magnetic – 52 or 27   
beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4902**



## KIRA TRACK MAGNETIC 30W POINTS50 CCT SMART

LED integrated

voltage: 48V  
IP20

LED 24W 1750lm




technical specification

installation: Track Magnetic – 52 or 27   
beam angle: 50°


COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4903**



# SAGA TRACK

Track Magnetic



## SAGA TRACK MAGNETIC 12W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 550lm 3000K

LED 12W 600lm 4000K



installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4604**
- 3000K BLACK (BK) . . . . . **AZ4603**
- 4000K WHITE (WH) . . . . . **AZ4606**
- 4000K BLACK (BK) . . . . . **AZ4605**



## SAGA TRACK MAGNETIC 24W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1100lm 3000K

LED 24W 1200lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4608**
- 3000K BLACK (BK) . . . . . **AZ4607**
- 4000K WHITE (WH) . . . . . **AZ4610**
- 4000K BLACK (BK) . . . . . **AZ4609**



## SAGA TRACK MAGNETIC 36W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 36W 1800lm 3000K


installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4612**
- BLACK (BK) . . . . . **AZ4611**





\* - EXPLANATION SHORTCUT PAGE 2 (E)



# SAGA TRACK

Track Magnetic



## SAGA TRACK MAGNETIC CORNER A 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K




installation: Track Magnetic – 52 or 27

beam angle: 120°



### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4614**
- 3000K BLACK (BK) . . . . . **AZ4613**
- 4000K WHITE (WH) . . . . . **AZ4616**
- 4000K BLACK (BK) . . . . . **AZ4615**



## SAGA TRACK MAGNETIC CORNER B 24W MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K




installation: Track Magnetic – 52 or 27

beam angle: 120°

### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4618**
- 3000K BLACK (BK) . . . . . **AZ4617**
- 4000K WHITE (WH) . . . . . **AZ4620**
- 4000K BLACK (BK) . . . . . **AZ4619**



\* - EXPLANATION SHORTCUT PAGE 2 (E)







# KIRA TRACK

66

Track Magnetic

Track type – 52 mm





**KIRA TRACK MAGNETIC 12W POINTS60**

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical  
specification



LED 12W 750lm 3000K

LED 12W 800lm 4000k

installation: Track Magnetic – 52 or 27

beam angle: 60°



**KIRA TRACK MAGNETIC 24W POINTS60**

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical  
specification



LED 24W 1300lm 3000K

LED 24W 1400lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 60°




COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4596**
- 3000K BLACK (BK) . . . . . **AZ4595**
- 4000K WHITE (WH) . . . . . **AZ4598**
- 4000K BLACK (BK) . . . . . **AZ4597**



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4600**
- 3000K BLACK (BK) . . . . . **AZ4599**
- 4000K WHITE (WH) . . . . . **AZ4602**
- 4000K BLACK (BK) . . . . . **AZ4601**





# NIKKI TRACK

## Track Magnetic



GO/BK \*

### NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 3W 350lm 3000K





installation: Track Magnetic – 52 or 27

beam angle: 40°

#### COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) . . . . . **AZ4589**
- GOLD / BLACK (GO/BK) . . . . . **AZ4591**
- WHITE / BLACK (WH/BK) . . . . . **AZ4590**



BK/BK \*

### NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 2x3W 350lm 3000K




installation: Track Magnetic – 52 or 27

beam angle: 40°

#### COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) . . . . . **AZ4592**
- GOLD / BLACK (GO/BK) . . . . . **AZ4594**
- WHITE / BLACK (WH/BK) . . . . . **AZ4593**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





WH/BK \*

**NIKO TRACK MAGNETIC 7W 3000K / 4000K**  
LED integrated

voltage: 48V

IP20

technical specification



LED 7W 550lm 3000K

LED 7W 600lm 4000K



installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.

-  4000K GOLD / BLACK (GO/BK) . . . **AZ4583**
-  3000K BLACK / BLACK (BK/BK) . . . **AZ4579**
-  3000K WHITE / BLACK (WH/BK) . . . **AZ4580**
-  4000K BLACK / BLACK (BK/BK) . . . **AZ4581**
-  4000K WHITE / BLACK (WH/BK) . . . **AZ4582**



GO/BK \*

**NIKO 2 TRACK MAGNETIC 7W 3000K / 4000K**  
LED integrated

voltage: 48V

IP20

technical specification



LED 2x7W 550lm 3000K


LED 2x7W 600lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 30°




COLOUR / NEW INDEX NO.

-  3000K GOLD / BLACK (GO/BK) . . . **AZ4588**
-  3000K BLACK / BLACK (BK/BK) . . . **AZ4584**
-  3000K WHITE / BLACK (WH/BK) . . . **AZ4585**
-  4000K BLACK / BLACK (BK/BK) . . . **AZ4586**
-  4000K WHITE / BLACK (WH/BK) . . . **AZ4587**



# ALDO TRACK

## Track Magnetic



BK \*

### ALDO TRACK MAGNETIC 12W MILKY120 3000K

LED integrated

voltage: 48V

LED 12W 900lm 3000K

IP20





technical specification

installation: Track Magnetic – 52 or 27

beam angle: 120°

#### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4626**
- BLACK (BK) . . . . . **AZ4625**



WH \*

### ALDO TRACK MAGNETIC 12W POINTS60 3000K / 4000K

LED integrated

voltage: 48V

LED 12W 1300lm 3000K

IP20

LED 12W 1300lm 4000K

technical specification




installation: Track Magnetic – 52 or 27



beam angle: 60°

#### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4622**
- 3000K BLACK (BK) . . . . . **AZ4621**
- 4000K WHITE (WH) . . . . . **AZ4624**
- 4000K BLACK (BK) . . . . . **AZ4623**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*



WH

BK

## SKYE TRACK MAGNETIC PENDANT 12W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1200lm 3000K




installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

WHITE (WH) . . . . . **AZ4637**

BLACK (BK) . . . . . **AZ4636**



TILT 60°





# ELIN TRACK

72

Track Magnetic



## ELIN TRACK MAGNETIC 7W 3000K / 4000K

LED integrated 

voltage: 48V

IP20


technical  
specification




LED 7W 850lm 3000K

LED 7W 900lm 4000K

installation: Track Magnetic – 52 or 27 

beam angle: 190° 

**LED**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





GO \*

**ELSA TRACK MAGNETIC 7W 3000K / 4000K**

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 700lm 3000K

LED 7W 750lm 4000K


installation Track Magnetic – 52 or 27

beam angle: 190°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4633**
- 3000K GOLD (GO) . . . . . **AZ4635**
- 4000K BLACK (BK) . . . . . **AZ4634**



GO

BK



# MAYA TRACK

74

Track Magnetic



BK \*

## MAYA TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

LED 3W 250lm 3000K

IP20



**LED**

technical


installation Track Magnetic – 52 or 27

specification

beam angle: 190°

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ4629**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



GO \*

**KORI TRACK MAGNETIC 5W 3000K**

LED integrated

voltage: 48V

LED 5W 500lm 3000K

IP20



**LED**

technical  
specification



installation: Track Magnetic – 52 or 27

beam angle: 40°



GO

BK





**SETS FOR**  
TRACK MAGNETIC



# SETS FOR

## Track Magnetic




- 78** TRACK MAGNETIC SET 1 M
- 80** TRACK MAGNETIC SET 1,5 M
- 81** TRACK MAGNETIC SET 2 M
- 85** TRACK MAGNETIC SET 3 M

# TRACK MAGNETIC SET 1 M



Sets for Track Magnetic



**52M1031BK-AZ4798**  
track magnetic 1m, 3000K, black



**52M1031WH-AZ4799**  
track magnetic 1m, 3000K, white

## TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V	LED 26W 1120lm 3000K	<b>LED</b>
IP20	LED 26W 1815lm 4000K	
technical	installation: Track Magnetic	
specification	pendant with AZ4828 or AZ4829	




### COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	<b>AZ4798</b>	(52M1031BK)
	3000K WHITE (BK)	<b>AZ4799</b>	(52M1031WH)
	4000K BLACK (BK)	<b>AZ4800</b>	(52M1041BK)
	4000K WHITE (BK)	<b>AZ4801</b>	(52M1041WH)

### Set specification:

AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603  
 AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604  
 AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605  
 AZ4801 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4606



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m





**52M1032BK-AZ4802**  
track magnetic 1m, 3000K, black



**52M1032WH-AZ4803**  
track magnetic 1m, 3000K, white

## TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 2022m 3000K

LED 26W 1930lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829




### COLOUR / NEW INDEX NO.

	3000K BLACK (BK) . . . . .	<b>AZ4802</b>	(52M1032BK)
	3000K WHITE (BK) . . . . .	<b>AZ4803</b>	(52M1032WH)
	4000K BLACK (BK) . . . . .	<b>AZ4804</b>	(52M1042BK)
	4000K WHITE (BK) . . . . .	<b>AZ4805</b>	(52M1042WH)

\* Ceiling Plate + Wire

\*\* Track Magnetic Suspension Kit 2m



### Set specification:

AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584

AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585

AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586

AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587



# TRACK MAGNETIC SET 1,5 M



Sets for Track Magnetic



**52M1531BK-AZ4806**  
track magnetic 1,5 m, 3000K, black



**52M1531BK/GO-AZ4807**  
track magnetic 1,5 m, 3000K, black/gold

## TRACK MAGNETIC SET 1,5M

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 41W 2905lm 3000K

LED 41W 2910lm 4000K


installation: Track Magnetic

pendant with AZ4828 or AZ4829




COLOUR / NEW INDEX NO.

	3000K BLACK (BK) . . . . .	<b>AZ4806</b>	(52M1531BK)
	3000K BLACK/GOLD (BK/GO) . . . . .	<b>AZ4807</b>	(52M1531BK/GO)
	3000K WHITE/GOLD (WH/GO) . . . . .	<b>AZ4808</b>	(52M1531WH/GO)
	4000K BLACK (BK) . . . . .	<b>AZ4809</b>	(52M1541BK)



**52M1531WH/GO-AZ4808**  
track magnetic 1,5 m, 3000K, white/gold



Set specification:

- AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630
- AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632
- AZ4808 = AZ4641 + AZ4670 + AZ4653 + AZ4608+2x AZ4632
- AZ4809 = AZ4640 + AZ4671 + AZ4652 + AZ4609+2x AZ4631



ELIN TRACK MAGNETIC 7W 3000K GOLD

\* Ceiling Plate + Wire  
\*\* Track Magnetic Suspension Kit 2m





**52M2031BK-AZ4810**  
track magnetic 2m, 3000K, black



**52M2031WH-AZ4811**  
track magnetic 2m, 3000K, white

## TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 51W 3131lm 3000K

LED 53W 3041lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

**LED**

### COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	<b>AZ4810</b>	(52M2031BK)
	3000K WHITE (BK)	<b>AZ4811</b>	(52M2031WH)
	4000K BLACK (BK)	<b>AZ4812</b>	(52M2041BK)
	4000K WHITE (BK)	<b>AZ4813</b>	(52M2041WH)


### Set specification:

AZ4810 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4584

AZ4811 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4585

AZ4812 = AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4586

AZ4813 = AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4587



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m



NIKO 2 TRACK MAGNETIC 2x7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 2x7W 3000K BK/BK

# TRACK MAGNETIC SET 1,5 M



Track Magnetic



**52M2032BK-AZ4814**  
track magnetic 2m, 3000K, black



**52M2032WH-AZ4815**  
track magnetic 2m, 3000K, white

## TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated


voltage: 48V	LED 69W 3533lm 3000K		<b>LED</b>
IP20	LED 69W 3609lm 4000K		
technical specification	installation: Track Magnetic	pendant with AZ4828 or AZ4829	

### COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	<b>AZ4814</b>	(52M2032BK)
	3000K WHITE (BK)	<b>AZ4815</b>	(52M2032WH)
	4000K BLACK (BK)	<b>AZ4816</b>	(52M2042BK)
	4000K WHITE (BK)	<b>AZ4817</b>	(52M2042WH)

### Set specification:

AZ4814 =  
AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4579 + 2xAZ4595  
AZ4815 =  
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596  
AZ4816 =  
AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4581+ 2xAZ4597  
AZ4817 =  
AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4582+ 2xAZ4598



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m





**52M2034BK-AZ4820**  
track magnetic 2m, 3000K, black




**52M2034WH-AZ4821**  
track magnetic 2m, 3000K, white

## TRACK MAGNETIC SET 2M 3000K

		LED integrated	
voltage: 48V		LED 51W 3131lm 3000K	
IP20		installation: Track Magnetic	
technical specification	pendant with AZ4828 or AZ4829		

### COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4820** (52M2034BK)
- 3000K WHITE (BK) . . . . . **AZ4821** (52M2034WH)



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m

### Set specification:

AZ4820 =  
AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4589+ AZ4592  
AZ4821 =  
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593



# TRACK MAGNETIC SET 1,5 M



Sets for Track Magnetic



**52M2033BK/GO-AZ4818**

track magnetic 2m, 3000K, black/gold



**52M2033WH/GO-AZ4819**

track magnetic 2m, 3000K, white/gold

## TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

LED 53W 3540lm 3000K

**LED**

IP20



technical

installation: Track Magnetic

specification

pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.


3000K BLACK/GOLD (BK/GO) . . . . **AZ4818** (52M2033BK/GO)

3000K WHITE/GOLD (WH/GO) . . . . **AZ4819** (52M2033WH/GO)

Set specification:

AZ4818 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4588

AZ4819 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4588



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m







**52M3031BK-AZ4822**  
track magnetic 3m, 3000K, black



**52M3031WH-AZ4823**  
track magnetic 3m, 3000K, white

## TRACK MAGNETIC SET 3M 3000K

LED integrated

voltage: 48V	LED 156W 8722lm 3000K	
IP20		
technical specification	installation: Track Magnetic	
	pendant with AZ4828 or AZ4829	


COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ4822** (52M3031BK)
- 3000K WHITE (BK) . . . . . **AZ4823** (52M3031WH)

Set specification:  
 AZ4822= AZ4644 + AZ4673 + AZ4652 + 2 X AZ4604 + AZ4611 + 4 X AZ4621  
 AZ4823= AZ4645 + AZ4674 + AZ4653 + 2 X AZ4605 + AZ4612 + 4 X AZ4522



ALDO TRACK MAGNETIC 12W POINTS60 3000K BK



- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m




ALDO TRACK MAGNETIC 12W POINTS60 3000K WH


# TRACK MAGNETIC SET 3 M



Sets for Track Magnetic



**52M3032BK-AZ4824**  
track magnetic 3m, 3000K, black



**52M3032WH-AZ4825**  
track magnetic 3m, 3000K, white

## TRACK MAGNETIC SET 3M 3000K / 4000K

LED integrated


voltage: 48V		LED 145W 7332lm 3000K	<b>LED</b>
IP20		LED 120W 6316lm 4000K	
technical specification		installation: Track Magnetic	
		pendant with AZ4828 or AZ4829	

### COLOUR / NEW INDEX NO.


	3000K BLACK (BK) . . . . .	<b>AZ4824</b>	(52M3032BK)
	3000K WHITE (BK) . . . . .	<b>AZ4825</b>	(52M3032WH)
	4000K BLACK (BK) . . . . .	<b>AZ4826</b>	(52M3042BK)
	4000K WHITE (BK) . . . . .	<b>AZ4827</b>	(52M3042WH)

### Set specification:

- AZ4824 = AZ4644 + AZ4673 + AZ4652 + 2 X AZ4603 + AZ4611 + 2 X AZ4579 + 2 X AZ4584
- AZ4825 = AZ4645 + AZ4674 + AZ4653 + 2 X AZ4604 + AZ4612 + 2 X AZ4580 + 2 X AZ4585
- AZ4826 = AZ4644 + AZ4673 + AZ4652 + 2 X AZ4605 + AZ4609 + 2 X AZ4581 + 2 X AZ4586
- AZ4827 = AZ4645 + AZ4674 + AZ4653 + 2 X AZ4606 + AZ4610 + 2 X AZ4582 + 2 X AZ4587



NIKO TRACK MAGNETIC 7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 7W 3000K BK/BK

- \* Ceiling Plate + Wire
- \*\* Track Magnetic Suspension Kit 2m







**AZzardo**<sup>®</sup>

TECHNOLINE

[www.azzardolighting.com](http://www.azzardolighting.com)




# EXPOSED DOWNLIGHTS

# EXPOSED

## downlights

- 92 ARO
- 93 EIGER IP54
- 94 MINI BROSS
- 95 MINI ELOY
- 96 BROSS
- 98 BROSS ARM
- 100 COSTA
- 101 COSTA ARM
- 102 BRANT
- 103 BRANT IP44
- 104 BRANT SQUARE
- 105 BRANT SQUARE IP44
- 106 ELOY
- 108 HUGO
- 108 HUGO R
- 110 REMO
- 110 REMO R
- 112 BORIS
- 113 DARIO
- 114 MINI ROUND
- 115 MINI SQUARE
- 116 NEOS
- 117 NINO
- 118 NANO
- 119 MANE 10W
- 120 MANE 20W / 30W
- 122 BOSTON
- 123 BILL
- 124 ROTONDO
- 125 LENS
- 128 MAKALU
- 130 SANTOS
- 131 SANTOS SQUARE
- 132 LINO
- 133 VASKO
- 134 EREBUS BASE
- 134 EREBUS PENDANT
- 134 EREBUS ANGLE
- 136 EXO
- 138 FLAVIO
- 139 VISION
- 140 GALENA
- 141 LEON
- 142 DIADO
- 143 SCORPIO
- 144 SANTOS EXPOSED
- 145 SIENA
- 146 MONA 12W
- 147 MONA 18W
- 148 SKYE
- 149 SKYE PENDANT
- 150 OJOS
- 152 TORONTO
- 153 RAFFAEL
- 154 NIKEA
- 156 PAOLA 230V
- 158 PAULO 12V
- 159 PAULO 230V
- 162 ALIX
- 163 ALEX
- 164 ECO ALIX NEW 230V
- 165 ALIX 230V
- 166 ECO ALIX
- 167 ECO ALEX 230V
- 168 JERRY 12V



- 169 JERRY 230V
- 170 MAX 12V / MAX 230V
- 172 MATEO
- 173 MOMO
- 174 MALTA R
- 178 MONZA R
- 179 MONZA R PENDANT
- 180 MONZA II R
- 182 MONZA S
- 184 MONZA II S
- 186 MONZA R CCT
- 188 MONZA S CCT
- 190 FALCO 12
- 191 PIENZA DIMM
- 192 JUNONA
- 194 COLLODI 48 CCT
- 196 QUADRO 50 CCT LED
- 197 SONA CCT LED
- 198 CORTONA
- 200 SOVANA TOP CCT LED
- 202 SOVANA PENDANT CCT LED
- 204 GALILEO 1 PENDANT
- 206 LINNEA PENDANT

# ARO IP54

Exposed downlights




## ARO IP54

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP54	installation place


### COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ1360**
- WHITE (WH) . . . . . **AZ2559**
- BLACK (BK) . . . . . **AZ2558**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





## EIGER IP54

bulb not included


voltage: 230V	GU10 1x MAX 50W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4260**
- BLACK / GOLD (BK/GO) . . . . . **AZ4261**
- WHITE (WH) . . . . . **AZ4259**



RECOMMENDED FOR DROPPED CEILING



# MINI BROSS

Exposed downlights




## MINI BROSS

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
IP20		
	installation place	<input checked="" type="checkbox"/>

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ1756**
- BLACK (BK) . . . . . **AZ1710**
- WHITE (WH) . . . . . **AZ1711**
- CHROME (CH) . . . . . **AZ1757**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*


## MINI ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place


### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ1754**
- BLACK (BK) . . . . . **AZ1712**
- WHITE (WH) . . . . . **AZ1713**
- CHROME (CH) . . . . . **AZ1755**



# BROSS

## Exposed downlights



BK / GO \*


### BROSS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	
IP20		
	installation place	

#### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0780**
- BLACK / ALUMINIUM (BK/ALU) . . . . . **AZ0779**
- WHITE (WH) . . . . . **AZ0858**
- WHITE / ALUMINIUM (WH / ALU) . . . . . **AZ0781**
- CHROME (CH) . . . . . **AZ0857**
- WHITE / BLACK (WH/BK) . . . . . **AZ1436**
- BLACK / BLACK (BK/BK) . . . . . **AZ2135**
- BLACK / GOLD (BK/GO) . . . . . **AZ2955**



BK / ALU \*


### BROSS 2

bulb not included

voltage: 230V	LED connect GU10 2x Max.50W	
IP20		
	installation place	

#### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0783**
- BLACK / ALUMINIUM (BK/ALU) . . . . . **AZ0782**
- WHITE (WH) . . . . . **AZ0859**
- WHITE / ALUMINIUM (WH / ALU) . . . . . **AZ0784**
- CHROME (CH) . . . . . **AZ0941**
- WHITE / BLACK (WH/BK) . . . . . **AZ1753**
- BLACK / BLACK (BK/BK) . . . . . **AZ2136**
- BRIGHT GREY (BGR) . . . . . **AZ1787**
- BLACK / GOLD (BK/GO) . . . . . **AZ2956**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# BROSS ARM

Exposed downlights



BK \*


## BROSS ARM

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3498**
- BLACK (BK) . . . . . **AZ3499**



**AZZARDO PATENT EU**



BK \*


## BROSS ARM 2

bulb not included

voltage: 230V	LED GU10 2xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3502**
- BLACK (BK) . . . . . **AZ3503**



**AZZARDO PATENT EU**




\* - EXPLANATION SHORTCUT PAGE 2 (E)

# BROSS ARM

Exposed downlights

99





# COSTA

100

Exposed downlights




**COSTA** 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K		
IP20	LED 12W 1100lm 4000K		
technical specification	installation place		
	beam angle: 24°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2856**
- 3000K BLACK (BK) . . . . . **AZ2857**
- 4000K WHITE (WH) . . . . . **AZ4554**
- 4000K BLACK (BK) . . . . . **AZ4553**




**COSTA SPOT**

LED integrated

voltage: 230V	LED 12W 1020lm 3000K		
IP20			
technical specification	installation place  inlet opening  Ø 8,9cm		
	beam angle: 24°		

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) . . . . . **AZ2705**
- BLACK/BLACK (BK/BK) . . . . . **AZ2706**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





BK / BK \*

**COSTA ARM**

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

**LED**

IP20



technical


installation place

specification

beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) . . . . . **AZ2703**
- BLACK/BLACK (BK/BK) . . . . . **AZ2702**



TILT 90°

ROTATION 350°



WH / WH



BK / BK



# BRANT

Exposed downlights



BK / CH \*


## BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ2819**
- WHITE (WH) . . . . . **AZ2818**
- BLACK / CHROME (BK / CH) . . . . . **AZ2929**



TILT 20°



BK / CH \*

CH \*

WH \*



BK \*


## BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ2821**
- WHITE (WH) . . . . . **AZ2820**
- BLACK / CHROME (BK / CH) . . . . . **AZ2930**



TILT 20°



BK / CH \*

WH \*

BK \*







CH \*


## BRANT IP44

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP44	
	installation place

### COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ2691**
- WHITE (WH) . . . . . **AZ2690**



CH \*

WH \*



CH \*

WH \*



CH \*\*


## BRANT 2 IP44

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP44	
	installation place


### COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ2817**
- WHITE (WH) . . . . . **AZ2816**



# BRANT SQUARE

Exposed downlights



BK \*


## BRANT SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2824**
- BLACK (BK) . . . . . **AZ2825**



TILT 20°



WH \*


## BRANT 2 SQUARE

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2826**
- BLACK (BK) . . . . . **AZ2827**




TILT 20°



\* - EXPLANAZIONE BREVE (FORTE) - PAGINA 2 (E)





BK \*


## BRANT SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2822**
- BLACK (BK) . . . . . **AZ2878**



WH \*


## BRANT 2 SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W
IP44	
	installation place


COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2823**
- BLACK (BK) . . . . . **AZ2879**



# ELOY

Exposed downlights





## ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0991**
- BLACK / ALUMINIUM (BK / ALU) . . . . . **AZ0930**
- WHITE (WH) . . . . . **AZ0929**
- WHITE / ALUMINIUM (WH / ALU) . . . . . **AZ0872**
- CHROME (CH) . . . . . **AZ0873**
- BLACK / BLACK (BK / BK) . . . . . **AZ2137**
- WHITE / BLACK (WH / BK) . . . . . **AZ1439**




## ELOY 2

bulb not included

voltage: 230V	LED connect GU10 2x Max.50W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ1352**
- BLACK / ALUMINIUM (BK / ALU) . . . . . **AZ1355**
- WHITE (WH) . . . . . **AZ1353**
- WHITE / ALUMINIUM (WH / ALU) . . . . . **AZ1354**
- BLACK / BLACK (BK / BK) . . . . . **AZ2138**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# HUGO

Exposed downlights



BK + HUGO R ALU \*




## HUGO

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
IP20		
	installation place	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0828**
- BLACK (BK) . . . . . **AZ0826**
- WHITE (WH) . . . . . **AZ0827**




## HUGO R

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
IP20		
	installation place	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0829**
- BLACK (BK) . . . . . **AZ0832**
- WHITE (WH) . . . . . **AZ0830**
- GOLD (GO) . . . . . **AZ0831**
- CHAMPAGNE (CHA) . . . . . **AZ0833**
- CHROME (CH) . . . . . **AZ0856**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# REMO

Exposed downlights



ALU + REMO R ALU \*



## REMO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0820**
- BLACK (BK) . . . . . **AZ0818**
- WHITE (WH) . . . . . **AZ0819**



## REMO R

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ0821**
- BLACK (BK) . . . . . **AZ0823**
- WHITE (WH) . . . . . **AZ0822**
- GOLD (GO) . . . . . **AZ0824**
- CHAMPAGNE (CHA) . . . . . **AZ0825**
- CHROME (CH) . . . . . **AZ0855**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# BORIS

Exposed downlights



WH \*



ALU

BK



WH


## BORIS

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ1053**
- WHITE (WH) . . . . . **AZ1054**
- BLACK (BK) . . . . . **AZ1110**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





ALU \*


## DARIO

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	installation place

### COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) . . . . . **AZ1055**
- WHITE (WH) . . . . . **AZ1056**
- BLACK (BK) . . . . . **AZ1111**



ALU

BK



WH



# MINI ROUND

Exposed downlights




## MINI ROUND

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

### COLOUR / NEW INDEX NO.

- WHITE (WH). . . . . **AZ1706**
- BLACK (BK). . . . . **AZ1781**
- CHROME (CH). . . . . **AZ1707**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*


MINI SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W <input checked="" type="checkbox"/>
IP20	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1381**
- BLACK (BK) . . . . . **AZ1382**



WH

BK





# NEOS

Exposed downlights




## NEOS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) . . . . **AZ0708**
- BLACK / ALUMINIUM (BK / ALU) . . . . **AZ0607**
- WHITE / CHROME (WH / CH) . . . . **AZ0707**
- WHITE / ALUMINIUM (WH / ALU) . . . . **AZ0606**




## NEOS 3

bulb not included

voltage: 230V	LED connect GU10 3x Max.50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) . . . . **AZ0742**



\* EXPLANATION ON SHORTCUT PAGE 2 (E)





WH / CH \*


## NINO 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

### COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) . . . . . **AZ0736**
- BLACK / ALUMINIUM (BK / ALU). . . . . **AZ1383**
- WHITE / CHROME (WH / CH) . . . . . **AZ0735**
- WHITE / ALUMINIUM (WH / ALU) . . . . . **AZ0598**



WH / CH \*


## NINO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

### COLOUR / NEW INDEX NO.

- BLACK / ALUMINIUM (BK / ALU). . . . . **AZ1385**
- WHITE / CHROME (WH / CH) . . . . . **AZ0737**
- WHITE / ALUMINIUM (WH / ALU) . . . . . **AZ1386**



WH / CH \*


## NINO 4

bulb not included

voltage: 230V	connect GU10 4x Max 50W
IP20	
	installation place

### COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) . . . . . **AZ0852**
- BLACK / ALUMINIUM (BK / ALU). . . . . **AZ1388**
- WHITE / CHROME (WH / CH) . . . . . **AZ0851**
- WHITE / ALUMINIUM (WH / ALU) . . . . . **AZ1387**



# NANO

## Exposed downlights



BK \*

### NANO SQUARE


LED integrated

voltage: 230V	LED 5W 420lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 26°	



#### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2786**
- BLACK (BK) . . . . . **AZ2787**



WH

BK

WH

BK



WH \*

### NANO ROUND


LED integrated

voltage: 230V	LED 5W 420lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 26°	



#### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2784**
- BLACK (BK) . . . . . **AZ2785**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*

**MANE 10W 3000K**

LED integrated

voltage: 230V

LED 10W 800lm 3000K

**LED**

IP20



technical


installation place

specification

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ2844**
- WHITE (WH) . . . . . **AZ2845**
- GOLD (GO) . . . . . **AZ2846**



new

GO \*

**MANE 10W 4000K**

LED integrated

voltage: 230V

LED 10W 830lm 4000K

**LED**

IP20



technical


installation place

specification

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4322**
- WHITE (WH) . . . . . **AZ4324**
- GOLD (GO) . . . . . **AZ4323**





# MANE 20W

Exposed downlights




**MANE 20W**

LED integrated

voltage: 230V	LED 20W 1600lm 3000K	
IP20		
technical specification	installation place	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4153**
- WHITE (WH) . . . . . **AZ4152**
- GOLD (GO) . . . . . **AZ4154**




**MANE 20W DIMM**

LED integrated

voltage: 230V	LED 20W DIMM 1600lm 3000K	
IP20		
technical specification	installation place	beam angle: 23°


COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4325**
- WHITE (WH) . . . . . **AZ4327**
- GOLD (GO) . . . . . **AZ4326**



\* - EXPLANATION SHORTCUT PAGE 2 (E)






MANE 30W

voltage: 230V	LED 30W 2400lm 3000K	LED integrated
IP20		<b>LED</b>
technical specification	installation place	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4156**
- WHITE (WH) . . . . . **AZ4155**
- GOLD (GO) . . . . . **AZ4157**





MANE 30W DIMM

voltage: 230V	LED 30W DIMM 2400lm 3000K	LED integrated
IP20		<b>LED</b>
technical specification	installation place	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4328**
- WHITE (WH) . . . . . **AZ4330**
- GOLD (GO) . . . . . **AZ4329**



# BOSTON 10W TUBE

122

Exposed downlights



## BOSTON 10W TUBE

LED integrated

voltage: 230V

LED 10W 685lm 3000K

IP20



**LED**

technical


installation place

specification

beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3469**
- BLACK (BK) . . . . . **AZ3468**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



**BILL 10W**

LED integrated

voltage: 230V

LED 10W 850lm 4000K

IP20

**LED**

technical specification




installation place

beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) ..... **AZ3375**
- BLACK (BK) ..... **AZ3376**



# ROTONDO

Exposed downlights





## ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4207**
- BLACK (BK) . . . . . **AZ4208**
- BRONZE (BZ) . . . . . **AZ4209**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# LENS ROUND

Exposed downlights




## LENS ROUND

		bulb not included <input type="checkbox"/>
voltage: 230V	LED GU10 1xMax 35W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) . . . . . **AZ3516**
- BLACK / BLACK (BK/BK) . . . . . **AZ3517**
- BLACK / GOLD (BK/GO) . . . . . **AZ3518**



# LENS SQUARE

Exposed downlights



WH/WH \*


## LENS SQUARE

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place <input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) . . . . . **AZ3513**
- BLACK / BLACK (BK/BK) . . . . . **AZ3514**
- BLACK / GOLD (BK/GO) . . . . . **AZ3515**



### AZZARDO PATENT EU



WH/WH

BK/BK

BK/GO

\* - EXPLANATION SHORTCUT PAGE 2 (E)

# LENS 2 SQUARE

Exposed downlights



BK/GO \*


## LENS 2 SQUARE

bulb not included


voltage: 230V	LED GU10 2xMax 35W	<input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) . . . . . **AZ3519**
- BLACK / BLACK (BK/BK) . . . . . **AZ3520**
- BLACK / GOLD (BK/GO) . . . . . **AZ3521**



### AZZARDO PATENT EU





# MAKALU

Exposed downlights




## MAKALU 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4210**
- WHITE (WH) . . . . . **AZ4211**




## MAKALU 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4212**
- WHITE (WH) . . . . . **AZ4213**




## MAKALU 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4214**
- WHITE (WH) . . . . . **AZ4215**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# SANTOS

Exposed downlights



**SANTOS 3000K**

LED integrated

voltage: 230V	LED 12W 1135lm 3000K	
IP20	installation place	
technical specification	beam angle: 23,5°	

COLOUR / NEW INDEX NO.

- WHITE / GOLD (WH/GO) . . . . . **AZ2417**
- BLACK / GOLD (BK/GO) . . . . . **AZ2416**
- WHITE / WHITE (WH/WH) . . . . . **AZ4182**
- BLACK / BLACK (BK/BK) . . . . . **AZ4181**




**SANTOS GU10**

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) . . . . . **AZ4201**
- WHITE / WHITE (WH/WH) . . . . . **AZ4200**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





WH \*

SANTOS SQUARE

LED integrated

voltage: 230V

LED 12W 825lm 3000K

IP20

LED

technical

installation place


specification

beam angle: 26°



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3522**
- BLACK (BK) . . . . . **AZ3523**



BK

WH



# LINO


Exposed downlights



CH \*



CH



BK-CHROME



WH-MATT


## LINO

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	
	installation place <input type="checkbox"/>

### COLOUR / NEW INDEX NO.

- WHITE MATT (WH) . . . . . **AZ1479**
- BLACK (BK) . . . . . **AZ1477**
- CHROME (CH) . . . . . **AZ1478**



\* - EXPLANATION SHORTCUT PAGE 2 (E)






CH \*

**VASKO**

voltage: 230V	connect GU10 1x Max 50W	bulb not included <input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) . . . . . **AZ1491**
- BLACK (BK) . . . . . **AZ1489**
- CHROME (CH) . . . . . **AZ1490**



CH

BK-CHROME















WH-MATT



# EREBUS

## Exposed downlights

Bases	+	Tubes	=	Result
<p>BASES TYPE</p>  <p>SIMPLE BASE</p> <p>ALUMINIUM (ALU) . . . . . <b>AZ3389</b></p>		<p>size 14 or 21</p>  <p>TUBE 14 / TUBE 21</p> <p>14 WHITE (WH) . . . . . <b>AZ3383</b>            14 BLACK (BK) . . . . . <b>AZ3384</b>            14 GOLD (GO) . . . . . <b>AZ3385</b>            21 WHITE (WH) . . . . . <b>AZ3386</b>            21 BLACK (BK) . . . . . <b>AZ3387</b>            21 GOLD (GO) . . . . . <b>AZ3388</b></p>		<p>BASE + TUBE</p>  <p>SIMPLE BASE + TUBE 14 / 21</p> <p>SIMPLE BASE (ALU) . . . <b>AZ3389</b> + TUBE 14 (WH) . . . . . <b>AZ3383</b>            + TUBE 14 (BK) . . . . . <b>AZ3384</b>            + TUBE 14 (GO) . . . . . <b>AZ3385</b>            + TUBE 21 (WH) . . . . . <b>AZ3386</b>            + TUBE 21 (BK) . . . . . <b>AZ3387</b>            + TUBE 21 (GO) . . . . . <b>AZ3388</b></p>
 <p>BASE PENDANT</p> <p>WHITE (WH) . . . . . <b>AZ3392</b>            BLACK (BK) . . . . . <b>AZ3393</b></p>		 <p>TUBE 14 / TUBE 21</p> <p>14 WHITE (WH) . . . . . <b>AZ3383</b>            14 BLACK (BK) . . . . . <b>AZ3384</b>            14 GOLD (GO) . . . . . <b>AZ3385</b>            21 WHITE (WH) . . . . . <b>AZ3386</b>            21 BLACK (BK) . . . . . <b>AZ3387</b>            21 GOLD (GO) . . . . . <b>AZ3388</b></p>		 <p>PENDANT BASE + TUBE</p> <p>PENDANT BASE (WH) . . <b>AZ3392</b> + TUBE 14 (WH) . . . . . <b>AZ3383</b>            + TUBE 14 (BK) . . . . . <b>AZ3384</b>            + TUBE 14 (GO) . . . . . <b>AZ3385</b>            + TUBE 21 (WH) . . . . . <b>AZ3386</b>            + TUBE 21 (BK) . . . . . <b>AZ3387</b>            + TUBE 21 (GO) . . . . . <b>AZ3388</b>            -----            PENDANT BASE (BK) . . <b>AZ3393</b> + TUBE 14 (WH) . . . . . <b>AZ3383</b>            + TUBE 14 (BK) . . . . . <b>AZ3384</b>            + TUBE 14 (GO) . . . . . <b>AZ3385</b>            + TUBE 21 (WH) . . . . . <b>AZ3386</b>            + TUBE 21 (BK) . . . . . <b>AZ3387</b>            + TUBE 21 (GO) . . . . . <b>AZ3388</b></p>
 <p>BASE ANGLE</p> <p>WHITE (WH) . . . . . <b>AZ3394</b>            BLACK (BK) . . . . . <b>AZ3395</b></p>		 <p>TUBE 14 / TUBE 21</p> <p>14 WHITE (WH) . . . . . <b>AZ3383</b>            14 BLACK (BK) . . . . . <b>AZ3384</b>            14 GOLD (GO) . . . . . <b>AZ3385</b>            21 WHITE (WH) . . . . . <b>AZ3386</b>            21 BLACK (BK) . . . . . <b>AZ3387</b>            21 GOLD (GO) . . . . . <b>AZ3388</b></p>		 <p>ANGLE BASE + TUBE</p> <p>ANGLE BASE (WH) . . . . <b>AZ3394</b> + TUBE 14 (WH) . . . . . <b>AZ3383</b>            + TUBE 14 (BK) . . . . . <b>AZ3384</b>            + TUBE 14 (GO) . . . . . <b>AZ3385</b>            + TUBE 21 (WH) . . . . . <b>AZ3386</b>            + TUBE 21 (BK) . . . . . <b>AZ3387</b>            + TUBE 21 (GO) . . . . . <b>AZ3388</b>            -----            ANGLE BASE (BK) . . . . <b>AZ3395</b> + TUBE 14 (WH) . . . . . <b>AZ3383</b>            + TUBE 14 (BK) . . . . . <b>AZ3384</b>            + TUBE 14 (GO) . . . . . <b>AZ3385</b>            + TUBE 21 (WH) . . . . . <b>AZ3386</b>            + TUBE 21 (BK) . . . . . <b>AZ3387</b>            + TUBE 21 (GO) . . . . . <b>AZ3388</b></p>
 <p>TRACK</p> <p>WHITE (WH) . . . . . <b>AZ3390</b>            BLACK (BK) . . . . . <b>AZ3391</b></p>		 <p>TUBE 14 / TUBE 21</p> <p>14 WHITE (WH) . . . . . <b>AZ3383</b>            14 BLACK (BK) . . . . . <b>AZ3384</b>            14 GOLD (GO) . . . . . <b>AZ3385</b>            21 WHITE (WH) . . . . . <b>AZ3386</b>            21 BLACK (BK) . . . . . <b>AZ3387</b>            21 GOLD (GO) . . . . . <b>AZ3388</b></p>		 <p>TRACK + TUBE</p> <p>TRACK (WH) . . . . . <b>AZ3390</b> + TUBE 14 (WH) . . . . . <b>AZ3383</b>            + TUBE 14 (BK) . . . . . <b>AZ3384</b>            + TUBE 14 (GO) . . . . . <b>AZ3385</b>            + TUBE 21 (WH) . . . . . <b>AZ3386</b>            + TUBE 21 (BK) . . . . . <b>AZ3387</b>            + TUBE 21 (GO) . . . . . <b>AZ3388</b>            -----            TRACK (BK) . . . . . <b>AZ3391</b> + TUBE 14 (WH) . . . . . <b>AZ3383</b>            + TUBE 14 (BK) . . . . . <b>AZ3384</b>            + TUBE 14 (GO) . . . . . <b>AZ3385</b>            + TUBE 21 (WH) . . . . . <b>AZ3386</b>            + TUBE 21 (BK) . . . . . <b>AZ3387</b>            + TUBE 21 (GO) . . . . . <b>AZ3388</b></p>

\* - EXPLANATION SHORTCUT PAGE 2 (E)







# EXO

## Exposed downlights



**EXO 1**

bulb not included

voltage: 230V	LED connect GU10 1x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ3193**
- WHITE (WH) . . . . . **AZ3194**





**EXO 2**

bulb not included

voltage: 230V	LED connect GU10 2x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ3195**
- WHITE (WH) . . . . . **AZ3196**








**EXO 3**

bulb not included

voltage: 230V	LED connect GU10 3x Max 35W
IP20	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ3197**
- WHITE (WH) . . . . . **AZ3198**



# FLAVIO

Exposed downlights



WH / BK \*


## FLAVIO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) . . . . . **AZ0791**



TILT 90°



WH / BK \*


## FLAVIO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) . . . . . **AZ0792**



TILT 90°



\* - EXPLANATION SHORTCUT PAGE 2 (E)





BK


## VISION

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) . . . . . **AZ1745**



TILT 45°



# GALENA

Exposed downlights



## GALENA


LED integrated

voltage: 230V	LED 11W 3000K RA>80	
IP20	1000 lm	
technical specification	installation place	
	beam angle: 112°	



COLOUR / NEW INDEX NO.

MATT WHITE (WH) . . . . . **AZ1457**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





LEON 5

LED integrated

voltage: 230V

LED 12W 910lm 3000K

IP20



**LED**


technical specification

installation place

beam angle: 24,5°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3488**
- BLACK (BK) . . . . . **AZ3489**



TILT 90°



# DIADO



Exposed downlights



CH \*



WH

CH

## DIADO


LED integrated

voltage: 230V	LED 5W 3000K RA>80	
IP20	407 lm	
technical specification	installation place	
	beam angle: 18°	



### COLOUR / NEW INDEX NO.

- MATT WHITE (WH) . . . . . **AZ1454**
- CHROME (CH) . . . . . **AZ1453**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



BK \*



CH

WH



BK

SCORPIO

LED integrated


voltage: 230V	LED 10W 3000K RA>80
IP20	980 lm
technical specification	installation place
	beam angle: 45°



LED

COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . AZ1452
- WHITE (WH) . . . . . AZ1618
- BLACK CHROME (BCH) . . . . . AZ2952





# SANTOS EXPOSED



Exposed downlights



## SANTOS EXPOSED ROUND


LED integrated

voltage: 230V	LED 12W 645lm 3000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 23°	



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3508**
- BLACK (BK) . . . . . **AZ3509**



\* - EXPLANATION SHORTCUT PAGE 2 (6)





CH \*


SIENA 10W 3000K/4000K

LED integrated

voltage: 230V	LED 10W 3000K RA≥90 840lm		<b>LED</b>
IP20	LED 10W 4000K RA≥90 880lm		
technical specification	installation place		
	beam angle: 17°		

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) . . . . . **AZ2214**
- 4000K WHITE (WH) . . . . . **AZ2211**
- 4000K CHROME (CH) . . . . . **AZ2215**



BK \*


SIENA 20W 3000K/4000K

LED integrated

voltage: 230V	LED 20W 3000K RA≥90 1680lm		<b>LED</b>
IP20	LED 20W 4000K RA≥90 1760lm		
technical specification	installation place		
	beam angle: 32°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ2218**
- 3000K CHROME (CH) . . . . . **AZ2220**
- 4000K BLACK (BK) . . . . . **AZ2219**
- 4000K CHROME (CH) . . . . . **AZ2221**



CH



BK



WH



# MONA 12W

Exposed downlights




## MONA 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000/4000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 120°	

### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4538**
- 3000K BLACK (BK) . . . . . **AZ4537**
- 4000K WHITE (WH) . . . . . **AZ4540**
- 4000K BLACK (BK) . . . . . **AZ4539**






**MONA 18W 3000K**

LED integrated

voltage: 230V	LED 18W 1500lm 3000K
IP20	<b>LED</b>
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4546**
- 3000K BLACK (BK) . . . . . **AZ4545**



Exposed downlights



## SKYE 3000K

LED integrated

voltage: 230V	LED 12W 950lm 3000K	
IP20	installation place	
technical specification	beam angle: 60°	



COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4517**
- BLACK (BK) . . . . . **AZ4518**



TILT 40°

ROTATION 360°



\* - EXPLANATION SHORTCUT PAGE 2 (E)





BK \*

**SKYE PENDANT 3000K**

LED integrated

voltage: 230V

LED 12W 950lm 3000K

**LED**

IP20



technical


installation place

specification

beam angle: 60°


COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4522**
- BLACK (BK) . . . . . **AZ4521**



TILT 40°

ROTATION 360°



WH

BK



Exposed downlights




OJOS 1

LED integrated

voltage: 230V	LED 9W 700lm 3000K		
IP20	installation place		
technical specification	beam angle: 24°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4196**
- BLACK (BK) . . . . . **AZ4197**




OJOS 2

LED integrated

voltage: 230V	LED 2x9W 700lm 3000K		
IP20	installation place		
technical specification	beam angle: 24°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4198**
- BLACK (BK) . . . . . **AZ4199**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# TORONTO



Exposed downlights




**TORONTO 1 3000K**

LED integrated

voltage: 230V	LED 10W 700lm 3000K	
IP20	installation place	
technical specification	beam angle: 21°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4070**
- BLACK (BK) . . . . . **AZ4064**



WH



BK




**TORONTO 2 3000K**

LED integrated

voltage: 230V	LED 2x10W 700lm 3000K	
IP20	installation place	
technical specification	beam angle: 21°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4072**
- BLACK (BK) . . . . . **AZ4065**



WH



BK



\* - EXPLANATION SHORTCUT PAGE 2 (E)






**RAFFAEL**

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- CHROME (CH) . . . . . **AZ1624**
- WHITE (WH) . . . . . **AZ1623**
- GOLD (GO) . . . . . **AZ1625**
- BRUSHED COPPER (BCO) . . . . . **AZ1626**
- BLACK (BK) . . . . . **AZ3497**



# NIKEA GU10

Exposed downlights




## NIKEA 1 GU10

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4430**
- WHITE (WH) . . . . . **AZ4431**
- BLACK (BK) . . . . . **AZ4432**




## NIKEA 2 GU10

bulb not included

voltage: 230V	GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4433**
- WHITE (WH) . . . . . **AZ4434**
- BLACK (BK) . . . . . **AZ4435**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





## NIKEA 1 ES111

bulb not included

voltage: 230V	ES111 1x Max 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4436**
- WHITE (WH). . . . . **AZ4437**
- BLACK (BK). . . . . **AZ4438**




## NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) . . . . . **AZ4439**
- WHITE (WH). . . . . **AZ4440**
- BLACK (BK). . . . . **AZ4441**



# PAOLA 230V

Exposed downlights



## PAOLA 1 230V

bulb not included

voltage: 230V	connect 1x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4128**
- BLACK (BK) . . . . . **AZ4130**





## PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4132**
- BLACK (BK) . . . . . **AZ4134**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# PAOLA 230V

Exposed downlights

157



# PAULO 12V

Exposed downlights



WH / WH \*


## PAULO 1 12V

bulb not included

voltage: 12V	connect G53 QR 111 1x12V
IP20	driver 12 V included
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE / WHITE (WH / WH) . . . . . **AZ1790**



TILT 45°



\* - EXPLANATION SHORTCUT PAGE 2 (E)



**PAULO 1 230V**


bulb not included

voltage: 230V	Bulbs and connector types are shown on the pages 70-71
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK / ALUMINIUM (BK / ALU) . . . **AZ0959**

WHITE / ALUMINIUM (WH / ALU) . . . **AZ0960**



TILT 45°



**PAULO 3 230V**


bulb not included

voltage: 230V	Bulbs and connector types are shown on the pages 70-71
IP20	
	installation place <input type="checkbox"/>


COLOUR / NEW INDEX NO.

BLACK / ALUMINIUM (BK / ALU) . . . **AZ0965**

WHITE / ALUMINIUM (WH / ALU) . . . **AZ0964**














TILT 45°



# PAULO 230V BULBS GU10 SYSTEM

Exposed downlights

Paulo 230V	+	PAR-16	+	Bulb	=	Result		
LAMP BODY		ADAP111		GU10				
	+		+		=	LAMP BODY		
PAULO 1							+	
	+						=	PAR-16
PAULO 2								+
	+				=	BULB		
PAULO 3								
	+				=	Paulo 230V GU10		
PAULO 4				Bulb GU10		7W dimmable		
				Bulb GU10		7W no dimmable		






Paulo 230V	+	Bulb	=	Result	
LAMP BODY		ES111		LAMP BODY + BULB =	
	+		=	Paulo 230V ES111	
PAULO 1			ES111 CH		12W dimmable 3000K
	+		ES111 CH		12W dimmable 4000K
PAULO 2			ES111 CH		12W no dimmable 3000K
	+		ES111 CH		12W no dimmable 4000K
PAULO 3			ES111 WH		15W dimmable 3000K
	+		ES111 WH		15W dimmable 4000K
PAULO 4			ES111 BK		15W dimmable 3000K
		ES111 BK		15W dimmable 4000K	

\* - EXPLANATION SHORTCUT PAGE 2 (E)



# PAULO 12V BULBS QR111 SYSTEM

Exposed downlights

Paulo 12V	+		=	Result
LAMP BODY				LAMP BODY + BULB =
 <p>PAULO 1</p>	+			
 <p>PAULO 2</p>	+			
 <p>PAULO 3</p>	+		=	Paulo 12V QR111 BK 17W no dimmable 3000K
 <p>PAULO 4</p>	+		=	Paulo 12V QR111 BK 17W no dimmable 4000K
			=	Paulo 12V QR111 WH 17W no dimmable 3000K
			=	Paulo 12V QR111 WH 17W no dimmable 4000K
			=	Paulo 12V QR111 CH 12W no dimmable 3000K
			=	Paulo 12V QR111 CH 12W no dimmable 4000K






# ALIX

Exposed downlights




## ALIX

bulb not included 

voltage: 12V	connect 1x QR111 MAX 50W 
IP20	dimer driver 12V – included
	installation place 

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1356**
- BLACK (BK) . . . . . **AZ1357**






\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*


**ALEX**

bulb not included 

voltage: 12V	connect 1x QR111 MAX 50W 
IP20	dimer driver 12V – included
	installation place 

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1359**
- BLACK (BK) . . . . . **AZ1358**





# ECO ALIX NEW 230V

Exposed downlights



BK \*


## ECO ALIX NEW 230V

bulb not included 

voltage: 230V	LED ES111 1x Max 35W 
IP20	
	installation place 

### COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3492**
- BLACK (BK) . . . . . **AZ3493**
- BLACK CHROME (BK) . . . . . **AZ3494**
- CHROME (CH) . . . . . **AZ3495**
- ANTIQUE GOLD (AG) . . . . . **AZ3496**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# ALIX 230V

Exposed downlights



WH \*




WH

BK


## ALIX 230V

bulb not included 

voltage: 230V	LED connect 1x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3541**
- BLACK (BK) . . . . . **AZ3540**



# ECO ALIX

Exposed downlights




## ECO ALIX V2.

bulb not included

voltage: 230V	ES111 1x Max. 16W	
IP20		
	installation place	<input type="checkbox"/>


COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4320**
- BLACK (BK) . . . . . **AZ4319**



\* - EXPLANATION SHORTCUT PAGE 2 (E)

new





**ECO ALEX V.2**

bulb not included

voltage: 230V	ES111 1 x MAX 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4318**
- BLACK (BK) . . . . . **AZ4317**





# JERRY 12V

Exposed downlights



CH \*


## JERRY 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1364**
- BLACK (BK) . . . . . **AZ1365**
- CHROME (CH) . . . . . **AZ1752**



BK \*


## JERRY 2 12V

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1369**
- BLACK (BK) . . . . . **AZ1368**
- CHROME (CH) . . . . . **AZ1751**



BK \*


## JERRY 3 12V

bulb not included

voltage: 12V	connect 3x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1723**
- BLACK (BK) . . . . . **AZ1724**
- CHROME (CH) . . . . . **AZ1750**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





WH \*


## JERRY 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
installation place		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1366**
- BLACK (BK) . . . . . **AZ1367**



BK \*


## JERRY 2 230V

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
installation place		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1371**
- BLACK (BK) . . . . . **AZ1370**



WH \*



## JERRY 3 230V

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
installation place		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ1885**
- BLACK (BK) . . . . . **AZ1886**



# MAX 12V / MAX 230V

Exposed downlights




**MAX 1 12V**

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) . . . . . **AZ1372**




**MAX 1 230V**

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W	
IP20	or ADAP111 + GU10 Max 40W	
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) . . . . . **AZ1373**




**MAX 2 12V**

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W	
IP20	dimer driver 12V – included	
	installation place	

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) . . . . . **AZ1375**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# MATEO

172

Exposed downlights



WH \*

## MATEO S


LED integrated

voltage: 230V	LED 7W 3000K RA>80 520lm	
IP20	520 lm	
technical specification	installation place	
	beam angle: 110°	



COLOUR / NEW INDEX NO.

MATT WHITE (WH) . . . . . **AZ1455**



WH \*

## MATEO M


LED integrated

voltage: 230V	LED 9W 3000K RA>80	
IP20	710 lm	
technical specification	installation place	
	beam angle: 112°	




COLOUR / NEW INDEX NO.

MATT WHITE (WH) . . . . . **AZ1456**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





BK \*



**MOMO 8 3000K**

LED integrated

voltage: 230V	LED 6W 3000K RA≥90 500lm	
IP20	installation place	
technical specification	beam angle: 88°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2278**
- BLACK (BK) . . . . . **AZ2279**



BK \*



**MOMO 12 3000K**

LED integrated

voltage: 230V	LED 12W 3000K RA≥90 1000lm	
IP20	installation place	
technical specification	beam angle: 89°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2280**
- BLACK (BK) . . . . . **AZ2281**



WH \*


**MOMO 14 3000K**

LED integrated

voltage: 230V	LED 18W 3000K RA≥90 1500lm	
IP20	installation place	
technical specification	beam angle: 90°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2282**
- BLACK (BK) . . . . . **AZ2283**



# MALTA R

Exposed downlights



**MALTA R 18 3000K / 4000K**

LED integrated

voltage: 230V	LED 12W 1100lm 3000K	
IP20	LED 12W 1150lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4233**
- 3000K BLACK (BK) . . . . . **AZ4235**
- 4000K WHITE (WH) . . . . . **AZ4234**
- 4000K BLACK (BK) . . . . . **AZ4236**



**MALTA R 23 3000K / 4000K**

LED integrated

voltage: 230V	LED 18W 1600lm 3000K	
IP20	LED 18W 1650lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4237**
- 3000K BLACK (BK) . . . . . **AZ4239**
- 4000K WHITE (WH) . . . . . **AZ4238**
- 4000K BLACK (BK) . . . . . **AZ4240**




**MALTA R 30 3000K / 4000K**

LED integrated

voltage: 230V	LED 24W 2200lm 3000K	
IP20	LED 24W 2200lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4241**
- 3000K BLACK (BK) . . . . . **AZ4243**
- 4000K WHITE (WH) . . . . . **AZ4242**
- 4000K BLACK (BK) . . . . . **AZ4244**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# MALTA R

Exposed downlights



**MALTA R 40 3000K / 4000K**

LED integrated

voltage: 230V	LED 32W 2700lm 3000K		
IP20	LED 32W 2750lm 4000K		
technical specification	installation place		
	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4245**
- 3000K BLACK (BK) . . . . . **AZ4247**
- 4000K WHITE (WH) . . . . . **AZ4246**
- 4000K BLACK (BK) . . . . . **AZ4248**





**MALTA R 50 3000K / 4000K**

LED integrated

voltage: 230V	LED 42W 3200lm 3000K		
IP20	LED 42W 3400lm 4000K		
technical specification	installation place		
	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4249**
- 3000K BLACK (BK) . . . . . **AZ4251**
- 4000K WHITE (WH) . . . . . **AZ4250**
- 4000K BLACK (BK) . . . . . **AZ4252**




**MALTA R 60 3000K / 4000K**

LED integrated

voltage: 230V	LED 48W 4100lm 3000K		
IP20	LED 48W 4400lm 4000K		
technical specification	installation place		
	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ4253**
- 3000K BLACK (BK) . . . . . **AZ4255**
- 4000K WHITE (WH) . . . . . **AZ4254**
- 4000K BLACK (BK) . . . . . **AZ4256**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# MONZA R TOP

Exposed downlights



**MONZA R 8 3000K/ 4000K**

LED integrated

voltage: 230V	LED 5W 3000K RA $\geq$ 90 420lm	
IP20	LED 5W 4000K RA $\geq$ 90 590lm	
technical specification	installation place	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2253**
- 3000K BLACK (BK) . . . . . **AZ2255**
- 4000K WHITE (WH) . . . . . **AZ2252**
- 4000K BLACK (BK) . . . . . **AZ2254**



**MONZA R 12 3000K/ 4000K**

LED integrated

voltage: 230V	LED 10W 3000K RA $\geq$ 90 840lm	
IP20	LED 10W 4000K RA $\geq$ 90 1020lm	
technical specification	installation place	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2257**
- 3000K BLACK (BK) . . . . . **AZ2259**
- 4000K WHITE (WH) . . . . . **AZ2256**
- 4000K BLACK (BK) . . . . . **AZ2258**




**MONZA R 22 3000K/ 4000K**

LED integrated

voltage: 230V	LED 20W 3000K RA $\geq$ 90 1680lm	
IP20	LED 20W 4000K RA $\geq$ 90 1760lm	
technical specification	installation place	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2261**
- 3000K BLACK (BK) . . . . . **AZ2263**
- 4000K WHITE (WH) . . . . . **AZ2260**
- 4000K BLACK (BK) . . . . . **AZ2262**




**MONZA R 40 3000K/ 4000K**

LED integrated

voltage: 230V	LED 50W 3000K RA $\geq$ 90 4200lm	
IP20	LED 50W 4000K RA $\geq$ 90 4400lm	
technical specification	installation place	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2265**
- 3000K BLACK (BK) . . . . . **AZ2267**
- 4000K WHITE (WH) . . . . . **AZ2264**
- 4000K BLACK (BK) . . . . . **AZ2266**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



## MONZA R PENDANT 40

LED integrated

voltage: 230V

IP20

technical

specification



LED 50W 3000K RA $\geq$ 90 4200lm

LED 50W 4000K RA $\geq$ 90 4400lm


installation place

beam angle: 120°

**LED**

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ2277**
- 4000K WHITE (WH) . . . . . **AZ2570**
- 4000K BLACK (BK) . . . . . **AZ2496**



# MONZA II R SCREWLESS BODY

Exposed downlights




**MONZA II R 17 3000K/ 4000K**

LED integrated

voltage: 230V	LED 18W 1890lm 3000K		
IP20	LED 18W 1890lm 4000K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3791**
- 3000K BLACK (BK) . . . . . **AZ3790**
- 4000K WHITE (WH) . . . . . **AZ3793**
- 4000K BLACK (BK) . . . . . **AZ3792**




**MONZA II R 30 3000K/ 4000K**

LED integrated

voltage: 230V	LED 36W 3500lm 3000K		
IP20	LED 36W 3500lm 4000K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3795**
- 3000K BLACK (BK) . . . . . **AZ3794**
- 4000K WHITE (WH) . . . . . **AZ3796**
- 4000K BLACK (BK) . . . . . **AZ3796**




**MONZA II R 40 3000K/ 4000K DIMM**

LED integrated

voltage: 230V	LED 46W 4508lm 3000K		
IP20	LED 46W 4508lm 4000K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3799**
- 3000K BLACK (BK) . . . . . **AZ3798**
- 4000K WHITE (WH) . . . . . **AZ3801**
- 4000K BLACK (BK) . . . . . **AZ3800**




**MONZA II R 50 3000K/ 4000K DIMM**

LED integrated

voltage: 230V	LED 74W 6120lm 3000K		
IP20	LED 74W 6120lm 4000K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3675**
- 3000K BLACK (BK) . . . . . **AZ3674**
- 4000K WHITE (WH) . . . . . **AZ3677**
- 4000K BLACK (BK) . . . . . **AZ3676**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





**MONZA II R 60 3000K/ 4000K DIMM**

LED integrated

voltage: 230V

IP20

technical

specification



LED 90W 7520lm 3000K

LED 90W 7520lm 4000K


installation place

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3679**
- 3000K BLACK (BK) . . . . . **AZ3678**
- 4000K WHITE (WH) . . . . . **AZ3681**
- 4000K BLACK (BK) . . . . . **AZ3680**



**MONZA PENDANT ACCESORIES\*\***

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3453**
- BLACK (BK) . . . . . **AZ3454**



\*\* - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



# MONZA SQUARE



Exposed downlights



WH \*


**MONZA S 22 3000K/ 4000K**

LED integrated

voltage: 230V	LED 20W 3000K RA≥90 1680lm	<b>LED</b>
IP20	LED 20W 4000K RA≥90 1760lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2269**
- 3000K BLACK (BK) . . . . . **AZ2271**
- 4000K WHITE (WH) . . . . . **AZ2268**
- 4000K BLACK (BK) . . . . . **AZ2270**



WH \*



**MONZA S 40 3000K/ 4000K**

LED integrated

voltage: 230V	LED 50W 3000K RA≥90 4200lm	<b>LED</b>
IP20	LED 50W 4000K RA≥90 4400lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ2273**
- 3000K BLACK (BK) . . . . . **AZ2275**
- 4000K WHITE (WH) . . . . . **AZ2272**
- 4000K BLACK (BK) . . . . . **AZ2274**



BK

WH




\* - EXPLANATION SHORTCUT PAGE 2 (E)



# MONZA II SQUARE SCREWLESS BODY

Exposed downlights




**MONZA II S 17 3000K/ 4000K**

LED integrated

voltage: 230V	LED 18W 1890lm 3000K		<b>LED</b>
IP20	LED 18W 1940lm 4000K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) . . . . . **AZ3682**
- 4000K WHITE (WH) . . . . . **AZ3685**
- 4000K BLACK (BK) . . . . . **AZ3684**




**MONZA II S 30 3000K/ 4000K**

LED integrated

voltage: 230V	LED 36W 3500lm 3000K		<b>LED</b>
IP20	LED 36W 3550lm 4000K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3687**
- 3000K BLACK (BK) . . . . . **AZ3686**
- 4000K WHITE (WH) . . . . . **AZ3689**
- 4000K BLACK (BK) . . . . . **AZ3688**




**MONZA II S 40 3000K/ 4000K**

LED integrated

voltage: 230V	LED 46W 4508lm 3000K		<b>LED</b>
IP20	LED 46W 4508lm 4000K		
technical specification	installation place		
	beam angle: 120°		


COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3691**
- 3000K BLACK (BK) . . . . . **AZ3690**
- 4000K WHITE (WH) . . . . . **AZ3693**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





## MONZA II S 50 3000K/ 4000K DIMM

LED integrated

voltage: 230V

LED 74W 6120lm 3000K

IP20

LED 74W 6120lm 4000K

**LED**

technical

installation place


specification

beam angle: 120°



### COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) . . . . . **AZ3695**
- 3000K BLACK (BK) . . . . . **AZ3694**
- 4000K WHITE (WH) . . . . . **AZ3698**
- 4000K BLACK (BK) . . . . . **AZ3697**



# MONZA R CCT + REMOTE CONTROLE



Exposed downlights




**MONZA R 22 CCT + REMOTE CONTROL DIMM**

LED integrated

voltage: 230V	LED 20W 1400lm CCT DIMM	
IP20		
technical specification	installation place	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4758**
- WHITE (WH) . . . . . **AZ4757**
- CHAMPAGNE (CHA) . . . . . **AZ4756**




**MONZA R 30 CCT + REMOTE CONTROL DIMM**

LED integrated

voltage: 230V	LED 30W 2100lm CCT DIMM	
IP20		
technical specification	installation place	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4761**
- WHITE (WH) . . . . . **AZ4760**
- CHAMPAGNE (CHA) . . . . . **AZ4759**




**MONZA R 40 CCT + REMOTE CONTROL DIMM**

LED integrated

voltage: 230V	LED 50W 3500lm CCT DIMM	
IP20		
technical specification	installation place	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4764**
- WHITE (WH) . . . . . **AZ4763**
- CHAMPAGNE (CHA) . . . . . **AZ4762**




**MONZA R 50 CCT + REMOTE CONTROL DIMM**

LED integrated

voltage: 230V	LED 80W 5500lm CCT DIMM	
IP20		
technical specification	installation place	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4767**
- WHITE (WH) . . . . . **AZ4766**
- CHAMPAGNE (CHA) . . . . . **AZ4765**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



**MONZA PENDANT ACCESORIES\*\***

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3453**
- BLACK (BK) . . . . . **AZ3454**
- CHAMPAGNE (CHA) . . . . . **AZ4830**



Time of confirmation of settings from the remote control is 10s

\*\* - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM

# MONZA S CCT + REMOTE CONTROLE

Exposed downlights



**MONZA S 22 CCT + REMOTE CONTROL DIMM**

LED integrated

voltage: 230V	LED 20W 1400lm CCT DIMM		<b>LED</b>
IP20	technical specification		
technical specification	installation place		
	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4770**
- WHITE (WH) . . . . . **AZ4769**
- CHAMPAIGNE (CHA) . . . . . **AZ4768**




**MONZA S 30 CCT + REMOTE CONTROL DIMM**

LED integrated

voltage: 230V	LED 30W 2100lm CCT DIMM		<b>LED</b>
IP20	technical specification		
technical specification	installation place		
	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4773**
- WHITE (WH) . . . . . **AZ4772**
- CHAMPAIGNE (CHA) . . . . . **AZ4771**





**MONZA S 40 CCT + REMOTE CONTROL DIMM**

LED integrated

voltage: 230V	LED 50W 3500lm CCT DIMM		<b>LED</b>
IP20	technical specification		
technical specification	installation place		
	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) . . . . . **AZ4776**
- WHITE (WH) . . . . . **AZ4775**
- CHAMPAIGNE (CHA) . . . . . **AZ4774**



Time of confirmation of settings from the remote control is 10s


\* - EXPLANATION SHORTCUT PAGE 2 (E)





# FALCO 12 3000K/4000K

Exposed downlights





**FALCO 12 3000K**

LED integrated

voltage: 230V	LED 12W 1020lm 3000K	
IP20	installation place	
technical specification	beam angle: 114°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2780**
- BLACK (BK) . . . . . **AZ2782**




**FALCO 12 4000K**

LED integrated

voltage: 230V	LED 12W 1020lm 4000K	
IP20	installation place	
technical specification	beam angle: 114°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2781**
- BLACK (BK) . . . . . **AZ2783**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



WH \*

## PIENZA DIMM 3000K

LED integrated

voltage: 230V

IP20

technical specification



LED 24W 1800lm 3000K dimm





installation place

beam angle: 107°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2719**
- GREY (GR) . . . . . **AZ2721**



GR \*

## PIENZA DIMM 4000K

LED integrated

voltage: 230V

IP20

technical specification



LED 24W 1900lm 4000K dimm




installation place

beam angle: 107°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2718**
- GREY (GR) . . . . . **AZ2720**
- BLACK (BK) . . . . . **AZ2722**



WH \*

GR \*

BK \*



# JUNONA 3000K/4000K



Exposed downlights



CH \*


## JUNONA 28 3000K/4000K

LED integrated

voltage: 230V	LED 10W 800lm 3000/4000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) . . . . . **AZ2746**
- CHROME (CH-3000K) . . . . . **AZ2747**



CH \*


## JUNONA 33 3000K/4000K

LED integrated

voltage: 230V	LED 18W 1250lm 3000/4000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) . . . . . **AZ2748**
- CHROME (CH-3000K) . . . . . **AZ2749**



CH \*


## JUNONA 38 3000K/4000K

LED integrated

voltage: 230V	LED 24W 1660lm 3000/4000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) . . . . . **AZ2750**
- CHROME (CH-3000K) . . . . . **AZ2751**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# COLLODI 48 CCT + REMOTE CONTROLE



Exposed downlights



## COLLODI 48 CCT + REMOTE CONTROLE


LED integrated

voltage: 230V	CCT LED 50W 3400lm	
IP20	2700 ÷ 6500K	
technical	installation place	<input type="checkbox"/>
specification	beam angle: 120°	



COLOUR / NEW INDEX NO.

- BEIGE (BE) ..... **AZ2716**
- GREY (GR) ..... **AZ2717**



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# QUADRO 50 CCT + REMOTE CONTROLE



Exposed downlights



GO \*

## QUADRO 50 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V

LED 60W 5600lm

**LED**

IP20

2700K-6500K dimm

technical

installation place



specification

beam angle: 111°



COLOUR / NEW INDEX NO.


- SILVER (SL) . . . . . **AZ2758**
- BLACK (BK) . . . . . **AZ2759**
- GOLD (GO) . . . . . **AZ2760**



SL

BK

GO



\* - EXPLANATION SHORTCUT PAGE 2 (E)





WH \*

**SONA 47 CCT LED (2700 ÷ 6500K)**

LED integrated

voltage: 230V

IP20

technical

specification



LED 45W 3600lm

2700 ÷ 6500K dimm

installation place

beam angle: 123°

**LED**

COLOUR / NEW INDEX NO.

WHITE (WH) . . . . . **AZ2761**



47



WH \*

**SONA 55 CCT LED (2700 ÷ 6500K)**

LED integrated

voltage: 230V

IP20

technical

specification



LED 45W 3600lm

2700 ÷ 6500K dimm

installation place

beam angle: 120°

**LED**


COLOUR / NEW INDEX NO.

WHITE (WH) . . . . . **AZ2763**



55

**LED**  
DIMPOWER



# CORTONA 3000K/4000K



Exposed downlights




**CORTONA 41 3000K**

LED integrated

voltage: 230V	LED 24W 1840lm 3000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 116°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2732**
- GREY (GR) . . . . . **AZ2735**
- BLACK (BK) . . . . . **AZ2737**




**CORTONA 41 4000K**

LED integrated

voltage: 230V	LED 24W 1860lm 4000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 116°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2730**
- GREY (GR) . . . . . **AZ2733**
- BLACK (BK) . . . . . **AZ2736**




**CORTONA 55 3000K**

LED integrated

voltage: 230V	LED 50 3600lm 3000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 114°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2741**
- GREY (GR) . . . . . **AZ2743**
- BLACK (BK) . . . . . **AZ2745**




**CORTONA 55 4000K**

LED integrated

voltage: 230V	LED 50W 3620lm 4000K	<b>LED</b>
IP20	installation place	
technical specification	beam angle: 114°	

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2739**
- GREY (GR) . . . . . **AZ2742**
- BLACK (BK) . . . . . **AZ2744**



\* - EXPLANATION SHORTCUT PAGE 2 (E)



# SOVANA TOP CCT + REMOTE CONTROLE

200

Exposed downlights



GR \*


## SOVANA TOP 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm		<b>LED</b>
IP20	2700 ÷ 6500K dimm		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3433**
- GREY (GR) . . . . . **AZ3435**
- BLACK (BK) . . . . . **AZ3434**



WH \*


## SOVANA TOP 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm		<b>LED</b>
IP20	3000 ÷ 6500K dimm		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2724**
- GREY (GR) . . . . . **AZ2725**
- BLACK (BK) . . . . . **AZ2726**



BK \*


## SOVANA TOP 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm		<b>LED</b>
IP20	2700 ÷ 6500K dimm		
technical specification	installation place		
	beam angle: 130°		

COLOUR / NEW INDEX NO.


- WHITE (WH) . . . . . **AZ3445**
- GREY (GR) . . . . . **AZ3447**
- BLACK (BK) . . . . . **AZ3446**



WH \*

GR \*

BK \*



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# SOVANA PENDANT CCT + REMOTE CONTROLE



Exposed downlights



GR \*


## SOVANA PENDANT 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm		<b>LED</b>
IP20	2700 ÷ 6500K dimm		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3436**
- GREY (GR) . . . . . **AZ3438**
- BLACK (BK) . . . . . **AZ3437**



BK \*


## SOVANA PENDANT 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm		<b>LED</b>
IP20	2700 ÷ 6500K dimm		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ2727**
- GREY (GR) . . . . . **AZ2729**
- BLACK (BK) . . . . . **AZ2728**



BK \*


## SOVANA PENDANT 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm		<b>LED</b>
IP20	2700 ÷ 6500K dimm		
technical specification	installation place		
	beam angle: 130°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ3448**
- GREY (GR) . . . . . **AZ3450**
- BLACK (BK) . . . . . **AZ3449**



WH \*

GR \*

BK \*



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# GALILEO 1 PENDANT

204

Exposed downlights




## GALILEO 1 PENDANT 3000K

LED integrated

voltage: 230V	LED 15W 750lm 3000K	
IP20		
technical specification		installation place adjustable beam angle: 12°÷ 35°

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4068**
- BLACK (BK) . . . . . **AZ4069**



12° 35°

ADJUSTABLE BEAM ANGLE



\* - EXPLANATION SHORTCUT PAGE 2 (E)





# LINNEA PENDANT CCT SWITCH

Exposed downlights




**LINNEA 112 PENDANT CCT SWITCH**

LED integrated

voltage: 230V	LED 48W 2700lm		
IP20	3000K/4000K/5500K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4570**
- BLACK (BK) . . . . . **AZ4569**





**LINNEA 140 PENDANT CCT SWITCH**

LED integrated

voltage: 230V	LED 54W 3100lm		
IP20	3000K/4000K/5500K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) . . . . . **AZ4572**
- BLACK (BK) . . . . . **AZ4571**



\* - EXPLANATION SHORTCUT PAGE 2 (E)







**EXCLUSIVE**  
DOWNLIGHTS



# EXCLUSIVE

## downlights



- 210 SIMON
- 212 MIRA
- 213 CLOE
- 214 EVA
- 216 PIRAMIDE
- 217 CLETO
- 218 ADAMO
- 219 ADAMO RING
- 220 ADAMO DIAMOND
- 222 LUCIANO
- 223 BIAGIO
- 224 LORENZA
- 225 LORENZO
- 226 ESTER ROUND
- 228 ESTER SQUARE
- 230 VEKTOR ROUND
- 231 VEKTOR SQUARE
- 232 MARIKA
- 233 ELEGANT BULB



WH-MATT \*


**SIMON ROUND**

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening  Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) . . . . . **AZ1473**
- CHROME (CH) . . . . . **AZ1614**
- BLACK CHROME (BCH) . . . . . **AZ1613**



WH-MATT \*


**SIMON SQUARE**

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening  Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) . . . . . **AZ1474**
- CHROME (CH) . . . . . **AZ1616**
- BLACK CHROME (BCH) . . . . . **AZ1615**



\* - EXPLANATION SHORTCUT PAGE 2 (E)

