


MIRA

Exclusive downlights




MIRA

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> Ø 7cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1464**
- CHROME (CH). **AZ1619**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *


CLOE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> Ø 6,5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1466**



EVA

Exclusive downlights



CH *


EVA ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening  Ø 6,5cm




CH



GO

COLOUR / NEW INDEX NO.

-  GOLD (GO) **AZ1459**
-  CHROME (CH) **AZ1458**



CH *


EVA SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening  Ø 6,5cm

COLOUR / NEW INDEX NO.

-  CHROME (CH) **AZ1460**




CH

* - EXPLANATION SHORTCUT PAGE 2 (E)



PIRAMIDE

Exclusive downlights



CH *



PIRAMIDE L

bulb not included

voltage: 230V IP20	connect GU10 1x Max 50W
	installation place
	inlet opening Ø 7,0cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1611**
- CHROME (CH) **AZ1463**



GO *


PIRAMIDE XL

bulb not included

voltage: 230V IP20	connect GU10 1x Max 50W
	installation place
	inlet opening Ø 7,0cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1462**
- CHROME (CH) **AZ1612**



GO




CH



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *



CH

GO


CLETO

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 7,0cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1621**
- GOLD (GO) **AZ1622**



ADAMO MIDST

Exclusive downlights



BK MATT *



WH

CH

BK-CHROME

GO

BK-MATT


ADAMO MIDST

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1483**
- CHROME (CH) **AZ1481**
- BLACK CHROME (BCH) **AZ1480**
- BLACK MATT (BK) **AZ2562**
- GOLD (GO) **AZ1482**



WH-MATT / CH

CH / CH

SBK / CH

GO / BK

BK-CHROME / CH

WH-MATT / GO

WH-MATT / BK

CH / BK

SBK / BK

GO / WH

BK-CHROME / WH

SBK / BK-CHROME

WH-MATT / WH

CH / WH

SBK / WH

GO / GO

BK-CHROME / GO

SBK / GO

* - EXPLANATION SHORTCUT PAGE 2 (E)



BK-CHROME / BK-MATT / CH / GO / WH-MATT *


ADAMO RING

bulb not included

voltage: 0V	accessory for Adamo Midst and Adamo Diamond
IP20	
aluminium	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1487**
- CHROME (CH) **AZ1485**
- BLACK CHROME (BCH) **AZ1484**
- BLACK MATT (BK) **AZ2567**
- GOLD (GO) **AZ1486**



ADAMO DIAMOND

Exclusive downlights



CH *


ADAMO MIDST DIAMOND CH

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ2734**



BCH *


ADAMO MIDST DIAMOND BCH

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

BLACK CHROME (BCH) **AZ2731**



WH *


ADAMO MIDST DIAMOND WH

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ2738**



GO *


ADAMO MIDST DIAMOND GO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

GOLD (GO) **AZ2740**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ADAMO DIAMOND

Exclusive downlights



LUCIANO

Exclusive downlights





LUCIANO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	
	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> Ø 7cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1471**
- WHITE (WH) **AZ1472**




LUCIANO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	
	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> Ø 7cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1470**
- WHITE (WH) **AZ1549**



* - EXPLANATION SHORTCUT PAGE 2 (E)




CH *

BIAGIO

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
installation place	
inlet opening Ø 6,5cm	

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1493**
- CHROME (CH). **AZ1492**



GO



LORENZA

Exclusive downlights




LORENZA

bulb not included


voltage: 230V	connect GU10 1x Max 50W
IP20	installation place
	inlet opening Ø 7cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1476**
- CHROME (CH) **AZ1475**
- BLACK (BK) **AZ4174**



* - EXPLANATION SHORTCUT PAGE 2 (E)




LORENZO

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> 7cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1496**
- CHROME (CH) **AZ1617**
- BLACK (BK) **AZ4173**



ESTER ROUND

Exclusive downlights




ESTER ROUND 1

		bulb not included
voltage: 230V	connect GU10 1x Max 50W	
IP20		
installation place		
inlet opening		Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1449**
- GOLD (GO) **AZ1450**
- BLACK (BK) **AZ4175**




ESTER ROUND 2

		bulb not included
voltage: 230V	connect GU10 1x Max 50W	
IP20		
installation place		
inlet opening		Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1451**
- GOLD (GO) **AZ2467**
- BLACK (BK) **AZ4176**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ESTER ROUND

Exclusive downlights

227



ESTER SQUARE

Exclusive downlights





ESTER SQUARE 1

voltage: 230V		connect GU10 1x Max 50W		bulb not included <input checked="" type="checkbox"/>
IP20		installation place		<input type="checkbox"/>
		inlet opening		<input checked="" type="checkbox"/> 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4410**
- GOLD (GO) **AZ4412**
- BLACK (BK) **AZ4411**




ESTER SQUARE 2

voltage: 230V		connect GU10 1x Max 50W		bulb not included <input checked="" type="checkbox"/>
IP20		installation place		<input type="checkbox"/>
		inlet opening		<input checked="" type="checkbox"/> 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4413**
- GOLD (GO) **AZ4415**
- BLACK (BK) **AZ4414**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ESTER SQUARE

Exclusive downlights

229



VEKTOR ROUND

Exclusive downlights



CLEAR GLASS *


VEKTOR ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening  Ø 6,5cm

COLOUR / NEW INDEX NO.

CLEAR GLASS **AZ1494**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CLEAR GLASS *



VEKTOR SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlet opening	<input type="checkbox"/> Ø 6,5cm

COLOUR / NEW INDEX NO.

CLEAR GLASS **AZ1495**



MARIKA

Exclusive downlights




MARIKA

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input type="checkbox"/>
	inlet opening	Ø 8cm

COLOUR / NEW INDEX NO.

- ROSE GOLD (RG) **AZ2208**
- ANTIQUE BROWN (AB) **AZ2209**






CH *

ELEGANT LED GU10 7W 3000K/4000K


voltage: 230V	GU10 7W 230V RA>90	
IP20		

COLOUR / NEW INDEX NO.

-  3000K (CHROME) **AZ2227**
-  4000K (CHROME) **AZ2226**




**ELEGANT BULB LED GU10 7W
 DEDICATED
 FOR EXCLUSIVE DOWNLIGHTS SERIES**



DOWNLIGHTS

DOWNlights


- 236 AIDA ROUND
- 237 AIDA SQUARE
- 238 GALATA IP44
- 239 KASTORIA IP44
- 240 LAMIR R IP44
- 241 LAMIR 17
- 242 SLIM SQUARE
- 244 SLIM ROUND
- 247 OKA
- 248 FILL ROUND
- 249 FILL SQUARE
- 250 MONA SPOT 12W
- 251 MONA SPOT 18W
- 252 FRIDA
- 254 TORONTO 15W SPOT
- 255 BOSTON 10W ROUND
- 256 COSTA
- 257 LINA
- 258 LUNA 15W
- 259 LUNA 7W
- 260 LINZ
- 261 UNA
- 262 OSCAR IP44
- 263 TITO IP54
- 264 EMILIO IP54
- 265 EZIO IP54
- 266 PABLO IP54
- 267 IKA IP65
- 268 CESAR
- 269 REMO 1 DOWNLIGHT
- 270 HUGO DOWNLIGHT
- 272 CARLO
- 273 EDITTA
- 274 IVO
- 275 IVO SQUARE
- 276 PACO
- 277 PIO
- 278 CARO ROUND
- 279 CARO SQUARE
- 280 IBIZA
- 281 REMI
- 282 MINORKA
- 284 MILET
- 285 ITAKA
- 286 SAVIO
- 287 GELO
- 288 NEMO
- 289 ERIKA
- 290 SIRO
- 291 SISTO
- 292 STAN
- 293 TORRES
- 294 VERDI
- 296 NOVA
- 297 NOVA GIPS
- 298 HERA GIPS SQUARE
- 299 HERA GIPS ROUND



AIDA ROUND

236

Downlights



BK *

AIDA ROUND 10W 3000K

LED integrated

voltage: 230V

LED 10W 700lm 3000K

LED

IP20




technical specification

installation place inlet opening 9,2cm

beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4218**
- BLACK (BK) **AZ4220**



Ø 10



WH *

AIDA ROUND 16W 3000K

LED integrated

voltage: 230V

LED 16W 1300lm 3000K

LED

IP20



technical specification

installation place inlet opening 13cm


beam angle: 100°

COLOUR / NEW INDEX NO.


- WHITE (WH) **AZ4222**
- BLACK (BK) **AZ4224**



Ø 14,5



* - EXPLANATION SHORTCUT PAGE 2 (E)



AIDA SQUARE 10W 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP20

LED

technical specification






installation place inlet opening 9,2x9,2cm

beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4226**
- BLACK (BK) **AZ4227**



AIDA SQUARE 16W 3000K

LED integrated

voltage: 230V

LED 16W 1300lm 3000K

IP20

LED

technical specification




installation place inlet opening 13x13cm

beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4228**
- BLACK (BK) **AZ4229**



GALATA IP44



238

Downlights



GALATA R IP44 3000K / 4000K


LED integrated

voltage: 230V	LED 9W 700lm 3000K	LED
IP44	LED 9W 700lm 4000K	
technical specification	installation place	inlet opening 6,3cm
	beam angle: 120°	



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4380**
- 3000K BLACK (BK) **AZ4379**
- 4000K WHITE (WH) **AZ4382**
- 4000K BLACK (BK) **AZ4381**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *



CH



BK



GO

KASTORIA IP44

LED integrated

voltage: 230V

LED 7W 550lm 3000K

LED

IP44




technical specification

installation place inlet opening 4,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4391**
- BLACK (BK) **AZ4389**
- GOLD (GO) **AZ4390**



LAMIR R IP44



Downlights



LAMIR R 9 IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K		
IP44	LED 9W 700lm 4000K		
technical specification	installation place <input type="checkbox"/> inlet opening 6,8cm		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4384**
- 4000K WHITE (WH) **AZ4383**




LAMIR R 12 IP44 3000K / 4000K

LED integrated


voltage: 230V	LED 16W 1300lm 3000K		
IP44	LED 16W 1300lm 4000K		
technical specification	installation place <input type="checkbox"/> adj. inlet: 7,5÷9,6cm		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4385**
- 4000K WHITE (WH) **AZ4386**



Adjusting the position of the wings in relation to the diameter of the hole, the range of the size of the hole from (inlet opening)



Lamir R9 – no adjustable wings

Lamir R12 (adjustable the position of the wings) – 7,5÷9,6cm

Lamir R17 and S17 (adjustable the position of the wings) – 7,4÷15,1cm

* - EXPLANATION SHORTCUT PAGE 2 (E)



LAMIR S 17 DIMM IP44 3000K / 4000K

+ REMOTE CONTROL

LED integrated

voltage: 230V

LED 22W DIMM 1800lm 3000K DIMM



IP44



LED 22W DIMM 1800lm 4000K DIMM



technical specification

installation place adjust. inlet: 7,4÷15,1cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4388**
- 4000K WHITE (WH) **AZ4393**



LAMIR R 17 DIMM IP44 3000K / 4000K

+ REMOTE CONTROL

LED integrated

voltage: 230V

LED 22W DIMM 1800lm 3000K



IP44



LED 22W DIMM 1800lm 4000K


technical specification

installation place adjust. inlet: 7,4÷15,1cm


beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4387**
- 4000K WHITE (WH) **AZ4392**



Key function



SLIM SQUARE IP44



Downlights



WH



WH

BK



SLIM 9 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K RA>90	
IP44	installation place inlet opening Ø 7,7cm	
technical specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2830**
- BLACK (BK) **AZ2833**



WH

BK


SLIM 15 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K RA>90	
IP44	installation place inlet opening Ø 12,5cm	
technical specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2837**
- BLACK (BK) **AZ2836**



* - EXPLANATION SHORTCUT PAGE 2 (E)



SLIM ROUND IP44

Downlights



CH



BK



WH



CH



BK



WH



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *

SLIM 9 ROUND IP44 3000K

LED integrated

voltage: 230V

LED 6W 500lm 3000K RA>90

LED

IP44



technical specification

installation place inlet opening Ø 7,4cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2861**
- BLACK (BK) **AZ2834**
- WHITE (WH) **AZ2831**



WH *

SLIM 9 ROUND IP44 4000K

LED integrated

voltage: 230V

LED 6W 500lm 4000K RA>90

LED

IP44



technical specification

installation place inlet opening Ø 7,4cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2862**
- BLACK (BK) **AZ2835**
- WHITE (WH) **AZ2832**



BK *

SLIM 15 ROUND IP44 3000K

LED integrated

voltage: 230V

LED 12W 1000lm 3000K RA>90

LED

IP44





technical specification

installation place inlet opening Ø 12,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2838**
- BLACK (BK) **AZ2840**
- WHITE (WH) **AZ2839**



CH *

SLIM 15 ROUND IP44 4000K

LED integrated

voltage: 230V

LED 12W 1000lm 4000K RA>90

LED

IP44




technical specification

installation place inlet opening Ø 12,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2841**
- BLACK (BK) **AZ2843**
- WHITE (WH) **AZ2842**



LINDA

Downlights




LINDA 23 3000K

LED integrated

voltage: 230V	LED 18W 3000K RA>90 1500lm		LED
IP20	installation place <input type="checkbox"/> inlet opening Ø21cm		
technical specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ2244**
- 3000K CHROME (CH) **AZ2246**




LINDA 30 3000K/4000K

LED integrated


voltage: 230V	LED 24W 3000K RA>90 2010lm		LED
IP20	LED 24W 4000K RA>90 2100lm		
technical specification	installation place <input type="checkbox"/> inlet opening Ø28cm		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) **AZ2250**
- 4000K CHROME (CH) **AZ2251**



new



WH *

OKA AL 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm




installation place inlet opening Ø 3,5cm

beam angle: 66°

COLOUR / NEW INDEX NO.

- WHITE 3000K (WH) **AZ2232**
- WHITE 4000K (WH) **AZ2233**
- BLACK 3000K (BK) **AZ4171**
- BLACK 4000K (BK) **AZ4172**



AC *

OKA AC 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm




installation place inlet opening Ø 3,6cm

beam angle: 66°

COLOUR / NEW INDEX NO.

- ACRYLIC 3000K (AC) **AZ2234**
- ACRYLIC 4000K (AC) **AZ2235**



ACR

BK

new



FILL ROUND

Downlights



BK *

FILL R 5W 3000K / 4000K

LED integrated

voltage: 230V

LED 5W 425lm 3000K

LED

IP20

LED 5W 425lm 4000K

technical

installation place inlet opening Ø 4cm

specification

beam angle: 60°

usb charger including

COLOUR / NEW INDEX NO.

BLACK 3000K (BK) **AZ3381**

BLACK 4000K (BK) **AZ3382**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



FILL S 5W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 425lm 3000K

LED 5W 425lm 4000K


LED

installation place inlet opening Ø 4cm

beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE 3000K (WH) **AZ3377**
- BLACK 3000K (BK) **AZ3379**
- WHITE 4000K (WH) **AZ3378**
- BLACK 4000K (BK) **AZ3380**



MONA SPOT 12W

Downlights



MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 800lm 3000K

LED 12W 1000lm 4000K




installation place inlet opening 7,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4532**
- 3000K BLACK (BK) **AZ4531**
- 4000K WHITE (WH) **AZ4534**
- 4000K BLACK (BK) **AZ4533**



TILT 90°

ROTATION 350°





MONA SPOT 18W 3000K

LED integrated

voltage: 230V

LED 18W 1300lm 3000K

LED

IP20




technical specification

installation place inlet opening 9,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4536**
- 3000K BLACK (BK) **AZ4535**



FRIDA

Downlights



BK *

FRIDA 7W 3000K / 4000K

LED integrated

voltage: 230V	LED 7W 500lm 3000K		LED
IP54	LED 7W 550lm 4000K		
technical specification	installation place <input type="checkbox"/> inlet opening 7-8cm		
	beam angle: 24°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4525**
- 3000K BLACK (BK) **AZ4523**
- 4000K WHITE (WH) **AZ4526**
- 4000K BLACK (BK) **AZ4524**



Ø 8,5

TILT 90°

ROTATION 350°



WH *

FRIDA 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K		LED
IP54	LED 12W 1100lm 4000K		
technical specification	installation place <input type="checkbox"/> inlet opening 7-8cm		
	beam angle: 24°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4529**
- 3000K BLACK (BK) **AZ4527**
- 4000K WHITE (WH) **AZ4530**
- 4000K BLACK (BK) **AZ4528**



Ø 10

TILT 90°

ROTATION 350°



BK

BK

WH

WH

* - EXPLANATION SHORTCUT PAGE 2 (E)



TORONTO 15W SPOT



Downlights



TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V

LED 15W 1020lm 3000K

LED

IP20



technical


installation place inlet opening 16,2cm

specification

beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4071**
- BLACK (BK) **AZ4063**



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *

BOSTON 10W ROUND

LED integrated

voltage: 230V

LED 10W 685lm 3000K

LED

IP20





technical specification

installation place inlet opening 9,6cm
beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3471**
- BLACK (BK) **AZ3470**



COSTA SPOT



Downlights



BK / BK *



WH

BK

COSTA SPOT

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

LED

IP20



technical


installation place inlet opening Ø 9cm

specification

beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) **AZ2705**
- BLACK/BLACK (BK/BK) **AZ2706**





TILT 90°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *

LINA

LED integrated

voltage: 230V

LED 2W 170lm 3000K

IP20



LED


technical specification

installation place inlet opening Ø 4,6cm

beam angle: 19°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ2708**



TILT 90°


ROTATION 360°



LUNA 15W

258

Downlights



LUNA 15W DIM

LED integrated

voltage: 230V

LED 15W 1270lm

IP20

3000K RA>90 dimm

LED

technical specification




installation place inlet opening Ø 8,5cm

beam angle: 22°

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ2828**

BLACK / BLACK (BK / BK). **AZ2829**



TILT 90°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH / BK *

LUNA 7W

LED integrated

voltage: 230V

LED 7W 595lm 3000K

LED

IP20



technical specification


installation place inlet opening Ø 7cm

beam angle: 28°

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ3396**

BLACK / BLACK (BK / BK) **AZ3397**



TILT 90°

ROTATION 350°



WH / BK

BK / BK



LINZ IP44

Downlights



LINZ IP44

LED integrated

voltage: 230V

LED 5W 420lm 3000/4000K

IP44



LED

technical

installation place inlet opening Ø 5,8cm

specification


beam angle: 180°

COLOUR / NEW INDEX NO.

- ACRYL (ACR) (3000K) **AZ2774**
- ACRYL (ACR) (4000K) **AZ2775**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *

UNA IP44

LED integrated

voltage: 230V

LED 7W 590lm 3000/4000K

LED

IP44




technical specification

installation place inlet opening Ø 6,2cm

beam angle: 180°

COLOUR / NEW INDEX NO.

- CHROME (CH) (3000K) **AZ2772**
- CHROME (CH) (4000K) **AZ2773**



OSCAR IP44

Downlights





OSCAR IP44

bulb not included


voltage: 230V	connect GU10 1x 7W only LED
IP44	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.


- WHITE (WH) **AZ1714**
- CHROME (CH) **AZ1715**
- BLACK (BK) **AZ2692**
- GOLD (GO) **AZ2800**



* - EXPLANATION SHORTCUT PAGE 2 (E)




TITO

bulb not included 

voltage: 230V	connect GU10 1x 7W only LED 
IP54	installation place 
	inlet opening  Ø 6cm

COLOUR / NEW INDEX NO.

-  ALUMINIUM (ALU) **AZ0814**
-  WHITE (WH) **AZ0815**
-  BLACK (BK) **AZ4139**



EMILIO IP54

Downlights



CH *


EMILIO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	installation place
	inlet opening Ø5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0810**
- BLACK (BK) **AZ0809**
- WHITE (WH) **AZ0871**
- CHROME (CH) **AZ0808**



BK

WH

ALU


CH



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



ALU

BK

CH

WH


EZIO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	installation place
	inlet opening Ø5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0811**
- BLACK (BK) **AZ0812**
- WHITE (WH) **AZ0813**
- CHROME (CH) **AZ1051**




PABLO IP54

Downlights



ALU *



WH

new

BK

ALU


PABLO

bulb not included


voltage: 230V	connect GU10 1x 7W only LED	
IP54	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1015**
- WHITE (WH) **AZ0817**
- BLACK 4000K (AC) **AZ4140**



new




IKA SQUARE IP65

bulb not included


voltage: 230V	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
IP65		<input checked="" type="checkbox"/>
	installation place	<input checked="" type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> Ø 5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2864**
- BLACK (BK) **AZ4230**
- DARK GREY (DGR) **AZ4231**



new




IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
IP65		<input checked="" type="checkbox"/>
	installation place	<input checked="" type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> Ø 5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2865**
- BLACK (BK) **AZ3017**
- DARK GREY (DGR) **AZ4232**



CESAR

Downlights



CH *



CH



CH


CESAR

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	9x9cm


COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1152**



TILT 45°






REMO 1 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 1x Max.50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening <input checked="" type="checkbox"/> Ø 10cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1729**
- BLACK (BK) **AZ1732**
- WHITE (WH) **AZ1731**
- CHROME (CH) **AZ1730**




REMO R

bulb not included

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1 Downlight and Hugo 2 Downlight
IP20	
Aluminium	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**



HUGO 1 DOWNLIGHT

Downlights



WH / BK *


HUGO 1 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 10,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1733**
- BLACK (BK) **AZ1736**
- WHITE (WH) **AZ1735**
- CHROME (CH) **AZ1734**




REMO R

bulb not included

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1 Downlight and Hugo 2 Downlight	
IP20	installation place	<input checked="" type="checkbox"/>
Aluminium		

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**



* - EXPLANATION SHORTCUT PAGE 2 (E)




HUGO 2 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 10,5x22,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1737**
- BLACK (BK) **AZ1740**
- WHITE (WH) **AZ1739**
- CHROME (CH) **AZ1738**



CARLO

Downlights



BK *



CARLO

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 8cm


COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0804**
- WHITE (WH) **AZ0805**
- BLACK (BK) **AZ4141**




WH

ALU



BK



* - EXPLANATION SHORTCUT PAGE 2 (E)

new



BK *


EDITTA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0806**
- WHITE (WH) **AZ0807**
- BLACK (BK) **AZ4144**



WH

ALU

new



BK



IVO

Downlights



ALU*


IVO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	installation place
	inlet opening Ø 6,4cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0758**
- BLACK (BK) **AZ1716**
- WHITE (WH) **AZ0759**
- CHROME (CH) **AZ1717**



WH

ALU

BK

CH



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *


IVO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø6,4cm


COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1788**
- WHITE (WH). **AZ1825**



CH

WH



CH

WH



CH *


IVO 2 SQUARE

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	6,5x14,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH). **AZ1789**
- WHITE (WH). **AZ1826**



PACO

Downlights



BK *



PACO 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 8x8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0795**
- BLACK (BK) **AZ0797**
- WHITE (WH) **AZ0796**



WH *


PACO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 8x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0798**
- BLACK (BK) **AZ0800**
- WHITE (WH) **AZ0799**



ALU *




PACO 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place
	inlet opening 8x24cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0801**
- BLACK (BK) **AZ0803**
- WHITE (WH) **AZ0802**



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



PIO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 6,3x6,3cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0760**
- BLACK (BK) **AZ1278**
- CHROME (CH) **AZ1718**



WH

BK

CH

WH

BK

CH



WH *


PIO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 7x14,6cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1719**
- BLACK (BK) **AZ1720**
- CHROME (CH) **AZ1749**



CARO ROUND

Downlights




CARO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø7,8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2432**
- BLACK (BK) **AZ2431**
- WHITE (WH) **AZ2430**



TILT 45°



* - EXPLANATION SHORTCUT PAGE 2 (E)



ALU *


CARO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2435**
- BLACK (BK) **AZ2434**
- WHITE (WH) **AZ2433**



WH *


CARO 2 SQUARE

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 8x15,8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2438**
- BLACK (BK) **AZ2437**
- WHITE (WH) **AZ2436**



BK *


CARO 3 SQUARE

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place
	inlet opening 8x23,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2441**
- BLACK (BK) **AZ2440**
- WHITE (WH) **AZ2439**



ALU *


CARO 4 SQUARE

bulb not included

voltage: 230V	connect GU10 4x Max 50W
IP20	
	installation place
	inlet opening 16x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2444**
- WHITE (WH) **AZ2442**



IBIZA

Downlights



WH / BK *


IBIZA

bulb not included


voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 10cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1361**
- BLACK / GOLD (BK / GO) **AZ2804**
- WHITE / WHITE (WH / WH) **AZ2803**
- BLACK / BLACK (BK / BK) **AZ3532**



TILT 45°



WH / BK

BK / GO

WH / WH

BK / BK



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


REMI

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	
	inlet opening	Ø 8,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1363**
- BLACK (BK) **AZ4143**



TILT 40°



new


BK

WH



MINORKA

Downlights




MINORKA

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	9,5x9,5cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1362**
- BLACK / GOLD (BK/GO) **AZ2802**
- WHITE / WHITE (WH/WH) **AZ2801**
- BLACK / BLACK (BK/BK) **AZ4142**



TILT 40°




connecting element included

* - EXPLANATION SHORTCUT PAGE 2 (E)



MILET

Downlights





MILET

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 7,2 x 7,2cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4075**
- BLACK (BK) **AZ4076**





* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *

ITAKA

bulb not included 

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	
	inlet opening	 Ø 7,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4073**
- BLACK (BK) **AZ4074**



new

new

BK

WH



SAVIO

Downlights



ACR *


SAVIO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) **AZ2779**



ACR *



SAVIO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) **AZ2778**





* EXPLANATION SHORTCUT PAGE 2 (E)



WH *


GELO

bulb not included

voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening  Ø6,6cm

COLOUR / NEW INDEX NO.

WHITE FROST (WH) **AZ3539**



NEMO

Downlights



BK *



WH

BK

CH

GO


NEMO

bulb not included


voltage: 230V	connect GU10 1x Max 50W
IP20	installation place
	inlet opening Ø 6,8cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3398**
- BLACK (BK) **AZ3399**
- CHROME (CH) **AZ3400**
- GOLD (GO) **AZ3401**



* - EXPLANATION SHORTCUT PAGE 2 (E)



GO *


ERIKA

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 5,4cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ2776**
- CHROME (WH) **AZ2777**



GO

CH



SIRO

Downlights



BK / BK *



SIRO 1

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening Ø 15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0767**
- BLACK / ALUMINIUM (BK / ALU) **AZ0769**
- WHITE (WH) **AZ0768**
- BLACK / BLACK (BK / BK) **AZ2805**



BK / BK *


SIRO 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 31x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0770**
- BLACK / ALUMINIUM (BK / ALU) **AZ0772**
- WHITE (WH) **AZ0771**
- BLACK / BLACK (BK / BK) **AZ2806**



ALU *


SIRO 3

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111
IP20	connect GU10 3x Max 40W
	installation place
	inlet opening 48x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0773**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK / ALU *


SISTO 1

bulb not included

voltage: 230V	1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	16X16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0793**
- WHITE / BLACK (WH/BK) **AZ1446**
- BLACK / BLACK (BK/BK) **AZ2810**



WH / BK

WH / BK

ALU

ALU

BK / BK

BK / BK



BK / BK *


SISTO 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30,5x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0794**
- WHITE / BLACK (WH/BK) **AZ1447**
- BLACK/BLACK (BK/BK) **AZ2809**



STAN

Downlights



ALU /ALU *


STAN

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening Ø 14,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0860**
- WHITE (WH) **AZ0861**
- BLACK / BLACK (BK / BK) **AZ2811**
- CHROME (CH) **AZ2957**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



TORRES GU10

bulb not included

voltage: 230V	connect GU10 1x Max 40W	
IP20		
	installation place	
	inlet opening	Ø8,2cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2682**
- BLACK (BK) **AZ2683**



WH *




TORRES ES111

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20		
	installation place	
	inlet opening	Ø 14,5cm


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2684**
- BLACK (BK) **AZ2685**



VERDI

Downlights







VERDI

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 17x17cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3526**
- BLACK (BK) **AZ3527**





VERDI 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30x17cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3528**
- BLACK (BK) **AZ3529**




VERDI 3

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111
IP20	connect GU10 3x Max 40W
	installation place
	inlet opening 45x17cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3530**
- BLACK (BK) **AZ3531**




* - EXPLANATION SHORTCUT PAGE 2 (E)



NOVA

Downlights





NOVA 1

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 15x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2869**
- WHITE / WHITE (WH /WH) **AZ2870**
- WHITE / BLACK (WH /BK) **AZ2871**



TILT 45°




NOVA 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30,5x15cm

COLOUR / NEW INDEX NO.


- BLACK / BLACK (BK /BK) **AZ2875**
- WHITE / WHITE (WH /WH) **AZ2876**
- WHITE / BLACK (WH /BK) **AZ2877**



TILT 45°



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH / WH *


NOVA GIPS

bulb not included


voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
installation place	
inlet opening 15,2x15,2cm	

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ2872**
- WHITE / WHITE (WH/WH) **AZ2873**



TILT 45°



BK / BK *


NOVA 2 GIPS

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
installation place	
inlet opening 30.5x15.2cm	

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2935**
- WHITE / WHITE (WH /WH) **AZ2934**




TILT 45°



HERA GIPS SQUARE

Downlights



WH *



HERA GIPS SQUARE S WH

bulb not included

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening 10x10cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3466**



WH *


HERA GIPS SQUARE M WH

bulb not included

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening 12x12cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3467**



glass diffuser only included with AZ3467



Recommended plasterboard profile: 12mm



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


HERA GIPS ROUND M

bulb not included

voltage: 230V	connect GU10 1x Max 40W	<input type="checkbox"/>
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	<input type="checkbox"/> Ø 13cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3465**



WH *


HERA GIPS ROUND S

bulb not included

voltage: 230V	connect GU10 1x Max 40W	<input type="checkbox"/>
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	<input type="checkbox"/> Ø 10cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3464**






INDOOR WALL LAMPS

INDOOR


wall lamps

- 302 TAZ
- 303 OZ
- 304 SANE
- 305 RAGGIO
- 306 VELIA ROUND
- 307 VELIA SQUARE
- 308 BLAS
- 309 LAMBDA
- 311 FELIX
- 312 MARS
- 313 VENUS
- 314 GAMBINO
- 316 LETICIA
- 317 LETICIA 2
- 318 LETICIA 2 LED
- 319 MONTANA
- 320 AVON
- 321 CLOVER
- 322 VIGO
- 323 LATONA
- 324 RAUL
- 325 SCATOLA
- 326 VIDAL
- 327 VIALETTO
- 328 ANCONA
- 329 ANCONA WOOD
- 330 TORCH
- 331 VEGA
- 332 ARCHO
- 334 GINNO
- 335 ANGUS
- 336 RAMONA
- 338 VERA
- 339 FARO
- 340 LUMI
- 341 LUMI FLEX
- 342 VERONICA
- 343 NOGAT




TAZ

Indoor wall lamps



SN *



BK

WH

SN

TAZ

LED integrated

voltage: 230V

LED 1W 85lm 4000K

IP20

LED


technical specification




installation place inlet opening Ø 4,8cm
beam angle: 360°

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ3369**
- WHITE (WH) **AZ3370**
- SATIN NICKEL (SN) **AZ3371**



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



OZ

LED integrated

voltage: 230V

LED 1W 85lm 4000K

IP20


LED

technical specification

installation place inlet opening Ø 4,8cm
beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3372**
- WHITE (WH) **AZ3373**
- SATIN NICKEL (SN) **AZ3374**



SANE

304

Indoor wall lamps



BK *


SANE Ø 40

LED integrated

voltage: 230V	LED 1W 85lm 3000K		LED
IP20	Transformer 230V – included		
technical specification	installation place inlet opening Ø 4,8cm		
	beam angle: 180°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2765**
- WHITE (WH) **AZ2766**
- NICKEL (NI) **AZ2767**



WH *



SANE Ø 60

LED integrated



voltage: 230V	LED 2W 170lm 3000K		LED
IP20	Transformer 230V – included		
technical specification	installation place inlet opening Ø 5cm		
	beam angle: 180°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2768**
- WHITE (WH) **AZ2769**
- ANTIQUE BRUSH (ANB) **AZ2770**
- NICKEL (NI) **AZ2771**



* - EXPLANATION SHORTCUT PAGE 2 (E)



RAGGIO

LED integrated

voltage: 230V

LED 3W 240lm 3000K

IP54

Transformer 230V – included

LED

technical

installation place inlet opening 8.8x4cm


specification

beam angle: 15°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2963**
- BLACK (BK) **AZ2964**
- SATIN NICKEL (SN) **AZ2965**



VELIA ROUND

Indoor wall lamps



VELIA ROUND 2

bulb not included



voltage: 230V	GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4398**
- BLACK (BK) **AZ4399**
- BRASS (BS) **AZ4397**



* - EXPLANATION SHORTCUT PAGE 2 (E)




VELIA SQUARE 2

bulb not included

voltage: 230V	GU10 2x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4403**
- BLACK (BK) **AZ4401**
- BRASS (BS) **AZ4402**



BLAS

Indoor wall lamps




BLAS

bulb not included

voltage: 230V	connect G9 1x Max 40W
IP20	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ3069**



* - EXPLANATION SHORTCUT PAGE 2 (E)



LAMBDA

LED integrated

voltage: 230V

LED 10W 850lm 3000K

IP20

LED

technical

installation place


specification

beam angle: 90°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3346**
- WHITE (WH) **AZ3345**



FELIX LED

310

Indoor wall lamps





GO *


FELIX S

LED integrated

voltage: 230V	LED 6W 500lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 2x90°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2456**
- GOLD (GO) **AZ2425**



WH *


FELIX M

LED integrated

voltage: 230V	LED 6W 500lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 2x110°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2426**



WH *


FELIX L

LED integrated

voltage: 230V	LED 12W 1008lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 2x110°	


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2427**



MARS

Indoor wall lamps



BK / BK *



ALU

WH

WH / GO

BK / GO

BK / BK


MARS

bulb not included

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0895**
- WHITE (WH) **AZ0896**
- WHITE / GOLD (WH/GO) **AZ1090**
- BLACK / GOLD (BK/GO) **AZ1052**
- BLACK / BLACK (BK / BK) **AZ2931**



* - EXPLANATION SHORTCUT PAGE 2 (E)




VENUS

bulb not included 

voltage: 230V	connect G9 1x Max.40W 
IP20	installation place 

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0893**
- WHITE (WH) **AZ0894**




GAMBINO LED IP54




314

Indoor wall lamps



FOUR ADJUSTABLE LIGHT ANGLE



BGR *


GAMBINO

LED integrated


voltage: 230V	LED 2x3W 480 lm 3000K	LED
IP54		installation place
technical specification		beam angle: adjustable max 90°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0950**
- BRIGHT GREY (BGR) **AZ0958**
- DARK GREY (DGR) **AZ0957**




FOUR ADJUSTABLE LIGHT ANGLE TILT 90°




WH

BGR



DGR





GAMBINO 2

LED integrated

voltage: 230V

LED 4x3W 480 lm 3000K

IP54



LED

technical


installation place

specification

beam angle: adjustable max 90°

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ1882**




EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°



LETICIA

Indoor wall lamps



BK / GO *



WH

AGO

BK / GO

BK / BK


LETICIA

bulb not included

voltage: 230V	connect G9 1x Max.40W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0951**
- ANODISED GOLD (AGO) **AZ0952**
- BLACK / GOLD (BK / GO) **AZ2814**
- BLACK / BLACK (BK / BK) **AZ2932**



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)




LETICIA 2

bulb not included


voltage: 230V	connect G9 1x Max.40W	<input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1059**
- WHITE (WH) **AZ1058**
- BLACK / GOLD (BK / GO) **AZ2815**
- BLACK / BLACK (BK / BK) **AZ2933**



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



LETICIA 2 LED IP54

Indoor wall lamps




LETICIA 2 LED

LED integrated


voltage: 230V	LED 2x3W 3000K 420lm	
IP54		
technical specification	installation place	
	beam angle: adjustable max 90°	

COLOUR / NEW INDEX NO.

- DARK GRAY (DGR) **AZ2189**
- WHITE (WH) - **AZ2190**



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *

MONTANA


LED integrated

voltage: 230V	LED 5W 450lm 3000K	LED
IP20		
technical specification	installation place	
	beam angle: 120°	



COLOUR / NEW INDEX NO.

WHITE (WH) **AZ2859**



WH



AVON LED



320

Indoor wall lamps





AVON

LED integrated

voltage: 230V	LED 5W 3000K 385lm	
IP20		
technical specification	installation place	
	beam angle: 90°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2196**
- WHITE (WH) **AZ2195**
- GOLD (GO) **AZ2197**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *


CLOVER SQUARE **

LED integrated

voltage: 230V	LED 12W 3000K 840lm	
IP20		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2198**
- WHITE (WH) **AZ2199**



WH *


CLOVER OVAL

LED integrated

voltage: 230V	LED 12W 3000K 840lm	
IP20		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2997**
- WHITE (WH) **AZ2998**



** - OFFERED ONLY OUTSIDE OF THE EUROPEAN UNION


VIGO LED IP54

322

Indoor wall lamps



WH *



BK

WH


VIGO

LED integrated

voltage: 230V	LED 2x3W 420lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 2x90°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2203**
- WHITE (WH) **AZ2202**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



BK

WH


LATONA

LED integrated

voltage: 230V	LED 10W 800lm 3000K
IP20	
technical specification	installation place
	beam angle: 90°


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2204**
- WHITE (WH) **AZ2205**



RAUL

Indoor wall lamps



RAUL

bulb not included

voltage: 230V	connect G9 2x Max.40W	
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0892**
- WHITE (WH) **AZ0891**
- CHROME (CH) **AZ0868**



ALU



WH



* - EXPLANATION SHORTCUT PAGE 2 (E)



SCATOLA


LED integrated

voltage: 230V	LED 9W 720 lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 60°	



COLOUR / NEW INDEX NO.

WHITE (WH) **AZ0578**





VIDAL

Indoor wall lamps



VIDAL

bulb not included 


voltage: 230V	connect G9 1x Max.40W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0862**
- WHITE (WH) **AZ0863**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *

VIALETTO L

LED integrated

voltage: 230V

LED 12W 965 lm 3000K

IP20



LED

technical


installation place

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ0573**



BK



ANCONA LED IP54



Indoor wall lamps



BK *


ANCONA S IP54

LED integrated

voltage: 230V	LED 6W 445lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2192**
- BLACK (BK) **AZ2191**



BK *


ANCONA M IP54

LED integrated

voltage: 230V	LED 9W 890lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2193**
- BLACK (BK) **AZ2194**



WH

BK



BK *


ANCONA L IP54

LED integrated


voltage: 230V	LED 24W 1680lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2852**
- WHITE (WH) **AZ2853**



* - EXPLANATION SHORTCUT PAGE 2 (E)



NATURAL WOOD



ANCONA WOOD S

LED integrated

voltage: 230V	LED 6W 360lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

NATURAL WOOD (WH) **AZ2714**



NATURAL WOOD


ANCONA WOOD M

LED integrated

voltage: 230V	LED 12W 720lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

NATURAL WOOD (WH) **AZ2715**



TORCH LED IP54



Indoor wall lamps




TORCH

LED integrated

voltage: 230V	LED 6W 420lm 3000K	LED
IP54		
technical specification	installation place	
	beam angle: 45°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2206**
- WHITE (WH) **AZ2207**



TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



VEGA

bulb not included

voltage: 230V	connect G9 1x Max. 40W	
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK / GOLD (BK / GO) **AZ1709**
- WHITE (WH) **AZ1708**
- CHROME (CH) **AZ1758**
- ANODISED GOLD (AGO) **AZ1746**



BK / GO

WH


CH

AGO



ARCHO

Indoor wall lamps



ALU *


ARCHO A

bulb included

voltage: 230V	connect G24-D2 1x Max.18W	
IP20	installation place	

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0199**



CH *



ARCHO 2A

bulb included

voltage: 230V	connect G24-D2 1x Max.18W	
IP20	installation place	

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0326**



CH *


ARCHO 2B

bulb included


voltage: 230V	connect PL-L 1x Max.36W	
IP20	installation place	

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0327**



* - EXPLANATION SHORTCUT PAGE 2 (E)



ALU *



ARCHO C

bulb included

voltage: 230V IP20	connect PL-L 1x Max.55W <input checked="" type="checkbox"/>
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0201**



CH *


ARCHO 2C

bulb included

voltage: 230V IP20	connect PL-L 1x Max.55W <input checked="" type="checkbox"/>
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0328**



GINNO LED

334

Indoor wall lamps




GINNO 1

LED integrated

voltage: 230V	LED 2x 1W 160 lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 2x45°	

COLOUR / NEW INDEX NO.

- WHITE / ALUMINIUM (WH / ALU) . . . **AZ0761**
- ALUMINIUM (ALU) **AZ0764**




GINNO 2

LED integrated

voltage: 230V	LED 4x 1W 320 lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 4x45°	

COLOUR / NEW INDEX NO.

- WHITE / ALUMINIUM (WH / ALU) . . . **AZ0762**
- ALUMINIUM (ALU) **AZ0765**





GINNO 3

LED integrated



voltage: 230V	LED 6x 1W 440 lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 6x45°	

COLOUR / NEW INDEX NO.

- WHITE / ALUMINIUM (WH / ALU) . . . **AZ0763**
- ALUMINIUM (ALU) **AZ0766**



* - EXPLANATION SHORTCUT PAGE 2 (E)




ANGUS LED SWITCH

LED integrated

voltage: 230V	LED 3W 250lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 15°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2446**
- CHROME (CH) **AZ2445**




* - EXPLANATION SHORTCUT PAGE 2 (E)

RAMONA LED SWITCH

336

Indoor wall lamps





RAMONA 1 LED SWITCH

LED integrated

voltage: 230V	LED 6W 3000K 500lm	
IP20		
technical specification	installation place	
	beam angle: 60°	

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) **AZ2566**
- SAND BLACK (BK) **AZ2565**




RAMONA 2 LED SWITCH

LED integrated

voltage: 230V	LED 2X 6W 3000K 500lm	
IP20		
technical specification	installation place	
	beam angle: 2x60°	

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) **AZ2564**
- SAND BLACK (BK) **AZ2563**



* - EXPLANATION SHORTCUT PAGE 2 (E)



VERA LED SWITCH

338

Indoor wall lamps





VERA LED SWITCH

LED integrated

voltage: 230V	LED 6W+3W 510lm+255lm 3000K	
IP20	installation place	
technical specification	beam angle: 110° + 10°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4417**
- BLACK (BK) **AZ3201**




* - EXPLANATION SHORTCUT PAGE 2 (E)




POWER SWITCH 1 AND 2

NI *



NI

CH



BK

FARO LED SWITCH

LED integrated

voltage: 230V

LED 6W 420lm

IP20

+ LED 3W 250lm 3000K

LED

technical

installation place


specification

beam angle: 360°+10°



COLOUR / NEW INDEX NO.

- SATIN NICKEL (NI). **AZ2552**
- CHROME (CH). **AZ2424**
- BLACK (BK). **AZ3204**



TILT 90°




ROTATION 180°



LUMI LED

340

Indoor wall lamps





LUMI

LED integrated

voltage: 230V	LED 5W 500lm 3000K	LED
IP20		installation place
technical specification	adjustable beam angle: 19°-70°	

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4556**
- BLACK FINISH SHINING (BK) **AZ4555**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK



WH


LUMI FLEX

LED integrated


voltage: 230V	LED 5W 500lm 3000K	
IP20	installation place	
technical specification	adjustable beam angle: 19°-70°	

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4562**
- BLACK FINISH SHINING (BK) **AZ4561**



19° 70°



* - EXPLANATION SHORTCUT PAGE 2 (E)

VERONICA LED SWITCH IP44



342

Indoor wall lamps




VERONICA LED IP44 SWITCH

LED integrated

voltage: 230V	LED 1x 3W 150 lm 3000K	
IP44		
technical specification	installation place	
	beam angle: 15°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1547**
- BLACK (BK) **AZ1548**
- CHROME (CH) **AZ1546**



* - EXPLANATION SHORTCUT PAGE 2 (E)



NOGAT LED SWITCH

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP20



LED

technical


installation place

specification

beam angle: 10°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2943**
- WHITE (WH) **AZ2944**



AZzardo[®]

OUTDOORLINE

www.azzardolighting.com




OUTDOOR WALL LAMPS

OUTDOOR

Wall lamps

- 348 HYDE IP54
- 349 FANO SMART
- 350 FANO IP54
- 352 CASPER SQUARE IP54
- 353 CASPER ROUND IP54
- 354 APULIA IP54
- 355 PAPIKO IP65
- 356 ALIX IP65
- 358 JOE IP54
- 360 TONIO IP54
- 361 IKA IP65
- 362 REZIA IP54
- 364 RIMINI SQUARE IP54
- 366 RIMINI IP54
- 367 JAKE WALL 2 IP54
- 368 PEDER IP54
- 369 GORAN
- 370 ULF IP44
- 372 VENTA IP54
- 373 VENETO IP54
- 374 CASOLA IP54
- 375 COSEL IP54
- 376 ARBAX IP54
- 377 ARIDA IP54
- 378 GAMBINO IP54
- 379 LETICIA 2 LED IP54
- 380 CREMONA IP54
- 382 LARS IP54
- 383 ZITA XL IP54
- 384 CIVITA IP54
- 385 GINNA IP54
- 386 FONS IP65
- 387 LIVIO 2 IP54
- 388 GAGARIN IP44
- 389 SARONA IP54
- 390 ENOK IP54
- 392 CASORIA IP54
- 394 AFI IP54
- 395 OVE WALL IP54
- 396 ALF IP65
- 398 NIKLAS IP44
- 400 MIKKEL IP54
- 402 RASMUS IP65
- 403 OSVALD IP44
- 404 ROLF IP44
- 406 SORANO IP44
- 408 NILS IP44
- 410 FRAME IP54
- 412 AGAPE IP54
- 413 MATERA IP54
- 414 EDVIN IP65
- 414 EDVARD IP65
- 415 FLOKI IP54
- 416 HAVANA IP44
- 418 BOOMBOX IP44



HYDE IP54

Outdoor lamps



CH *



HYDE OVAL

bulb not included

voltage: 230V	LED GU10 1x MAX 35W	
IP54		
	installation place	
	inlet opening	Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ3325**



CH *


HYDE SQUARE

bulb not included

voltage: 230V	LED GU10 1x MAX 35W	
IP54		
	installation place	
	inlet opening	Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ3326**



* - EXPLANATION SHORTCUT PAGE 2 (E)




FANO S 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4786**
- DARK GREY (DGR) **AZ4787**
- WHITE (WH) **AZ4788**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL




FANO R 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4783**
- DARK GREY (DGR) **AZ4784**
- WHITE (WH) **AZ4785**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL



FANO IP54

Outdoor lamps




FANO S 30

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4372**
- DARK GREY (DGR) **AZ4370**
- WHITE (WH) **AZ4374**




FANO R 30

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4371**
- DARK GREY (DGR) **AZ4369**
- WHITE (WH) **AZ4373**



BK

DGR



WH



BK

DGR



WH

* - EXPLANATION SHORTCUT PAGE 2 (E)



DGR *


FANO SQUARE

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2186**



22



DGR *

FANO R

bulb not included


voltage: 230V	E27 2X MAX 40W
IP54	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2187**



022



Ø22



CASPER SQUARE IP54

352

Outdoor lamps



CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V

LED 15W 1300lm 3000K

IP54

LED 15W 1300lm 4000K



technical

installation place


specification

beam angle: 110°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4496**
- 3000K DARK GREY (DGR) **AZ4498**
- 3000K WHITE (WH) **AZ4500**
- 4000K BLACK (BK) **AZ4497**
- 4000K DARK GREY (DGR) **AZ4499**
- 4000K WHITE (WH) **AZ4501**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 15W 1300lm 3000K

LED 15W 1300lm 4000K


installation place

beam angle: 110°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4490**
- 3000K DARK GREY (DGR) **AZ4492**
- 3000K WHITE (WH) **AZ4494**
- 4000K BLACK (BK) **AZ4491**
- 4000K DARK GREY (DGR) **AZ4493**
- 4000K WHITE (WH) **AZ4495**



APULIA IP54

354

Outdoor lamps




APULIA R

LED integrated

voltage: 230V	LED 10W 800lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 130°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4333**
- DARK GREY (DGR) **AZ4335**
- WHITE (WH) **AZ4334**




APULIA S

LED integrated

voltage: 230V	LED 10W 800lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 130°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4336**
- DARK GREY (DGR) **AZ4338**
- WHITE (WH) **AZ4337**



* - EXPLANATION SHORTCUT PAGE 2 (E)




PAPIKO IP65

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP65	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4216**
- WHITE (WH) **AZ4217**



ALIX IP65

Outdoor lamps






ALIX IP65

bulb not included

voltage: 230V	GU10 1x Max 35W	
IP65	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4056**
- GREY (GR) **AZ4057**
- WHITE (WH) **AZ4055**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ALIX IP65

Outdoor lamps

357



JOE IP54

Outdoor lamps



DGR *


JOE TUBE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3313**
- BLACK (BK) **AZ3314**
- WHITE (WH) **AZ3315**
- BRIGHT GREY (BGR) **AZ3316**



new

WH *


JOE WALL 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3317**
- BLACK (BK) **AZ3318**
- WHITE (WH) **AZ4315**



* - EXPLANATION SHORTCUT PAGE 2 (E)





JOE WALL 2

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3319**
- BLACK (BK) **AZ3320**
- WHITE (WH) **AZ4316**




JOE SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3323**
- WHITE (WH) **AZ3324**
- BLACK (BK) **AZ4270**



TONIO IP54

360

Outdoor lamps



WH *


TONIO

bulb not included

voltage: 230V	connect GU10 1x Max.35W	<input type="checkbox"/>
IP54	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ0870**



* EXPLANATION SHORTCUT PAGE 2 (1)

new



BK *


IKA SQUARE IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 35W
IP65	
	installation place
	inlet opening Ø 6,4cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2864**
- BLACK (BK) **AZ4230**
- DARK GREY (DGR) **AZ4231**



new



DGR *


IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 35W
IP65	
	installation place
	inlet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2865**
- BLACK (BK) **AZ3017**
- DARK GREY (DGR) **AZ4232**



REZIA IP54

Outdoor lamps





REZIA 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4343**
- DARK GRAY (DGR) **AZ4344**




REZIA 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	<input type="checkbox"/>
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4345**
- DARK GRAY (DGR) **AZ4346**



* - EXPLANATION SHORTCUT PAGE 2 (E)

REZIA IP54


Outdoor lamps

363



RIMINI SQUARE IP54

Outdoor lamps





RIMINI 1 SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4311**
- WHITE (WH) **AZ4313**
- BLACK (BK) **AZ4267**




RIMINI 2 SQUARE

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4312**
- WHITE (WH) **AZ4314**
- BLACK (BK) **AZ4268**



* - EXPLANATION SHORTCUT PAGE 2 (E)

RIMINI SQUARE IP54

Outdoor lamps

365



RIMINI IP54

Outdoor lamps




RIMINI 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2176**
- WHITE (WH) **AZ2175**
- BLACK (BK) **AZ4265**




RIMINI 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	<input type="checkbox"/>
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2178**
- WHITE (WH) **AZ2177**
- BLACK (BK) **AZ4266**



* - EXPLANATION SHORTCUT PAGE 2 (E)




JAKE WALL 2 IP54

bulb not included

voltage: 230V	GU10 2x MAX 35W <input type="checkbox"/>
IP54	installation place <input type="checkbox"/>

- COLOUR / NEW INDEX NO.
- DARK GREY (DGR) **AZ3321**
 - WHITE (WH) **AZ3322**
 - BLACK (BK) **AZ4269**



PEDER IP54

Outdoor lamps




PEDER

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4514**
- DARK GREY (DGR) **AZ4515**



TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)




GORAN SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place <input type="checkbox"/>


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4695**
- DARK GRAY (DGR) **AZ4696**
- WHITE (WH) **AZ4697**




TILT 90°

MASTER SLAVE SYSTEM



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).



TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



TIME



LUX



ULF IP44

Outdoor lamps



DGR



BK

* - EXPLANATION SHORTCUT PAGE 2 (E)




ULF 1 WALL SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4454**
- DARK GREY (DGR) **AZ4455**





ULF 2 WALL

bulb not included


voltage: 230V	GU10 2x MAX 35W
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4473**
- DARK GREY (DGR) **AZ4474**




MASTER SLAVE SYSTEM



VENTA IP54

372

Outdoor lamps




VENTA

bulb not included

voltage: 230V	E27 1x MAX 40W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4350**
- DARK GREY (DGR) **AZ4351**



* - EXPLANATION SHORTCUT PAGE 2 (E)




VENETO

bulb not included

voltage: 230V	E27 1x MAX 40W	<input type="checkbox"/>
IP54	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4348**
- DARK GREY (DGR) **AZ4349**



CASOLA IP54

374

Outdoor lamps



CASOLA

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP54



LED

technical


installation place

specification

beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4355**
- DARK GREY (DGR) **AZ4356**



* EXPLANATION SHORTCUT PAGE 2 (E)



COSEL

LED integrated

voltage: 230V

LED 2x8W 1300lm 3000K

IP54



LED

technical

installation place

specification

beam angle: 2x 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4353**
- DARK GREY (DGR) **AZ4354**



ARBAX IP54

376

Outdoor lamps



ARBAX 1

LED integrated

voltage: 230V

LED 6W 500lm 3000K



IP54



technical


installation place

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4341**



ARBAX 2

LED integrated

voltage: 230V

LED 12W 1000lm 3000K



IP54



technical



installation place

specification

beam angle: 2x 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4342**



* - EXPLANATION SHORTCUT PAGE 2 (E)




ARIDA

bulb not included

voltage: 230V	E27 1x Max 40W
IP54	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4347**



** NUMBERS IS NOT INCLUDED


**



GAMBINO IP54

378

Outdoor lamps




GAMBINO 1 3000K / 4000K

LED integrated

voltage: 230V	LED 2x3W 500lm 3000K	
IP54	LED 2x3W 500lm 4000K	
technical specification	installation place	
	adjustable beam angle Max 90°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ0950**
- 3000K BRIGHT GREY (BGR) **AZ0958**
- 3000K DARK GREY (DGR) **AZ0957**
- 3000K BLACK (BK) **AZ4148**
- 4000K BLACK (BK) **AZ4470**
- 4000K DARK GREY (DGR) **AZ4471**
- 4000K WHITE (WH) **AZ4472**



EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°




GAMBINO 2

LED integrated


voltage: 230V	LED 4x 6W 480 lm 3000K	
IP54		
technical specification	installation place	
	adjustable beam angle Max 90°	

COLOUR / NEW INDEX NO.


- WHITE (WH) **AZ1882**



EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°



FOUR ADJUSTABLE LIGHT ANGLE



* - EXPLANATION SHORTCUT PAGE 2 (E)



LETICIA 2 LED

LED integrated

voltage: 230V
IP54

LED 2x3W 400lm 3000K



technical specification



installation place




adjustable beam angle Max 90°




COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4469**
- DARK GREY (DGR) **AZ2189**
- WHITE (WH) **AZ2190**



TILT 90°



FOUR ADJUSTABLE LIGHT ANGLE



CREMONA IP54



380

Outdoor lamps





BK *

CREMONA S

LED integrated

voltage: 230V
IP54

technical
specification



LED 2x3W 350lm 3000K




installation place

beam angle: 60°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2180**
- WHITE (WH) **AZ2179**
- BLACK (BK) **AZ4339**



WH *

CREMONA M

LED integrated

voltage: 230V
IP54

technical
specification



LED 2x5W 500lm 3000K




installation place

beam angle: 2x 60°


COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2182**
- WHITE (WH) **AZ2181**
- BLACK (BK) **AZ4340**



LARS IP54

Outdoor lamps





LARS ROUND WALL 3000K / 4000K

LED integrated

voltage: 230V	LED 13W 1000lm 3000K	
IP54	LED 13W 1000lm 4000K	
technical	installation place	
specification	beam angle: 2x 180°	

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4504**
- 4000K BLACK (BK) **AZ4505**




LARS SQUARE 3000K / 4000K

LED integrated

voltage: 230V	LED 13W 1000lm 3000K	
IP54	LED 13W 1000lm 4000K	
technical	installation place	
specification	beam angle: 2x 180°	

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4506**
- 4000K BLACK (BK) **AZ4507**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



ZITA XL

LED integrated

voltage: 230V	LED 6W 450lm 3000K	
IP54	installation place	
technical specification	beam angle: 35°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2200**
- BRIGHT GREY (BGR) **AZ2201**
- BLACK (BK) **AZ4150**
- WHITE (WH) **AZ4151**



CIVITA IP54

384

Outdoor lamps



CIVITA

LED integrated

voltage: 230V

LED 12W 800lm 3000K



IP54



technical


installation place

specification

beam angle: 180°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4361**



CIVITA SENSOR

LED integrated

voltage: 230V

LED 12W 800lm 3000K



IP54



technical


installation place

specification

beam angle: 180°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4360**



TIME – LIGHTING TIME ADJUSTMENT



TIME

LUX – DUSK SENSITIVITY ADJUSTMENT




LUX



MASTER SLAVE SYSTEM (OPTION)

Master Lamp (with PIR sensor) Slave Lamp (No.1) Slave Lamp (No.2) Slave Lamp (No.3)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

* - EXPLANATION SHORTCUT PAGE 2



GINNA 3

LED integrated

voltage: 230V
IP54

LED 6x1W 500lm 3000K

LED



technical
specification



installation place
beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3484**
- GOLD (GO) **AZ3485**
- DARK GREY (DGR) **AZ4194**
- WHITE (WH) **AZ4195**



FONS IP65

Outdoor lamps




FONS

bulb not included

voltage: 230V	connect GU10 1x Max.35W	<input type="checkbox"/>
IP65	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ0869**
- BRIGHT GREY (BGR) **AZ0890**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



LIVIO 2

bulb not included

voltage: 230V	connect GU10 2x Max.35W	
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ0776**
- BRIGHT GREY (BGR) **AZ0888**



BK

BGR



DGR



GAGARIN IP44

Outdoor lamps




GAGARIN IP44

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4352**



* - EXPLANATION SHORTCUT PAGE 2 (E)



SARONA LED IP54

LED integrated

voltage: 230V

LED 3W 250lm 3000K

LED

IP54




technical specification

installation place inlet opening Ø 7,2cm

beam angle: 10°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2183**



ENOK IP54



390

Outdoor lamps



* EXPLANATION SHORTCUT, PAGE 2 (E)



ENOK ROUND WALL 3000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 9W 700lm 3000K


installation place

beam angle: 360°



COLOUR / NEW INDEX NO.

■ 3000K DARK GREY (DGR) **AZ4460**



ENOK SQUARE WALL 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 9W 700lm 3000K

LED 9W 700lm 4000K

installation place


beam angle: 360°



COLOUR / NEW INDEX NO.


■ 3000K BLACK (BK) **AZ4461**

■ 4000K BLACK (BK) **AZ4462**



2 IN 1

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.
THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.



Outdoor lamps




CASORIA ROUND

LED integrated

voltage: 230V	LED 6W 450lm 3000K	
IP54	installation place	
technical specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4365**
- BLACK (BK) **AZ4366**




CASORIA SLIM

LED integrated

voltage: 230V	LED 6W 450lm 3000K	
IP54	installation place	
technical specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4368**




CASORIA SQUARE

LED integrated

voltage: 230V	LED 6W 450lm 3000K	
IP54	installation place	
technical specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4367**



* - EXPLANATION SHORTCUT PAGE 2 (E)



AFI IP54



394

Outdoor lamps




AFI 3000K / 4000K

LED integrated

voltage: 230V	LED 2W 150lm 3000K	
IP54	LED 2W 150lm 4000K	
technical specification	installation place	
	beam angle: 60°	

COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) **AZ4510**
- 3000K BLACK (BK) **AZ4512**
- 4000K DARK GREY (DGR) **AZ4511**
- 4000K BLACK (BK) **AZ4513**



* - EXPLANATION SHORTCUT PAGE 2 (E)

new



DGR *

OVE WALL 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical

specification



LED 2W 150lm 3000K

LED 2W 150lm 4000K

installation place



beam angle: 60°



COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) **AZ4508**

4000K DARK GREY (DGR) **AZ4509**



ALF IP65

Outdoor lamps



ALF ROUND 3000K

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP65



technical


installation place inlet opening Ø 4,5cm

specification

beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4463**
- DARK GREY (DGR) **AZ4464**



ALF SQUARE 3000K

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP65



technical

installation place inlet opening 4,5x4,5cm

specification



beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4465**
- DARK GREY (DGR) **AZ4466**



* - EXPLANATION SHORTCUT PAGE 2 (E)



NIKLAS IP44

Outdoor lamps




NIKLAS WALL SENSOR

bulb not included

voltage: 230Vs	E27 1x MAX 40W
IP44	
	installation place


COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4487**





TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT



MASTER SLAVE SYSTEM (OPTION)



* – EXPLANATION SHORTCUT PAGE 2 (E)



NIKLAS WALL


BK *

bulb not included

voltage: 230V	E27 1x MAX 40W	<input type="checkbox"/>
IP44		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4486**



NIKLAS 2 WALL


BK *

bulb included

voltage: 230V	E27 2x MAX 40W	<input checked="" type="checkbox"/>
IP44		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4488**



MIKKEL IP54

Outdoor lamps




MIKKEL WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4484**




MIKKEL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4485**



* - EXPLANATION SHORTCUT PAGE 2 (E)

MIKKEL IP54

Outdoor lamps

401



RASMUS IP65

Outdoor lamps




RASMUS WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP65	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4482**




RASMUS

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP65	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4483**



* - EXPLANATION SHORTCUT PAGE 2 (E)




OSVALD WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	<input type="checkbox"/>
IP44	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4489**



ROLF IP44

Outdoor lamps






ROLF 1 WALL

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP44		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4475**
- DARK GREY (DGR) **AZ4476**
- WHITE (WH) **AZ4477**




ROLF 2 500

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	<input type="checkbox"/>
IP44		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4456**
- DARK GREY (DGR) **AZ4457**




ROLF 2 900

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	<input type="checkbox"/>
IP44		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4458**
- DARK GREY (DGR) **AZ4459**




* - EXPLANATION SHORTCUT PAGE 2 (E)



SORANO IP54

406

Outdoor lamps




SORANO 500

bulb not included

voltage: 230V	E27 1x MAX 40W	<input checked="" type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4444**
- DARK GREY (DGR) **AZ4358**




SORANO 700

bulb not included

voltage: 230V	E27 1x MAX 40W	<input checked="" type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4445**
- DARK GREY (DGR) **AZ4359**



* - EXPLANATION SHORTCUT PAGE 2 (E)

new





SORANO WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4446**
- DARK GREY (DGR) **AZ4357**



NILS IP44

Outdoor lamps




TIME - LIGHTING TIME ADJUSTMENT
LUX - DUSK SENSITIVITY ADJUSTMENT



TIME **LUX**



MASTER SLAVE SYSTEM (OPTION)




NILS WALL SENSOR

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4479**




NILS WALL

bulb not included


voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4478**



* - EXPLANATION SHORTCUT PAGE 2 (E)




NILS 500

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4480**




NILS 800

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4481**



FRAME IP54

410

Outdoor lamps



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *

FRAME WALL

LED integrated

voltage: 230V
IP54

technical
specification



LED 8W 800lm 3000K





installation place

beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4308**
- DARK GREY (DGR) **AZ2132**
- BRIGHT GREY (BGR) **AZ2133**



BK *

FRAME SPIKE

LED integrated

voltage: 230V
IP54

technical
specification



LED 8W 800lm 3000K




installation place

beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4307**
- DARK GREY (DGR) **AZ2128**
- BRIGHT GREY (BGR) **AZ2129**



BK *

FRAME 70

LED integrated

voltage: 230V
IP54

technical
specification



LED 8W 800lm 3000K




installation place

beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4305**
- DARK GREY (DGR) **AZ2130**
- BRIGHT GREY (BGR) **AZ2131**



AGAPE IP54



412

Outdoor lamps




AGAPE 60

LED integrated

voltage: 230V	LED 6W 480lm 3000K	
IP54		
technical specification		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ3482**




AGAPE 80

LED integrated

voltage: 230V	LED 6W 480lm 3000K	
IP54		
technical specification		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ3483**



* - EXPLANATION SHORTCUT PAGE 2 (E)




MATERA 600

bulb not included

voltage: 230V	connect GU10 1x Max. 35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2185**




MATERA WALL

bulb not included

voltage: 230V	connect GU10 1x Max. 35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2184**



EDVIN / EDVARD IP65

Outdoor lamps




EDVIN

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4502**





EDVARD

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4503**





FLOKI 3000K / 4000K

LED integrated

voltage: 230V

IP65

technical

specification



LED 6W 500lm 3000K

LED 6W 500lm 4000K


installation place

beam angle: 30°

LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4468**
- 4000K BLACK (BK) **AZ4467**



TILT 180°



HAVANA IP44

Outdoor lamps




HAVANA

bulb not included

voltage: 230V	E27 1x MAX 40W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4662**
- WHITE (WH) **AZ4663**



* - EXPLANATION SHORTCUT PAGE 2 (E)



waterproof switch button




HAVANA IP44

Outdoor lamps



HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cable so that the lamp can be placed anywhere

due to the fact that it is not limited by access to mains supply. This is a wonderful decoration that can inspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

Play music from your smartphone or tablet via bluetooth!



BOOMBOX MEDIUM RGBW + REMOTE CONTROL

Dimensions: 22x22x32cm
 Power: 10W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included



BOOMBOX BUCKET RGBW + REMOTE CONTROL

Dimensions: 32x56cm
 Power: 5W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *

BOOMBOX MEDIUM RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 10W 800lm RGBW DIMM USB	
IP44	3000K	
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4664**



22



WH *

BOOMBOX BUCKET RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 5W 400lm RGBW DIMM USB	
IP44	3000K	
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4665**




22



LED TUBES, LED GRILL & HERMETIC LAMPS

LED tubes

LED Grill & Hermetic lamps




ACCESSORIES

422

LED tubes, LED grill & hermetic lamps


LED TUBE 600mm 4300K / **AZ1153**



200°

G13	830lm 9W	4300 K	NO DIMM	50 000 h	26 mm 1000 mm	RA ≥80	180-240V 50/60Hz	INTERIOR	ON < 0,2s	ON/OFF ≥25 000x	
------------	--------------------	---------------	----------------	-----------------	-------------------------	---------------	----------------------------	-----------------	---------------------	---------------------------	--


LED TUBE 600mm 6400K / **AZ1154**



200°

G13	850lm 9W	6400 K	NO DIMM	50 000 h	26 mm 1000 mm	RA ≥80	180-240V 50/60Hz	INTERIOR	ON < 0,2s	ON/OFF ≥25 000x	
------------	--------------------	---------------	----------------	-----------------	-------------------------	---------------	----------------------------	-----------------	---------------------	---------------------------	--


LED TUBE 1200mm 4300K / **AZ1155**



200°

G13	1600lm 18W	4300 K	NO DIMM	50 000 h	26 mm 1300 mm	RA ≥80	180-240V 50/60Hz	INTERIOR	ON < 0,2s	ON/OFF ≥25 000x	
------------	----------------------	---------------	----------------	-----------------	-------------------------	---------------	----------------------------	-----------------	---------------------	---------------------------	--


LED TUBE 1200mm 6400K / **AZ1156**



200°

G13	1650lm 18W	6400 K	NO DIMM	50 000 h	26 mm 1300 mm	RA ≥80	180-240V 50/60Hz	INTERIOR	ON < 0,2s	ON/OFF ≥25 000x	
------------	----------------------	---------------	----------------	-----------------	-------------------------	---------------	----------------------------	-----------------	---------------------	---------------------------	--


LED TUBE 1500mm 4300K / **AZ1157**



200°

G13	2200lm 24W	4300 K	NO DIMM	50 000 h	26 mm 1500 mm	RA ≥80	180-240V 50/60Hz	INTERIOR	ON < 0,2s	ON/OFF ≥25 000x	
------------	----------------------	---------------	----------------	-----------------	-------------------------	---------------	----------------------------	-----------------	---------------------	---------------------------	--


LED TUBE 1500mm 6400K / **AZ1158**



200°









G13	2250lm 24W	6400 K	NO DIMM	50 000 h	26 mm 1500 mm	RA ≥80	180-240V 50/60Hz	INTERIOR	ON < 0,2s	ON/OFF ≥25 000x	
------------	----------------------	---------------	----------------	-----------------	-------------------------	---------------	----------------------------	-----------------	---------------------	---------------------------	--


LED tubes, LED grill & hermetic lamps



LED Grill Lamp Surface 1200mm / **AZ1190**









LED Lamp


 2x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 INTERIOR	 1200 mm 300 mm 80 mm		
---	---	---	--	--	--	---	---



LED Grill Lamp Concealed 1200mm / **AZ1191**









LED Lamp


 2x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 INTERIOR	 1200 mm 300 mm 80 mm		
---	---	---	--	--	--	---	---



LED Grill Lamp Concealed 600mm / **AZ1189**










LED Lamp

 4x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 INTERIOR	 600 mm 300 mm 80 mm		
---	---	---	---	--	---	---	---



LED HERMETIC LAMP Surface 1200mm / **AZ1192**

LED Lamp

 IP65	 2x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 EXTERIOR	 1265 mm 120 mm 80 mm		
--	---	---	---	---	--	--	---	---



LED BULBS

LED bulbs





E27 AZZARDO BULB LED E27 8W BALL WH / **AZ4019**
DIMMABLE / **FULL GLASS**



E27 AZZARDO BULB LED E27 8,5W BALL WH / **AZ4020**
DIMMABLE / **FULL GLASS**



E27 AZZARDO BULB LED E27 8W BALL AM / **AZ4021**
DIMMABLE / **FULL GLASS**



E27 AZZARDO BULB LED E27 8W BALL WH / **AZ4022**
DIMMABLE / **FULL GLASS**




E27 8W LL127081 / **AZ1638**
FULL GLASS



E27 10W LL127101 / **AZ1639**
FULL GLASS






E27 12W LL127121 / **AZ1640**
FULL GLASS

	990lm 12W			25 000 h = 25 Years 2,7h/day		RA ≥ 80					
--	---------------------	--	--	--	--	----------------	--	--	--	--	--




E27 15W LL127151 / **AZ1081**

	1200lm 15W			25 000 h = 25 Years 2,7h/day		RA ≥ 80					
--	----------------------	--	--	--	--	----------------	--	--	--	--	--




E14 AZZARDO BULB LED E14 5W CANDLE WH / **AZ4016**
DIMMABLE / FULL GLASS

	450lm 5W			25 000 h = 25 Years 2,7h/day		RA ≥ 80					
--	--------------------	--	--	--	--	----------------	--	--	--	--	--



E14 AZZARDO BULB LED E14 5W BALL WH / **AZ4017**
DIMMABLE / FULL GLASS

	450lm 5W			25 000 h = 25 Years 2,7h/day		RA ≥ 80					
--	--------------------	--	--	--	--	----------------	--	--	--	--	--




E14 AZZARDO BULB LED E14 5W BALL WH / **AZ4018**
DIMMABLE / FULL GLASS

	450lm 5W			25 000 h = 25 Years 2,7h/day		RA ≥ 80					
--	--------------------	--	--	--	--	----------------	--	--	--	--	--



E14 12W / **AZ3055**

	1000lm 12W			25 000 h = 25 Years 2,7h/day		RA ≥ 80					
--	----------------------	--	--	--	--	----------------	--	--	--	--	--



E14 12W / **AZ3056**

LED bulb

E14	1050lm 12W	4000 K	DIMMABLE	25 000 h = 25 Years 2.7h/day	24 mm 25 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s OFF ≥15 000×	G A T G
-----	---------------	--------	----------	------------------------------------	----------------	-----------	---------------------	----------	---------------------------	----------------



GU10 AZZARDO BULB LED GU10 7W / **AZ4023**

DIMMABLE / FULL GLASS

GU10	530lm 7W	3000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	50 mm 55 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s OFF ≥15 000×	G A T G
------	-------------	--------	---------	------------------------------------	----------------	-----------	---------------------	----------	---------------------------	----------------



GU10 AZZARDO BULB LED GU10 7W / **AZ4024**

DIMMABLE / FULL GLASS

GU10	580lm 7W	4000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	50 mm 55 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s OFF ≥15 000×	G A T G
------	-------------	--------	---------	------------------------------------	----------------	-----------	---------------------	----------	---------------------------	----------------



GU10 4W LL110042 / **AZ2502**

FULL GLASS

GU10	350lm 4w	3000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	50 mm 55 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s OFF ≥15 000×	G A T G
------	-------------	--------	---------	------------------------------------	----------------	-----------	---------------------	----------	---------------------------	----------------



GU10 7W LL210071 RA>90 DIMMABLE 4000K **AZ2165**

FULL GLASS


GU10	520lm 7W	4000 K	DIMMABLE	25 000 h = 25 Years 2.7h/day	50 mm 55 mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s OFF ≥15 000×	G A T G
------	-------------	--------	----------	------------------------------------	----------------	-----------	---------------------	----------	---------------------------	----------------



GU10 7W CHROME ELEGANT LED LL110076

3000K / **AZ2227**


GU10	410lm 7W	3000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	50 mm 70 mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s OFF ≥15 000×	G A T G
------	-------------	--------	---------	------------------------------------	----------------	-----------	---------------------	----------	---------------------------	----------------



GU10 7W CHROME ELEGANT LED LL210076
4000K / **AZ2226**

45°

GU10	450lm 7W	4000 K	NO DIMM	25 000 h = 2,7h/day	50 mm 27 mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s	≥15 000x	G A T G
-------------	--------------------	---------------	----------------	-------------------------------	----------------	---------------	----------------------------	----------	-----------	----------	----------------





ADAPTER PAR-16 ADAP111 / AZ1117

HOW TO USE:

GU10 + = ES111

MR16 + = QR111

ES111 15W White LL110152 / AZ1500
DIMMABLE - 3000K

45°


GU10	1150lm 15W	3000 K	DIMMABLE	25 000 h = 2,7h/day	111 mm 58 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	≥15 000x	G A T G
-------------	----------------------	---------------	-----------------	-------------------------------	-----------------	---------------	----------------------------	----------	-----------	----------	----------------



ES111 15W White LL210152 / AZ1877
DIMMABLE - 4000K

45°


GU10	1200lm 15W	4300 K	DIMMABLE	25 000 h = 2,7h/day	111 mm 58 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	≥15 000x	G A T G
-------------	----------------------	---------------	-----------------	-------------------------------	-----------------	---------------	----------------------------	----------	-----------	----------	----------------



ES111 15W BLACK LL110151 / AZ1499
DIMMABLE - 3000K

45°

GU10	1150lm 15W	3000 K	DIMMABLE	25 000 h = 2,7h/day	111 mm 58 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	≥15 000x	G A T G
-------------	----------------------	---------------	-----------------	-------------------------------	-----------------	---------------	----------------------------	----------	-----------	----------	----------------



ES111 15W BLACK LL210151 / AZ1876
DIMMABLE - 4000K

45°

GU10	1200lm 15W	4300 K	DIMMABLE	25 000 h = 2,7h/day	111 mm 58 mm	RA ≥80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	≥15 000x	G A T G
-------------	----------------------	---------------	-----------------	-------------------------------	-----------------	---------------	----------------------------	----------	-----------	----------	----------------



QR111 17W WHITE LL153171 / **AZ1109**

NO DIMM - 3000K



QR111 17W BLACK LL153172 / **AZ1108**

NO DIMM - 3000K



QR111 NEW CHROME 15W 12V LL153151 / **AZ1783**

NO DIMM



QR111 NEW CHROME 15W 12V LL153152 / **AZ1784**

NO DIMM



ES111 NEW chrome 15W 230V LL110154 / **AZ1785**


DIMMABLE



QR111 NEW chrome 12W 12V LL110123 / **AZ1182**

no DIMM - 3000K






QR111 NEW CHROME 12W 12V LL210123 / **AZ2507**
NO DIMM - 4000K

24°


G53 560 lm 12W 4000 K NO DIMM 25 000 h = 25 Years 2.7h/day 111mm 9mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x G A+G



ES111 NEW chrome 12W 230V LL110122 / **AZ2364**
DIMMABLE - 3000K

24°


GU10 480 lm 12W 3000 K DIMMABLE 25 000 h = 25 Years 2.7h/day 111mm 9mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x G A+G



ES111 NEW chrome 12W 230V LL210122 / **AZ2365**
DIMMABLE - 4000K

24°


GU10 560 lm 12W 4000 K DIMMABLE 25 000 h = 25 Years 2.7h/day 111mm 9mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x G A+G



ES111 NEW chrome 12W 230V LL110121 / **AZ2362**
no DIMM - 3000K

24°


GU10 480 lm 12W 3000 K NO DIMM 25 000 h = 25 Years 2.7h/day 111mm 9mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x G A+G



ES111 NEW chrome 12W 230V LL210121 / **AZ2363**
no DIMM - 4000K

24°


GU10 560 lm 12W 4000 K NO DIMM 25 000 h = 25 Years 2.7h/day 111mm 9mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x G A+G



G9 2W LL109021 / **AZ1376**

360°

G9 180lm 2W 3000 K NO DIMM 25 000 h = 25 Years 2.7h/day 15mm 4mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥15 000x G A+G




G9 2,5W LL109251 / **AZ1377**

LED bulb




G9 3,5W **AZ3051**
FULL GLASS

LED bulb




G9 3,5W **AZ3052**
FULL GLASS

LED bulb




G9 4W LL109041 / **AZ1097**

LED bulb




G9 6W LL109061 / **AZ1378**


LED bulb



G9 8W LL109081 / **AZ1891**

LED bulb





G4 1,6W LL104161 / AZ2324

NO DIMM - 3000K



150lm
1,6W



25 000 h =
25 Years
2,7h/day



RA
≥80



ENERGY efficiency

Group energy label **A**

Group energy label **B**

Group energy label **C**

Group energy label **D**

Group energy label **E**

Group energy label **F**

Group energy label **G**

ARTICLES
SYMBOL

index

AZ0199 . . .	332	AZ0813 . . .	265	AZ0951 . . .	316	AZ1369 . . .	168	AZ1496 . . .	225	AZ1758 . . .	331
AZ0201 . . .	333	AZ0814 . . .	263	AZ0952 . . .	316	AZ1370 . . .	169	AZ1499 . . .	429	AZ1781 . . .	114
AZ0326 . . .	332	AZ0815 . . .	263	AZ0957 . . .	314	AZ1371 . . .	169	AZ1500 . . .	429	AZ1783 . . .	430
AZ0327 . . .	332	AZ0817 . . .	266	AZ0957 . . .	378	AZ1372 . . .	170	AZ1546 . . .	342	AZ1784 . . .	430
AZ0328 . . .	333	AZ0818 . . .	110	AZ0958 . . .	314	AZ1373 . . .	170	AZ1547 . . .	342	AZ1785 . . .	430
AZ0573 . . .	327	AZ0819 . . .	110	AZ0958 . . .	378	AZ1375 . . .	170	AZ1548 . . .	342	AZ1787 . . .	96
AZ0578 . . .	325	AZ0820 . . .	110	AZ0959 . . .	159	AZ1376 . . .	431	AZ1611 . . .	216	AZ1788 . . .	275
AZ0598 . . .	117	AZ0821 . . .	110	AZ0960 . . .	159	AZ1377 . . .	432	AZ1612 . . .	216	AZ1789 . . .	275
AZ0606 . . .	116	AZ0821 . . .	269	AZ0964 . . .	159	AZ1378 . . .	432	AZ1613 . . .	210	AZ1800 . . .	158
AZ0607 . . .	116	AZ0821 . . .	270	AZ0965 . . .	159	AZ1381 . . .	115	AZ1614 . . .	210	AZ1825 . . .	275
AZ0707 . . .	116	AZ0822 . . .	110	AZ0991 . . .	106	AZ1382 . . .	115	AZ1615 . . .	210	AZ1826 . . .	275
AZ0708 . . .	116	AZ0822 . . .	269	AZ1015 . . .	266	AZ1383 . . .	117	AZ1616 . . .	210	AZ1876 . . .	429
AZ0735 . . .	117	AZ0822 . . .	270	AZ1051 . . .	265	AZ1385 . . .	117	AZ1617 . . .	225	AZ1877 . . .	429
AZ0736 . . .	117	AZ0823 . . .	110	AZ1052 . . .	312	AZ1386 . . .	117	AZ1618 . . .	143	AZ1882 . . .	315
AZ0737 . . .	117	AZ0823 . . .	269	AZ1053 . . .	112	AZ1387 . . .	117	AZ1619 . . .	212	AZ1882 . . .	378
AZ0742 . . .	116	AZ0823 . . .	270	AZ1054 . . .	112	AZ1388 . . .	117	AZ1621 . . .	217	AZ1885 . . .	169
AZ0758 . . .	274	AZ0824 . . .	110	AZ1055 . . .	113	AZ1436 . . .	96	AZ1622 . . .	217	AZ1886 . . .	169
AZ0759 . . .	274	AZ0824 . . .	269	AZ1056 . . .	113	AZ1437 . . .	96	AZ1623 . . .	153	AZ1891 . . .	432
AZ0760 . . .	277	AZ0824 . . .	270	AZ1058 . . .	317	AZ1439 . . .	106	AZ1624 . . .	153	AZ2128 . . .	411
AZ0761 . . .	334	AZ0825 . . .	110	AZ1059 . . .	317	AZ1446 . . .	291	AZ1625 . . .	153	AZ2129 . . .	411
AZ0762 . . .	334	AZ0825 . . .	269	AZ1081 . . .	427	AZ1447 . . .	291	AZ1626 . . .	153	AZ2130 . . .	411
AZ0763 . . .	334	AZ0825 . . .	270	AZ1090 . . .	312	AZ1449 . . .	226	AZ1638 . . .	426	AZ2131 . . .	411
AZ0764 . . .	334	AZ0826 . . .	108	AZ1097 . . .	432	AZ1450 . . .	226	AZ1639 . . .	426	AZ2132 . . .	411
AZ0765 . . .	334	AZ0827 . . .	108	AZ1108 . . .	430	AZ1451 . . .	226	AZ1640 . . .	427	AZ2133 . . .	411
AZ0766 . . .	334	AZ0828 . . .	108	AZ1109 . . .	430	AZ1452 . . .	143	AZ1706 . . .	114	AZ2135 . . .	96
AZ0767 . . .	290	AZ0829 . . .	108	AZ1110 . . .	112	AZ1453 . . .	142	AZ1707 . . .	114	AZ2136 . . .	96
AZ0768 . . .	290	AZ0830 . . .	108	AZ1111 . . .	113	AZ1454 . . .	142	AZ1708 . . .	331	AZ2137 . . .	106
AZ0769 . . .	290	AZ0831 . . .	108	AZ1117 . . .	429	AZ1455 . . .	172	AZ1709 . . .	331	AZ2138 . . .	106
AZ0770 . . .	290	AZ0832 . . .	108	AZ1152 . . .	268	AZ1456 . . .	172	AZ1710 . . .	94	AZ2165 . . .	428
AZ0771 . . .	290	AZ0833 . . .	108	AZ1153 . . .	422	AZ1457 . . .	140	AZ1711 . . .	94	AZ2175 . . .	366
AZ0772 . . .	290	AZ0851 . . .	117	AZ1154 . . .	422	AZ1458 . . .	214	AZ1712 . . .	95	AZ2176 . . .	366
AZ0773 . . .	290	AZ0852 . . .	117	AZ1155 . . .	422	AZ1459 . . .	214	AZ1713 . . .	95	AZ2177 . . .	366
AZ0776 . . .	387	AZ0855 . . .	110	AZ1156 . . .	422	AZ1459 . . .	214	AZ1714 . . .	262	AZ2178 . . .	366
AZ0779 . . .	96	AZ0855 . . .	269	AZ1157 . . .	422	AZ1460 . . .	214	AZ1714 . . .	262	AZ2179 . . .	381
AZ0780 . . .	96	AZ0855 . . .	270	AZ1158 . . .	422	AZ1462 . . .	216	AZ1715 . . .	262	AZ2180 . . .	381
AZ0781 . . .	96	AZ0856 . . .	108	AZ1182 . . .	430	AZ1463 . . .	216	AZ1716 . . .	274	AZ2180 . . .	381
AZ0782 . . .	96	AZ0857 . . .	96	AZ1189 . . .	423	AZ1464 . . .	212	AZ1717 . . .	274	AZ2181 . . .	381
AZ0783 . . .	96	AZ0858 . . .	96	AZ1190 . . .	423	AZ1466 . . .	213	AZ1718 . . .	277	AZ2182 . . .	381
AZ0784 . . .	96	AZ0858 . . .	96	AZ1191 . . .	423	AZ1471 . . .	222	AZ1719 . . .	277	AZ2186 . . .	351
AZ0791 . . .	138	AZ0859 . . .	96	AZ1192 . . .	423	AZ1472 . . .	222	AZ1720 . . .	277	AZ2187 . . .	351
AZ0792 . . .	138	AZ0860 . . .	292	AZ1265 . . .	158	AZ1473 . . .	210	AZ1723 . . .	168	AZ2189 . . .	318
AZ0793 . . .	291	AZ0861 . . .	292	AZ1267 . . .	158	AZ1474 . . .	210	AZ1724 . . .	168	AZ2189 . . .	379
AZ0794 . . .	291	AZ0862 . . .	326	AZ1278 . . .	277	AZ1475 . . .	224	AZ1729 . . .	269	AZ2190 . . .	318
AZ0795 . . .	276	AZ0863 . . .	326	AZ1312 . . .	387	AZ1476 . . .	224	AZ1730 . . .	269	AZ2190 . . .	379
AZ0796 . . .	276	AZ0868 . . .	324	AZ1352 . . .	106	AZ1477 . . .	132	AZ1731 . . .	269	AZ2191 . . .	328
AZ0797 . . .	276	AZ0869 . . .	386	AZ1353 . . .	106	AZ1478 . . .	132	AZ1732 . . .	269	AZ2192 . . .	328
AZ0798 . . .	276	AZ0871 . . .	264	AZ1354 . . .	106	AZ1479 . . .	132	AZ1737 . . .	271	AZ2193 . . .	328
AZ0799 . . .	276	AZ0872 . . .	106	AZ1355 . . .	106	AZ1480 . . .	218	AZ1738 . . .	271	AZ2194 . . .	328
AZ0800 . . .	276	AZ0873 . . .	106	AZ1356 . . .	162	AZ1481 . . .	218	AZ1739 . . .	271	AZ2195 . . .	320
AZ0801 . . .	276	AZ0888 . . .	387	AZ1357 . . .	162	AZ1482 . . .	218	AZ1740 . . .	271	AZ2196 . . .	320
AZ0802 . . .	276	AZ0890 . . .	386	AZ1357 . . .	162	AZ1483 . . .	218	AZ1744 . . .	139	AZ2197 . . .	320
AZ0803 . . .	276	AZ0891 . . .	324	AZ1358 . . .	163	AZ1484 . . .	219	AZ1745 . . .	139	AZ2198 . . .	321
AZ0804 . . .	272	AZ0892 . . .	324	AZ1359 . . .	163	AZ1485 . . .	219	AZ1746 . . .	331	AZ2199 . . .	321
AZ0805 . . .	272	AZ0893 . . .	313	AZ1360 . . .	92	AZ1486 . . .	219	AZ1749 . . .	277	AZ2200 . . .	383
AZ0806 . . .	273	AZ0894 . . .	313	AZ1361 . . .	280	AZ1487 . . .	219	AZ1750 . . .	168	AZ2201 . . .	383
AZ0807 . . .	273	AZ0895 . . .	312	AZ1362 . . .	282	AZ1488 . . .	133	AZ1751 . . .	168	AZ2202 . . .	322
AZ0808 . . .	264	AZ0896 . . .	312	AZ1363 . . .	281	AZ1489 . . .	133	AZ1752 . . .	168	AZ2203 . . .	322
AZ0809 . . .	264	AZ0929 . . .	106	AZ1364 . . .	168	AZ1490 . . .	133	AZ1753 . . .	96	AZ2204 . . .	323
AZ0810 . . .	264	AZ0930 . . .	106	AZ1365 . . .	168	AZ1491 . . .	133	AZ1754 . . .	95	AZ2205 . . .	323
AZ0811 . . .	265	AZ0941 . . .	96	AZ1366 . . .	169	AZ1492 . . .	223	AZ1755 . . .	95	AZ2206 . . .	330
AZ0812 . . .	265	AZ0950 . . .	314	AZ1367 . . .	169	AZ1493 . . .	223	AZ1756 . . .	94	AZ2207 . . .	330
		AZ0950 . . .	378	AZ1368 . . .	168	AZ1494 . . .	230	AZ1757 . . .	94	AZ2208 . . .	232

ARTICLES SYMBOL INDEX

436

Index pages

AZ2209... 232	AZ2416... 130	AZ2721... 191	AZ2802... 282	AZ2924... 25	AZ3317... 358
AZ2211... 145	AZ2417... 130	AZ2722... 191	AZ2803... 280	AZ2925... 25	AZ3318... 358
AZ2214... 145	AZ2424... 339	AZ2723... 191	AZ2804... 280	AZ2929... 102	AZ3319... 359
AZ2215... 145	AZ2425... 311	AZ2724... 200	AZ2805... 290	AZ2930... 102	AZ3320... 359
AZ2218... 145	AZ2426... 311	AZ2725... 200	AZ2806... 290	AZ2931... 312	AZ3321... 367
AZ2219... 145	AZ2427... 311	AZ2726... 200	AZ2809... 291	AZ2932... 316	AZ3322... 367
AZ2220... 145	AZ2430... 278	AZ2727... 202	AZ2810... 291	AZ2933... 317	AZ3323... 359
AZ2221... 145	AZ2431... 278	AZ2728... 202	AZ2811... 292	AZ2934... 297	AZ3324... 359
AZ2222... 39	AZ2432... 278	AZ2729... 202	AZ2814... 316	AZ2935... 297	AZ3345... 309
AZ2223... 39	AZ2433... 279	AZ2730... 198	AZ2815... 317	AZ2943... 343	AZ3346... 309
AZ2224... 39	AZ2434... 279	AZ2731... 220	AZ2818... 102	AZ2944... 343	AZ3369... 302
AZ2225... 39	AZ2435... 279	AZ2732... 198	AZ2819... 102	AZ2952... 143	AZ3370... 302
AZ2226... 233	AZ2436... 279	AZ2733... 198	AZ2820... 102	AZ2955... 96	AZ3371... 302
AZ2226... 429	AZ2437... 279	AZ2734... 220	AZ2821... 102	AZ2956... 96	AZ3372... 303
AZ2227... 233	AZ2438... 279	AZ2735... 198	AZ2822... 105	AZ2957... 292	AZ3373... 303
AZ2227... 428	AZ2439... 279	AZ2736... 198	AZ2823... 105	AZ2963... 305	AZ3374... 303
AZ2232... 247	AZ2440... 279	AZ2737... 198	AZ2824... 104	AZ2964... 305	AZ3375... 123
AZ2233... 247	AZ2441... 279	AZ2738... 220	AZ2825... 104	AZ2965... 305	AZ3376... 123
AZ2234... 247	AZ2442... 279	AZ2739... 198	AZ2826... 104	AZ2973... 12	AZ3377... 249
AZ2235... 247	AZ2443... 279	AZ2740... 220	AZ2827... 104	AZ2974... 12	AZ3378... 249
AZ2244... 246	AZ2444... 279	AZ2741... 198	AZ2828... 258	AZ2975... 12	AZ3379... 249
AZ2246... 246	AZ2445... 335	AZ2742... 198	AZ2829... 258	AZ2976... 12	AZ3380... 249
AZ2250... 246	AZ2446... 335	AZ2743... 198	AZ2830... 242	AZ2981... 13	AZ3381... 248
AZ2251... 246	AZ2456... 311	AZ2744... 198	AZ2831... 245	AZ2982... 13	AZ3382... 248
AZ2252... 178	AZ2457... 33	AZ2745... 198	AZ2832... 245	AZ2983... 14	AZ3383... 38
AZ2253... 178	AZ2458... 32	AZ2746... 192	AZ2833... 242	AZ2984... 14	AZ3384... 38
AZ2254... 178	AZ2459... 32	AZ2747... 192	AZ2834... 245	AZ2985... 14	AZ3385... 38
AZ2255... 178	AZ2460... 33	AZ2748... 192	AZ2835... 245	AZ2986... 14	AZ3386... 38
AZ2256... 178	AZ2467... 226	AZ2749... 192	AZ2836... 242	AZ2987... 12	AZ3387... 38
AZ2257... 178	AZ2496... 179	AZ2750... 192	AZ2837... 242	AZ2988... 12	AZ3388... 38
AZ2258... 178	AZ2502... 428	AZ2751... 192	AZ2838... 245	AZ2991... 12	AZ3389... 134
AZ2259... 178	AZ2507... 431	AZ2758... 196	AZ2839... 245	AZ2992... 12	AZ3390... 38
AZ2260... 178	AZ2552... 339	AZ2759... 196	AZ2840... 245	AZ2997... 321	AZ3391... 38
AZ2261... 178	AZ2558... 92	AZ2760... 196	AZ2841... 245	AZ2998... 321	AZ3392... 134
AZ2262... 178	AZ2559... 92	AZ2761... 197	AZ2842... 245	AZ2999... 12	AZ3393... 134
AZ2263... 178	AZ2562... 218	AZ2763... 197	AZ2843... 245	AZ3000... 12	AZ3394... 134
AZ2264... 178	AZ2563... 336	AZ2765... 304	AZ2844... 119	AZ3001... 12	AZ3395... 134
AZ2265... 178	AZ2564... 336	AZ2766... 304	AZ2845... 119	AZ3002... 12	AZ3396... 259
AZ2266... 178	AZ2565... 336	AZ2767... 304	AZ2846... 119	AZ3017... 267	AZ3397... 259
AZ2267... 178	AZ2566... 336	AZ2768... 304	AZ2852... 328	AZ3017... 361	AZ3398... 288
AZ2268... 182	AZ2567... 219	AZ2769... 304	AZ2853... 328	AZ3051... 432	AZ3399... 288
AZ2269... 182	AZ2570... 179	AZ2770... 304	AZ2856... 100	AZ3052... 432	AZ3400... 288
AZ2270... 182	AZ2682... 293	AZ2771... 304	AZ2857... 100	AZ3055... 427	AZ3401... 288
AZ2271... 182	AZ2683... 293	AZ2772... 261	AZ2859... 319	AZ3056... 428	AZ3433... 200
AZ2272... 182	AZ2684... 293	AZ2773... 261	AZ2861... 245	AZ3069... 308	AZ3434... 200
AZ2273... 182	AZ2685... 293	AZ2774... 260	AZ2862... 245	AZ3193... 136	AZ3435... 200
AZ2274... 182	AZ2692... 262	AZ2775... 260	AZ2864... 267	AZ3194... 136	AZ3436... 202
AZ2275... 182	AZ2702... 101	AZ2776... 289	AZ2864... 361	AZ3195... 136	AZ3437... 202
AZ2276... 179	AZ2703... 101	AZ2777... 289	AZ2865... 267	AZ3196... 136	AZ3438... 202
AZ2277... 179	AZ2705... 100	AZ2778... 286	AZ2865... 361	AZ3197... 137	AZ3445... 200
AZ2278... 173	AZ2705... 256	AZ2779... 286	AZ2869... 296	AZ3198... 137	AZ3446... 200
AZ2279... 173	AZ2706... 100	AZ2780... 190	AZ2870... 296	AZ3199... 6	AZ3447... 200
AZ2280... 173	AZ2706... 256	AZ2781... 190	AZ2871... 296	AZ3199... 41	AZ3448... 202
AZ2281... 173	AZ2708... 257	AZ2782... 190	AZ2872... 297	AZ3200... 6	AZ3449... 202
AZ2282... 173	AZ2714... 329	AZ2783... 190	AZ2873... 297	AZ3200... 41	AZ3450... 202
AZ2283... 173	AZ2715... 329	AZ2784... 118	AZ2875... 296	AZ3201... 338	AZ3453... 181
AZ2324... 433	AZ2716... 194	AZ2785... 118	AZ2876... 296	AZ3204... 339	AZ3453... 187
AZ2362... 431	AZ2717... 194	AZ2786... 118	AZ2877... 296	AZ3313... 358	AZ3454... 181
AZ2363... 431	AZ2718... 191	AZ2787... 118	AZ2878... 105	AZ3314... 358	AZ3454... 187
AZ2364... 431	AZ2719... 191	AZ2800... 262	AZ2879... 105	AZ3315... 358	AZ3464... 299
AZ2365... 431	AZ2720... 191	AZ2801... 282	AZ2890... 158	AZ3316... 358	AZ3465... 299

AZ3466	298	AZ3679	181	AZ4134	156	AZ4231	361	AZ4295	15	AZ4361	384
AZ3467	298	AZ3680	181	AZ4139	263	AZ4232	267	AZ4297	15	AZ4365	392
AZ3470	255	AZ3681	181	AZ4140	266	AZ4232	361	AZ4298	15	AZ4366	392
AZ3471	255	AZ3682	184	AZ4141	272	AZ4233	174	AZ4299	15	AZ4367	392
AZ3484	385	AZ3683	184	AZ4142	282	AZ4234	174	AZ4300	15	AZ4368	392
AZ3485	385	AZ3684	184	AZ4143	281	AZ4235	174	AZ4301	17	AZ4369	350
AZ3486	30	AZ3685	184	AZ4144	273	AZ4236	174	AZ4302	17	AZ4370	350
AZ3487	30	AZ3686	184	AZ4148	378	AZ4237	174	AZ4303	15	AZ4371	350
AZ3488	141	AZ3687	184	AZ4150	383	AZ4238	174	AZ4304	15	AZ4372	350
AZ3489	141	AZ3688	184	AZ4151	383	AZ4239	174	AZ4305	411	AZ4373	350
AZ3490	45	AZ3689	184	AZ4152	120	AZ4240	174	AZ4307	411	AZ4374	350
AZ3491	45	AZ3690	184	AZ4153	120	AZ4241	174	AZ4308	411	AZ4379	238
AZ3492	164	AZ3691	184	AZ4154	120	AZ4242	174	AZ4309	15	AZ4380	238
AZ3493	164	AZ3692	184	AZ4155	121	AZ4243	174	AZ4310	15	AZ4381	238
AZ3494	164	AZ3693	184	AZ4156	121	AZ4244	174	AZ4311	364	AZ4382	238
AZ3495	164	AZ3694	185	AZ4157	121	AZ4245	176	AZ4312	364	AZ4383	240
AZ3496	164	AZ3695	185	AZ4171	247	AZ4246	176	AZ4313	364	AZ4384	240
AZ3497	153	AZ3697	185	AZ4172	247	AZ4247	176	AZ4314	364	AZ4385	240
AZ3498	98	AZ3698	185	AZ4173	225	AZ4248	176	AZ4315	358	AZ4386	240
AZ3499	98	AZ3790	180	AZ4174	224	AZ4249	176	AZ4316	359	AZ4387	241
AZ3500	40	AZ3791	180	AZ4175	226	AZ4250	176	AZ4317	167	AZ4388	241
AZ3501	40	AZ3792	180	AZ4176	226	AZ4251	176	AZ4318	167	AZ4389	239
AZ3502	98	AZ3793	180	AZ4181	130	AZ4252	176	AZ4319	166	AZ4390	239
AZ3503	98	AZ3794	180	AZ4182	130	AZ4253	176	AZ4320	166	AZ4391	239
AZ3508	144	AZ3795	180	AZ4183	25	AZ4254	176	AZ4322	119	AZ4392	241
AZ3509	144	AZ3796	180	AZ4184	25	AZ4255	176	AZ4323	119	AZ4393	241
AZ3510	42	AZ3798	180	AZ4194	385	AZ4256	176	AZ4324	119	AZ4397	306
AZ3511	42	AZ3799	180	AZ4195	385	AZ4259	93	AZ4325	120	AZ4398	306
AZ3512	42	AZ3800	180	AZ4196	150	AZ4260	93	AZ4326	120	AZ4399	306
AZ3513	126	AZ3801	180	AZ4197	150	AZ4261	93	AZ4327	120	AZ4401	307
AZ3514	126	AZ4016	427	AZ4198	150	AZ4265	366	AZ4328	121	AZ4402	307
AZ3515	126	AZ4017	427	AZ4199	150	AZ4266	366	AZ4329	121	AZ4403	307
AZ3516	125	AZ4018	427	AZ4200	130	AZ4267	364	AZ4330	121	AZ4410	228
AZ3517	125	AZ4019	426	AZ4201	130	AZ4268	364	AZ4333	354	AZ4411	228
AZ3518	125	AZ4020	426	AZ4202	24	AZ4269	367	AZ4334	354	AZ4412	228
AZ3519	127	AZ4021	426	AZ4203	24	AZ4270	359	AZ4335	354	AZ4413	228
AZ3520	127	AZ4022	426	AZ4204	20	AZ4271	12	AZ4336	354	AZ4414	228
AZ3521	127	AZ4023	428	AZ4205	20	AZ4272	12	AZ4337	354	AZ4415	228
AZ3522	131	AZ4024	428	AZ4206	20	AZ4273	14	AZ4338	354	AZ4417	338
AZ3523	131	AZ4055	356	AZ4207	124	AZ4274	14	AZ4339	381	AZ4430	154
AZ3524	43	AZ4056	356	AZ4208	124	AZ4275	14	AZ4340	381	AZ4431	154
AZ3525	43	AZ4057	356	AZ4209	124	AZ4276	14	AZ4341	376	AZ4432	154
AZ3526	294	AZ4063	254	AZ4210	128	AZ4277	14	AZ4342	376	AZ4433	154
AZ3527	294	AZ4064	152	AZ4211	128	AZ4278	14	AZ4343	362	AZ4434	154
AZ3528	294	AZ4065	152	AZ4212	128	AZ4279	16	AZ4344	362	AZ4435	154
AZ3529	294	AZ4066	27	AZ4213	128	AZ4280	16	AZ4345	362	AZ4436	155
AZ3530	294	AZ4067	27	AZ4214	128	AZ4281	17	AZ4346	362	AZ4437	155
AZ3531	294	AZ4068	204	AZ4215	128	AZ4282	17	AZ4347	377	AZ4438	155
AZ3532	280	AZ4069	204	AZ4216	355	AZ4283	14	AZ4348	373	AZ4439	155
AZ3539	287	AZ4070	152	AZ4217	355	AZ4284	14	AZ4349	373	AZ4440	155
AZ3540	165	AZ4071	254	AZ4218	236	AZ4285	16	AZ4350	372	AZ4441	155
AZ3541	165	AZ4072	152	AZ4220	236	AZ4286	16	AZ4351	372	AZ4442	21
AZ3542	103	AZ4073	285	AZ4222	236	AZ4287	17	AZ4352	388	AZ4443	21
AZ3543	103	AZ4074	285	AZ4224	236	AZ4288	17	AZ4353	375	AZ4444	406
AZ3544	103	AZ4075	284	AZ4226	237	AZ4289	13	AZ4354	375	AZ4445	406
AZ3545	103	AZ4076	284	AZ4227	237	AZ4290	13	AZ4355	374	AZ4446	407
AZ3674	180	AZ4116	14	AZ4228	237	AZ4291	13	AZ4356	374	AZ4454	371
AZ3675	180	AZ4117	14	AZ4229	237	AZ4292	13	AZ4357	407	AZ4455	371
AZ3676	180	AZ4128	156	AZ4230	267	AZ4293	13	AZ4358	406	AZ4456	404
AZ3677	180	AZ4130	156	AZ4230	361	AZ4294	13	AZ4359	406	AZ4457	404
AZ3678	181	AZ4132	156	AZ4231	267	AZ4295	15	AZ4360	384	AZ4458	404

ARTICLES SYMBOL INDEX

Index pages

AZ4459 . . .	404	AZ4519 . . .	44	AZ4587 . . .	69	AZ4648 . . .	49	AZ4723 . . .	3	AZ4797 . . .	16
AZ4460 . . .	391	AZ4520 . . .	44	AZ4588 . . .	69	AZ4649 . . .	49	AZ4724 . . .	3	AZ4798 . . .	78
AZ4461 . . .	391	AZ4522 . . .	149	AZ4589 . . .	68	AZ4649 . . .	52	AZ4725 . . .	3	AZ4799 . . .	78
AZ4462 . . .	391	AZ4523 . . .	252	AZ4590 . . .	68	AZ4650 . . .	49	AZ4726 . . .	3	AZ4800 . . .	78
AZ4463 . . .	396	AZ4524 . . .	252	AZ4591 . . .	68	AZ4651 . . .	49	AZ4727 . . .	3	AZ4801 . . .	78
AZ4464 . . .	396	AZ4525 . . .	252	AZ4592 . . .	68	AZ4652 . . .	53	AZ4728 . . .	2	AZ4802 . . .	79
AZ4465 . . .	396	AZ4526 . . .	252	AZ4593 . . .	68	AZ4653 . . .	53	AZ4729 . . .	2	AZ4803 . . .	79
AZ4466 . . .	396	AZ4527 . . .	252	AZ4594 . . .	68	AZ4654 . . .	7	AZ4730 . . .	2	AZ4804 . . .	79
AZ4467 . . .	415	AZ4528 . . .	252	AZ4595 . . .	67	AZ4655 . . .	7	AZ4731 . . .	2	AZ4805 . . .	79
AZ4468 . . .	415	AZ4529 . . .	252	AZ4596 . . .	67	AZ4656 . . .	8	AZ4732 . . .	2	AZ4806 . . .	80
AZ4469 . . .	379	AZ4530 . . .	252	AZ4597 . . .	67	AZ4657 . . .	8	AZ4733 . . .	2	AZ4807 . . .	80
AZ4470 . . .	378	AZ4531 . . .	250	AZ4598 . . .	67	AZ4658 . . .	26	AZ4734 . . .	2	AZ4808 . . .	80
AZ4471 . . .	378	AZ4532 . . .	250	AZ4599 . . .	67	AZ4659 . . .	26	AZ4735 . . .	2	AZ4809 . . .	80
AZ4472 . . .	378	AZ4533 . . .	250	AZ4600 . . .	67	AZ4662 . . .	416	AZ4736 . . .	2	AZ4810 . . .	81
AZ4473 . . .	371	AZ4534 . . .	250	AZ4601 . . .	67	AZ4663 . . .	416	AZ4737 . . .	2	AZ4811 . . .	81
AZ4474 . . .	371	AZ4535 . . .	251	AZ4602 . . .	67	AZ4664 . . .	36	AZ4738 . . .	4	AZ4812 . . .	81
AZ4475 . . .	404	AZ4536 . . .	251	AZ4603 . . .	62	AZ4664 . . .	419	AZ4739 . . .	4	AZ4813 . . .	81
AZ4476 . . .	404	AZ4537 . . .	146	AZ4604 . . .	62	AZ4665 . . .	419	AZ4740 . . .	4	AZ4814 . . .	82
AZ4477 . . .	404	AZ4538 . . .	146	AZ4605 . . .	62	AZ4666 . . .	9	AZ4741 . . .	4	AZ4815 . . .	82
AZ4478 . . .	408	AZ4539 . . .	146	AZ4606 . . .	62	AZ4666 . . .	36	AZ4742 . . .	3	AZ4816 . . .	82
AZ4479 . . .	408	AZ4540 . . .	146	AZ4607 . . .	62	AZ4667 . . .	9	AZ4743 . . .	3	AZ4817 . . .	82
AZ4480 . . .	409	AZ4541 . . .	35	AZ4608 . . .	62	AZ4670 . . .	52	AZ4744 . . .	4	AZ4818 . . .	84
AZ4481 . . .	409	AZ4542 . . .	35	AZ4609 . . .	62	AZ4671 . . .	52	AZ4745 . . .	4	AZ4819 . . .	84
AZ4482 . . .	402	AZ4543 . . .	35	AZ4610 . . .	62	AZ4672 . . .	52	AZ4746 . . .	4	AZ4820 . . .	83
AZ4483 . . .	402	AZ4544 . . .	35	AZ4611 . . .	62	AZ4673 . . .	52	AZ4747 . . .	4	AZ4821 . . .	83
AZ4484 . . .	400	AZ4545 . . .	147	AZ4612 . . .	62	AZ4674 . . .	52	AZ4748 . . .	5	AZ4822 . . .	85
AZ4485 . . .	400	AZ4546 . . .	147	AZ4613 . . .	64	AZ4675 . . .	53	AZ4749 . . .	5	AZ4823 . . .	85
AZ4486 . . .	399	AZ4547 . . .	35	AZ4614 . . .	64	AZ4676 . . .	53	AZ4756 . . .	186	AZ4824 . . .	86
AZ4487 . . .	398	AZ4548 . . .	35	AZ4615 . . .	64	AZ4677 . . .	52	AZ4757 . . .	186	AZ4825 . . .	86
AZ4488 . . .	399	AZ4549 . . .	31	AZ4616 . . .	64	AZ4678 . . .	52	AZ4758 . . .	186	AZ4826 . . .	86
AZ4489 . . .	403	AZ4550 . . .	31	AZ4617 . . .	64	AZ4679 . . .	50	AZ4759 . . .	186	AZ4827 . . .	86
AZ4490 . . .	353	AZ4551 . . .	31	AZ4618 . . .	64	AZ4680 . . .	50	AZ4760 . . .	186	AZ4830 . . .	187
AZ4491 . . .	353	AZ4552 . . .	31	AZ4619 . . .	64	AZ4681 . . .	51	AZ4761 . . .	186	AZ4836 . . .	56
AZ4492 . . .	353	AZ4553 . . .	100	AZ4620 . . .	64	AZ4682 . . .	51	AZ4762 . . .	186	AZ4838 . . .	56
AZ4493 . . .	353	AZ4554 . . .	100	AZ4621 . . .	70	AZ4683 . . .	50	AZ4763 . . .	186	AZ4840 . . .	57
AZ4494 . . .	353	AZ4555 . . .	340	AZ4622 . . .	70	AZ4684 . . .	50	AZ4764 . . .	186	AZ4842 . . .	57
AZ4495 . . .	353	AZ4556 . . .	340	AZ4623 . . .	70	AZ4685 . . .	51	AZ4765 . . .	186	AZ4844 . . .	59
AZ4496 . . .	352	AZ4557 . . .	28	AZ4624 . . .	70	AZ4686 . . .	51	AZ4766 . . .	186	AZ4846 . . .	58
AZ4497 . . .	352	AZ4558 . . .	28	AZ4625 . . .	70	AZ4687 . . .	51	AZ4767 . . .	186	AZ4848 . . .	58
AZ4498 . . .	352	AZ4559 . . .	28	AZ4626 . . .	70	AZ4688 . . .	51	AZ4768 . . .	188	AZ4850 . . .	58
AZ4499 . . .	352	AZ4560 . . .	28	AZ4627 . . .	75	AZ4689 . . .	52	AZ4769 . . .	188	AZ4852 . . .	60
AZ4500 . . .	352	AZ4561 . . .	341	AZ4628 . . .	75	AZ4690 . . .	52	AZ4770 . . .	188	AZ4854 . . .	60
AZ4501 . . .	352	AZ4562 . . .	341	AZ4629 . . .	74	AZ4691 . . .	53	AZ4771 . . .	188	AZ4856 . . .	55
AZ4502 . . .	414	AZ4563 . . .	36	AZ4630 . . .	72	AZ4692 . . .	53	AZ4772 . . .	188	AZ4857 . . .	55
AZ4503 . . .	414	AZ4565 . . .	36	AZ4631 . . .	72	AZ4693 . . .	52	AZ4773 . . .	188	AZ4860 . . .	54
AZ4504 . . .	382	AZ4567 . . .	36	AZ4632 . . .	72	AZ4694 . . .	52	AZ4774 . . .	188	AZ4861 . . .	54
AZ4505 . . .	382	AZ4568 . . .	36	AZ4633 . . .	73	AZ4695 . . .	369	AZ4775 . . .	188	AZ4862 . . .	51
AZ4506 . . .	382	AZ4569 . . .	206	AZ4634 . . .	73	AZ4696 . . .	369	AZ4776 . . .	188	AZ4863 . . .	49
AZ4507 . . .	382	AZ4570 . . .	206	AZ4635 . . .	73	AZ4697 . . .	369	AZ4780 . . .	5	AZ4864 . . .	49
AZ4508 . . .	395	AZ4571 . . .	206	AZ4636 . . .	71	AZ4709 . . .	23	AZ4780 . . .	16	AZ4865 . . .	49
AZ4509 . . .	395	AZ4572 . . .	206	AZ4637 . . .	71	AZ4710 . . .	23	AZ4780 . . .	53	AZ4866 . . .	53
AZ4510 . . .	394	AZ4577 . . .	22	AZ4638 . . .	48	AZ4711 . . .	23	AZ4782 . . .	5	AZ4901 . . .	61
AZ4511 . . .	394	AZ4578 . . .	22	AZ4639 . . .	48	AZ4712 . . .	48	AZ4782 . . .	16	AZ4902 . . .	61
AZ4512 . . .	394	AZ4579 . . .	69	AZ4640 . . .	48	AZ4713 . . .	48	AZ4782 . . .	53	AZ4903 . . .	61
AZ4513 . . .	394	AZ4580 . . .	69	AZ4641 . . .	48	AZ4714 . . .	48	AZ4783 . . .	349	AZ5001 . . .	50
AZ4514 . . .	368	AZ4581 . . .	69	AZ4642 . . .	48	AZ4715 . . .	48	AZ4784 . . .	349	AZ5002 . . .	50
AZ4515 . . .	368	AZ4582 . . .	69	AZ4643 . . .	48	AZ4716 . . .	48	AZ4785 . . .	349	AZ5003 . . .	50
AZ4516 . . .	34	AZ4583 . . .	69	AZ4644 . . .	48	AZ4717 . . .	48	AZ4786 . . .	349	AZ5004 . . .	50
AZ4517 . . .	148	AZ4584 . . .	69	AZ4645 . . .	48	AZ4718 . . .	48	AZ4787 . . .	349		
AZ4517 . . .	149	AZ4585 . . .	69	AZ4646 . . .	49	AZ4719 . . .	48	AZ4788 . . .	349		
AZ4518 . . .	148	AZ4586 . . .	69	AZ4647 . . .	49	AZ4722 . . .	3	AZ4796 . . .	16		



Ra (CRI) - Colour Rendering Index **EU standard – Ra ≥ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra ≥ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra ≥ 80**
NajlepšÍ index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra ≥ 80**
NejlepšÍ index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od dátumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálných.